Tools for Chefs L 2023



www.hendi.com

BARBECUES & HEATERS

STAINLESS

STEEL FURNITURE

POTS, PANS & GN CONTAINERS

BOARDS, KNIVES, TOOLS

> -T

.

Tools for Chefs

 ٢

B

Ħ

Ř

B

ා

Professional food service equipment

CATALOGUE 2023

March 2023





Choose from the unrivalled #toolsforchefs! HENDI sets trends and provides the best solutions for the catering market, tailored to the needs of customers.

To meet the challenges of the market, it creates new products.

The offered appliances are characterized by high quality, innovation, as well as an interesting and functional design.

This catalogue includes over 5,000 products, including premieres and most appreciated products on the professional market.







HENDI

HENDI Tools for Chefs

HENDI Polska

ul. Firmowa 12, 62-023 Robakowo Poland T: +48 61 658 70 41 www.hendi.en export@hendi.pl

HENDI The Netherlands

Innovatielaan 6, 6745 XW De Klomp The Netherlands T: +31 (0)317 68 10 40 F: +31 (0)317 68 10 45 info@hendi.eu www.hendi.com

HENDI Greece

5 Metsovou Str. 18346 Moschato, Athens, Greece T: +30 210 483 97 00 F: +30 210 483 97 10 office.greece@hendi.eu www.hendi.com

HENDI Austria

Gewerbegebiet Ehring 15 5112 Lamprechtshausen, Austria T: +43 (0) 6274 200 10 0 F: +43 (0) 6274 200 10 20 office.austria@hendi.eu www.hendi.com

HENDI Italy

Via Leonardo da Vinci 4, 39100 Bolzano (BZ) Italia T: +39 800727483 office.italy@hendi.eu www.hendi.com



 ج

ති

Ħ

C


Watch the video

HENDI Romania

Str. 13 decembrie 94A, Hala 14 Brașov 500164 RO, Rumunia T: +40 268 320330 F: +40 268 320335 office@hendi.ro www.hendi.com

HENDI Hong Kong

1208, 12/F, Exchange Tower 33 Wang Chiu Road, Kowloon Bay Hong Kong info-hk@hendi.eu www.hendi.com





HENDI is the only brand in the Food Service Equipment industry that works together with industrial designer Robert Bronwasser



In professional kitchens, the emphasis is, of course, on the functionality and ergonomics of the equipment, while maintaining an interesting form. In my cooperation with HENDI, it is crucial that the chefs are satisfied with all these aspects and recognize the brand's products at a glance. Thanks to this, if they work with one piece of equipment of a given brand and are satisfied, they successively supplement the kitchen with further elements of equipment, because it is easier to work in a coherent, matching system. And that's what we care about." Robert Bronwasser

HENDI's cooperation with Robert Bronwasser results in surprising, extremely well-perceived novelties on the market. You will find them in this catalogue marked with RB's logo.









 ٢

R

Ĥ

Ř

ස

ကြိ

"

Always up-to-date!

Our catalogue is also available online with nice features like:

- + powerfull search tool
- + easy navigation
- + fast sharing.

But most important of all, **up-to-date prices.** Scan the QR-code and bookmark the page.





Selection of new products for 2023



NEW

R

A

00

Ĥ

Ř

नि

ကြိ

''

BOARDS, KNIVES, TOOLS

Pressure food sprayer page 87



BOARDS, KNIVES, TOOLS

Olive oil dispenser page 87



BOARDS, KNIVES, TOOLS

Conical strainer with wire mesh,

BOARDS, KNIVES, TOOLS

Bent wooden spatula - set of 2 page 98

reinforced page 105



BOARDS, KNIVES, TOOLS

Extendable sink colander page 107

BOARDS, KNIVES, TOOLS

Ice cream scale with LCD with RS232 Port and legalisation page 110



BOARDS, KNIVES, TOOLS

Digital scale up to 200 kg page 109



BOARDS, KNIVES, TOOLS

Sauce bain-marie with dispenser page 123



Selection of new products for 2023

Whipped cream machine page 136



CONFECTIONERY, BAKERY, CAFÉ

Single pastry guitar page 158



CONFECTIONERY, BAKERY, CAFÉ

CONFECTIONERY, BAKERY, CAFÉ

Sponge cake saw page 159



CONFECTIONERY, BAKERY, CAFÉ

Nacho warmer page 173



CONFECTIONERY, BAKERY, CAFÉ

Popcorn machine page 174



CONVECTION STEAM OVENS

Convection bakery ovens with humidity 600x400 mm

page 315



VACUUM PACKING

Tray sealer compact page 234



CONVECTION STEAM OVENS

Chicken rotisserie electric page 387



NEW

Ś

R

C

ħ

Ř

नि

ကြိ

''

_____ ____

COOLING

Cooling and freezing cabinet single door confectionery page 423



WARMERS, FUELS, BUFFET

Roll top display, double-purpose, single deck page 553



PORCELAIN, CUTLERY, TABLEWARE

Salt grinders & pepper mills page 528



WARMERS, FUELS, BUFFET

Restaurant calling system page 577



BAR

Granitor page 595



COFFEE MACHINES, BOILERS

Coffeematic automatic coffee machine with touchscreen page 617

M H E N D I



COFFEE MACHINES, BOILERS

Electric milk frother page 631



DISHWASHERS AND HYGIENE

Extreme Natural Grill Cleaner Professional grill and sausage rolling grill cleaner page 676





code	liters	wall (mm)	mm	€
832004	3	0.7	ø160x(H)150	33,50
832202	6	0.7	ø200x(H)190	43,00
832400	10	0.7	ø240x(H)220	58,50
832509	16	0.7	ø280x(H)260	94,50
832608	24	0.8	ø320x(H)300	110,00
832707	37	1	ø360x(H)360	161,00
832806	50	1	ø400x(H)400	209,00
832929	70	1	ø450x(H)450	236,00
833025	95	1	ø500x(H)500	278,00

STEW PAN MIDDLE - WITH LID

code	liters	wall (mm)	mm	€
831007	2	0.7	ø160x(H)110	31,00
831205	4	0.7	ø200x(H)130	38,00
831403	7	0.7	ø240x(H)150	51,50
831502	10	0.7	ø280x(H)170	66,50
831601	15	0.8	ø320x(H)190	89,00
831700	23.5	1	ø360x(H)230	132,00


STEW PAN LOW - WITH LID

aluminium 5 mm stainless steel 430, | min. 0,5 mm |

code	liters	wall (mm)	mm	€
830000	1.5	0.7	ø160x(H)75	27,00
830208	2.8	0.7	ø200x(H)90	34,50
830406	4.8	0.7	ø240x(H)105	47,00
830505	7.5	0.7	ø280x(H)120	61,00
830604	12	0.8	ø320x(H)150	89,00



SANDWICH TYPE MULTI-LAYERED BOTTOM



- perfect integration the bottom is formed by special impact bonding, which ensures perfect joining of layers
- corrosion resistance
- energy savings up to 30% faster heat distribution faster cooking
- optimal heat distribution over the entire bottom surface even cooking without a burn pot

<u>ب</u>

R

f

C

f

Ř

नि

ကြိ

- sandwich bottom forged by impact bonding under a weight of 2.500 tons
- aluminum purity 95%
- over 99% bonding efficiency of 3 layers

SAUCEPAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm	€
830055	1.5	0.7	ø160x(H)75	19,50
830048	1	0.7	ø140x(H)70	16,00
830154	2	0.7	ø180x(H)80	21,50
830253	3	0.7	ø200x(H)90	27,00

SAUTÉ PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.
- Ideal for pouring thanks to the sharply formed edge.

code	liters	wall (mm)	mm	€
830352	0.9	0.7	ø160x(H)60	16,00
830376	1.5	0.7	ø200x(H)60	21,00

FRYING PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	wall (mm)	mm	€
835432	0.7	ø240x(H)45	27,00
835531	0.7	ø280x(H)50	29,00
835630	0.7	ø320x(H)55	41,00

FRYING PAN, WITH NON-STICK COATING -WITHOUT LID

- Teflon® Platinum Plus non-stick coating.
- Long, stay-cool handle made from stainless steel.
- Handle attached with rivets.

code	wall (mm)	mm	€
835500	0.7	ø280x(H)50	47,00
835401	0.7	ø240x(H)45	36,00
835609	0.7	ø320x(H)55	55,50

PAN SUPPORT ADAPTER

- For placing small pans on large pan supports.

code	mm	€
839997	255x255x(H)25	6,70

HENDI













PAN SERIES KITCHEN LINE

- Encapsulated sandwich type bottom.
- Combines the heat distribution of aluminium with the durability
- and magnetic properties of steel to allow induction cooking. - Satin finish of all outer surfaces.
- Steel handles affixed with multi-point welding stay cool enough to touch.





836507

15

0.8 ø320x(H)190

68,50



STEW PAN LOW - WITH LID

code	liters	wall (mm)	mm	€
836002	1.5	0.6	ø160x(H)75	21,00
836019	2.9	0.6	ø200x(H)95	27,00
836026	4.9	0.6	ø240x(H)110	34,50
836033	7.3	0.7	ø280x(H)120	41,50
836040	12	0.8	ø320x(H)150	65,00



836002


video

SAUCEPAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

code	liters	wall (mm)	mm	€
838105	1.5	0.6	ø160x(H)75	15,00
838204	2.9	0.6	ø200x(H)95	20,50
838303	4.9	0.6	ø240x(H)110	27,00

838105 838204 838303



 Long, stay-cool handle made from stainless steel. 	
---	--

code	liters	wall (mm)	mm	€
839300	1	0.6	ø160x(H)60	14,50
839409	1.7	0.6	ø200x(H)65	18,00



FRYING PAN - WITHOUT LID

- Long, stay-cool handle made from stainless steel.

	Ê	€	mm	wall (mm)	code
838600 0.6 ø280x(H)50 2	,50	20,5	ø240x(H)50	0.6	838501
	,50	27,5	ø280x(H)50	0.6	838600
838617 0.7 ø320x(H)50 3:	,00	32,0	ø320x(H)50	0.7	838617

838501 838600 838617 ſ



STEW PAN WITH LID

code	liters	wall (mm)	mm	€
834404	36	1	ø360x(H)360	110,00
834701	50	1	ø400x(H)400	133,00
832882	17	0.8	ø280x(H)280	66,50
832899	21	0.8	ø300x(H)300	82,50
834206	25	0.8	ø345x(H)350	89,50
834909	71	1	ø450x(H)450	164,00
835104	98	1	ø500x(H)500	197,00

Sandwich type bottom





STEW PAN MIDDLE - WITH LID

code	liters	wall (mm)	mm	€
832820	9	0.8	ø250x(H)180	44,50
832837	14	0.8	ø300x(H)200	62,50
832844	23	1	ø350x(H)240	87,50
832851	32	1	ø400x(H)260	117,00

Handles don't get hot



HENDI

Prices net of VAT







•••••	st iron handle CAST IRON GRILL PAN - Cast iron handle					- Cast iron handle				
code	mm	€	code	mm	€	code	mm	€		
629932	230x230x(H)25	61,00	629925	510x274x(H)27	94,50	629949	ø260x(H)44	61,00		





C

Ē

Ř

नि

ကြိ

''

FRYING PANS DIE-CAST ALUMINIUM ,TITANIUM PROFESSIONAL'

- Made of cast aluminium, suitable for all heat sources and even suitable for use in ovens (up to 260°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.

INDUCTION FRYING PAN

code	bottom (mm)	mm	€
629154	ø190	ø250x(H)50	50,00
629253	ø220	ø290x(H)55	55,50
629345	ø260	ø330x(H)60	69,50







Watch the video



629154 629253 629345



Induction bottom




With strong stainless steel handle

Primer coating: for anti-corrosion, anti-shock & better durability of coatings

Titanium coating: for anti-scretch & anti-abrasion

Mid coating: Whitford® Xylan non-stick

Top coating: Reinforcement of non stick layer and brighten surface



Aluminium pan base

Induction bottom



GRIDDLE FOR INDUCTION COOKERS

- Suitable for use on induction stoves.
- Made of die cast aluminum with Teflon[®] non-stick coating.
- Suitable for heat-sources up to 250°C.

code	mm	€
629130	390x260x(H)35	30,50



FRYING PANS DIE-CAST ALUMINIUM .TITANIUM PROFESSIONAL

- Made of cast aluminium, suitable for all heat sources except induction and even suitable for use in ovens (up to 250°C).
- Cast aluminium excels at conducting heat, the pan is quickly ready for use.
- The handle is made from 18/10 stainless steel and remains cool during use.
- The Whitford® Xylan non-stick coating has a high temperature resistance (up to 250°C).
- Adhesion of the non-stick coating is improved by a layer of titanium between the aluminium and the coating.

629109

629307

629390

- This double-layer procedure improves the service life of the coating and provides additional scratch-resistance.
- Verv easy to clean after use.

UP TO

30%

OF ENERGY SAVINGS



Primer coating: for anti-corrosion,

anti-shock & better durability of

coatings

SAVE ENERGY

R

f


नि

I

Titanium coating: for anti-scretch & anti-abrasion

Mid coating: Whitford® Xylan non-stick

Reinforcement of non stick and bright surface



Aluminium pan base

FRYING PAN TITANIUM PROFESSIONAL

code	bottom (mm)	mm	€
629109	ø180	ø240x(H)55	39,00
629307	ø260	ø320x(H)55	51,50
629208	ø220	ø280x(H)55	46,00
629352	ø300	ø360x(H)55	77,50
629390	ø340	ø400x(H)55	89,00





629505

WOK TITANIUM PROFESSIONAL

SAUTÉ PAN TITANIUM PROFESSIONAL




FRYING PANS ALUMINIUM ,MARBLE PROFESSIONAL'



- AL aluminium ceramic electro gas
- Made of durable aluminium, suitable for all heat sources, even suitable for use in ovens.
- Aluminum offers even heat conduction, the pan is quickly ready for use.
- The handle is made of epoxy coated steel.
- The 'Marble' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers and is wear-resistant.

READ

- Very easy to clean after use.





Induction bottom



Watch the video

code	bottom (mm)	mm	€
627600	ø140	ø200x(H)40	20,50
627617	ø180	ø240x(H)42	24,00
627662	ø200	ø260x(H)45	31,00
627624	ø220	ø280x(H)50	32,00
627631	ø260	ø320x(H)50	41,00
627648	ø280	ø360x(H)50	51,50
627655	ø300	ø390x(H)50	65,00



WOK CRÊPES PAN			FISH FF	RYING	PAN - OV	4L				
code	bottom mm (mm)	€	code	bottom (mm)	mm	€	code	bottom (mm)	mm	€
627730	ø210 ø280x(H)75	35,00	627679	ø240	ø280x(H)25	26,00	627716	ø185 2	80x400x(H)55	52,50
627747	ø210 ø320x(H)95	46,50	627686	ø280	ø320x(H)20	36,00				

PAELLA PAN

- With 2 handles.

code

622100

622308

622407

622605



- Made of durable aluminium, suitable for all heat sources.
- Aluminium excels at conducting heat, the pan is quickly ready for use.
- Stainless steel handle with insulating silicon handle for a good grip.
- The 'Teflon™ Platinum Plus' non-stick coating has a high temperature resistance (up to 260°C).
- The coating is applied in three layers which increases the wear resistance and makes the pan ideal for intensive use.
- Very easy to clean after use.





55,00





- Top-quality frying pans made of sheet steel.

mm

ø340x(H)40

ø460x(H)40

ø600x(H)40

ø800x(H)50

€

16,00

23.00

50,00

111,00

Suitable for

Fiesta gas

grill 146002

grill 146804



Reinforcement primer

Durable non-

stick topcoat Aluminium pan base

Midcoat improves the adhesive

Induction bottom

properties of the other layers

Ć

R

Ê

Ĥ

Ą

B

ကြိ

''



FRYING PANS TRADITIONAL

- Traditional frying pans made of rolled steel.
- Favourite pans of cooking masters.
- Simplicity, quality, firmness and versatility, features appreciated by many generations.
- Rusts easily, oil well to keep it ready for use.
- The handle is welded which ensures that it doesn't break.





video



FRYING PAN

C

code	bottom (mm)	mm	€
628638	ø180	ø240x(H)45	24,50
628614	ø220	ø280x(H)50	33,50
628706	ø240	ø300x(H)50	33,50
628621	ø260	ø320x(H)50	39,00

8



CRÊPES PAN

code	bottom (mm)	mm	€
628805	ø200	ø230x(H)25	20,00

BEFORE FIRST USE



Step 1 Put cooking oil in the pan and heat it. Add potato peelings and a lot of salt, then let it fry a bit.



Step 2 Take a kitchen towel and carefully rub the mixture around the inside of the pan.



Step 3 After rubbing the pan thoroughly, empty the pan. Now there will be residue of the potato peelings left in the pan.



Step 4 To remove the residue put a lot of salt in the pan and rub the salt around the pan a thin layer of oil in the pan. The pan is now ready with a kitchen towel to remove the residue. Don't do this on the stove.



Step 5 Remove the dirty salt, wipe the pan clean and pour



Step 6 Spread the oil in the pan with a clean kitchen towel. for first use or storage.



CAST IRON CASSEROLE ENAMELLED

- Made entirely of cast iron, with enamel coating.
- Lid with bumps on the inside that force water droplets (steam) to fall back, keeping the dish moist and aromatic.
- Suitable for all heat sources including induction.
- Not dishwasher safe.
- Not microwave safe.
- Available in different sizes; the smallest can be used as a serving dish (code: 626856).

code	liters	mm	€
626856	0.2	130x100x(H)48	33,50
626832	3.4	320x240x(H)105	61,00
626849	4	363x222x(H)110	69,50
626825	7	407x254x(H)135	91,50



8

0

MHENDI

 \bigcirc

/ ____

ß

00

Ř

ස

ů

ÿ

PAN SERIES COPPER

- 2,5 mm thick 3-ply construction consists of stainless steel (0,4 mm), aluminium (1,5 mm) and copper (0,4 mm).
 Handles are attached by rivets.
- Al 18/10 ataries steel ceramic line gas linductor wash micro



FRYING	PAN		
code	thickness (mm)	mm	€
607060	2.5	ø240x(H)50	69.50

SAUCEPAI	N - WITHO	UT LID	
code	liters	mm	€
607053	1.5	ø160x(H)80	51,00





SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code	-	liters	mm	€
625804	blue	0.5	ø115x(H)95	14,00
625705	black	0.65	ø135x(H)110	15,00



Prices net of VAT

OHE N

ÿ

ကြိ

.

Gastronorm containers GASTRONORM GASTRONORM GASTRONORM GASTRONORM CONTAINER CONTAINER CONTAINER CONTAINER POLYCARBONATE PROFI LINE **KITCHEN LINE** BUDGET LINE TRANSPARENT SUITABLE FOR: Convection ovens V ~ ~ Bain-marie system V V V V Chafing dishes V ~ Refrigerators V V V V ~ V V V Food storage V V V V Dishwasher cleaning PROPERTIES: -40°C/300°C -40°C / 300°C -40°C/300°C -40°C/110°C For use at temperatures Stackable V V V V CONSTRUCTION: Made of stainless steel 18/10 stainless steel stainless steel polycarbonate 0.6-0.7 2-3 Thickness (mm) 0.6-0.8 0.6-0.7 Available heights (mm) 20 up to 200 20 up to 200 20 up to 200 65 up to 200 ACCESSORIES: Perforated containers V V Lids v V ~ ~ Lids with silicone rim ~ V ~ Lids with spoon recess ~ ~ Driping tray V 1 V Adaptor bar ~ ~ ADDITIONAL INFO: Easy to clean ~ V ~ V Gastronorm size v v engraved With capacity scale V Doesn't absorb odours V v ~ ~ or flavours Compliant with Reinforced corners If treated correctly High impact resistance, the most strict food to add strenght corrosion resistant very durable contact regulations (for hospitals) If treated correctly Crystal clear material corrosion resistant Excellent corrosion resistance (salt & sour resistant) .

HENDI

Reduced radius to ensure maximum content • Very strong and durable


-	-		
GASTRONORM CONTAINER Polycarbonate Black & White	GASTRONORM CONTAINER POLYPROPYLENE	HACCP STORAGE CONTAINER	PORCELAIN CONTAINER
			v
V	<i>v</i>	v	V
✓	V	V	
v	v	v	v
-40°C / 110°C	-40°C / 80°C	-40°C / 80°C	under 600°C
v	<i>v</i>	v	v
polycarbonate	polypropylene	polypropylene	porcelain
2-3	2-2,9	2-2,9	
65 up to 150	100 up to 200	65 up to 200	20 up to 65
V	✓ ✓	V	
V			v
v	 	v	
v	v	v	
v	~	v	v
Perfect for presentation • High impact resistance,	Transparant material	With integrated HACCP label for monitoring of food storage process	Special porcelain type, toughest type available •
very durable		•	Thermal shock
		Transparant material	resistant, can withstand extreme temperature changes
		Coloured lid clips according to HACCP	• High-impact and wear
		sold separately	resistance and still
			relatively light-weight
			Extremely pure

HENDI

-

GN GASTRONORM SYSTEM

- Designation of standard size containers used in food industry, determined in PN-EN 631-1:1996 standard.
- Standardisation of container dimensions makes it easier to use them in various kitchen appliances which are designed based on these dimensions, e.g. in ovens, insulated containers, refrigerated cabinets, bain-maries, transport trolleys





Prices net of VAT

801451

1 0.7 20

14,50

801550 0.8 0.7 20

19

S

12,00







code	liters	thickness (mm)	height (mm)	€
801635	1.8	0.7	65	14,50
801604	5.5	0.8	200	27,50
801611	4	0.7	150	24,00
801628	2.8	0.7	100	18,50
801642	1.7	0.7	40	13,50
801659	0.9	0.7	20	12,00

	code	liters	thickness (mm)	height (mm)	€
0	801703	3.4	1	200	34,50
0	801710	2.4	0.8	150	21,50
0	801727	1.6	0.7	100	13,00
0	801734	1	0.7	65	11,00
•					

code	liters	thickness (mm)	height (mm)	€
801826	1	0.7	100	17,00
801833	0.6	0.7	65	11,50

GASTRONORM CONTAINERS PROFI LINE - PERFORATED

- Perforated bottom.
- Perforated sides with a height of 100 mm or higher.



code	liters	thickness (mm)	height (mm)	€		
802205	28	0.8	200	75,50		
802212	21	0.8	150	72,50		
802229	14	0.8	100	46,50		
- Perforat	- Perforated bottom					

code	liters	thickness (mm)	height (mm)	€
802236	9	0.8	65	35,00
802243	5	0.8	40	27,50
802168	2.5	0.8	20	24,00



code	liters	thickness (mm)	height (mm)	€
802328	9	0.7	100	32,00
- Perfora	ted bo	ttom.		
code	liters	thickness (mm)	height (mm)	€
802335	5.5	0.7	65	22,00
802342	3	0.7	40	22.00

1/2 <	A I	W.		3
		-	~	802427
code	liters	thickness (mm)	height (mm)	€
802427	6.5	0.7	100	24,50

cu bo	cconn.		
liters	thickness (mm)	height (mm)	€
4	0.7	65	18,50
2	0.7	40	16,50
		liters thickness [mm]	4 0.7 65



	85		
	1		
1			
	80	12526	

code	liters	thickness [mm]	height (mm)	€
802526	4	0.7	100	21,00
802533	2.5	0.7	65	17,00
802540	1.2	0.7	40	13,50

-	Per	forated	bottom

code	liters	thickness (mm)	height (mm)	€
802502	7.8	0.7	200	39,50
802519	5.7	0.7	150	30,50

808108

ADAPTOR BAR FOR GN CONTAINERS

 - For fitting small GN-containers in bain-maries, chafing dishes etc.

 code
 GN
 mm
 €

 808108
 GN 1/2
 325x22x(H)10
 5,60

 808153
 GN 1/1
 530x22x(H)10
 6,95

HENDI

Adaptor bar for fitting small GNcontainers in bain-maries, chafing dishes, salad counters etc.



GN CONTAINERS WITH DROPPED HANDLES



ති

C

f

Å

नि

I

''

GASTRONORM CONTAINERS KITCHEN LINE

- Extra strong due to reinforced corners.
- Gastronorm size is engraved.
- Smooth edges, easy to clean.
- Can be used in convection ovens, refrigerators, bain-marie systems and chafing dishes.

Extra strong due to reinforced corners. For use at temperatures -40°C/300°C. Corrosion-resistant (when used properly). Thickness 0,6-0,7 mm. GN 1/1 GN 2/3 GN 1/2 GN 1/3 GN 1/4 GN 1/6 GN 1/9 530x325 354x325 325x265 325x176 265x162 176x162 176x108 mm mm mm mm mm mm mm



code	liters	thickness (mm)	height (mm)	€
806159	28	0.7	200	38,00
806142	21	0.7	150	35,00
806135	14	0.6	100	23,50
806128	9	0.6	65	19,00
806111	5	0.6	40	18,00
806104	2.5	0.6	20	16,50



code	liters	thickness (mm)	height (mm)	€
806258	15.5	0.7	200	38,00
806241	13	0.7	150	27,50
806234	9	0.6	100	21,00
806227	5.5	0.6	65	14,50
806210	3	0.6	40	14,50
806203	1.5	0.6	20	13,50



code	liters	thickness (mm)	height (mm)	€
806357	12.5	0.7	200	26,50
806340	9.5	0.7	150	22,00
806333	6.5	0.6	100	14,50
806326	4	0.6	65	12,00
806319	2	0.6	40	10,00
806302	1	0.6	20	8,65



0
0
0
0
i



code	liters	thickness (mm)	height (mm)	€	code	liters
806555	5.5	0.7	200	20,50	806654	3.4
806548	4	0.7	150	16,00	806647	2.4
806531	2.8	0.6	100	10,00	806630	1.6
806524	1.8	0.6	65	10,00	806623	1



€	code	liters	thickness (mm)	height (mm)	€
20,50	806654	3.4	0.7	200	16,00
16,00	806647	2.4	0.7	150	12,00
10,00	806630	1.6	0.6	100	8,90
10,00	806623	1	0.6	65	7,25

806647





code	liters	thickness [mm]	height (mm)	€
806739	1	0.7	100	8,90
806722	0.6	0.6	65	5,00

808108	

808153

ADAPTOR BAR FOR GN CONTAINERS

- For fitting small GN-containers in bainmaries, chafing dishes etc. code GN mm C 808108 GN 1/2 325x22x(H)10 5,60 808153 GN 1/1 530x22x(H)10 6,95



PERFORATED DRIP SHELF FOR GN CONTAINERS

code	GN	€
806296	GN 2/3	20,50
806197	GN 1/1	23,50
806395	GN 1/2	13,00
806494	GN 1/3	14,50
806593	GN 1/4	13,00
806692	GN 1/6	10,00

GASTRONORM CONTAINERS KITCHEN LINE - PERFORATED



- Perforated bottom.
- Perforated sides with a height of 100 mm

code	liters	thickness (mm)	height (mm)	€				
807132	14	0.6	100	25,00				
807125	9	0.6	65	23,50				
- Perforated bottom.								
code	liters	thickness	height	€				

807118	5	0.6	40	20,50

Perforation diameter 3 mm.Perforated bottom.

code	liters	thickness (mm)		€
807224	5.5	0.6	65	20,50


807224



Perforation diameter 3 mm.
Perforated bottom and sides.

code	liters	thickness (mm)	height (mm)	€			
807330	6.5	0.6	100	21,00			
 Perforated bottom. 							
code	liters	thickness (mm)		€			
807323	4	0.6	65	13,50			

The airtight cover structure helps keep food fresh and avoid leaking during transportation.



804032

LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing.
- Only suitable for Kitchen-Line & Budget Line gastronorm containers.
- The airtight cover structure helps keep food fresh and avoid leaking during transportation.

code	thickness (mm)	GN	mm	€				
804001	1	GN 1/1	530x325	52,50				
804018	0,8	GN 2/3	354x325	36,00				
804025	0,7	GN 1/2	265x325	33,50				
804032	0,7	GN 1/3	325x176	25,00				
804049	0,7	GN 1/4	265x162	23,50				
804056	0,7	GN 1/6	176x162	20,50				

806845

LID FOR GN CONTAINERS

code	thickness (mm)	GN	mm	€
806814	0.7	GN 1/1	530x325	16,00
806821	0.7	GN 2/3	354x325	10,50
806838	0.7	GN 1/2	265x325	10,00
806845	0.7	GN 1/3	325x176	8,65
806852	0.7	GN 1/4	265x162	7,25
806869	0.7	GN 1/6	176x162	5,60
806876	0.7	GN 1/9	176x108	4,45



LID FOR GN CONTAINERS WITH SOUP/SAUCE LADLE RECESS

code	thickness (mm)	GN	mm	€
806913	0.7	GN 1/1	530x325	17,50
806920	0.7	GN 2/3	354x325	13,50
806937	0.7	GN 1/2	265x325	12,00
806944	0.7	GN 1/3	325x176	10,00
806951	0.7	GN 1/4	265x162	8,90
806968	0.7	GN 1/6	176x162	6,15
806975	0.7	GN 1/9	176x108	5,60

23

R

f

नि

I



		-	000100			-	000007			-	
code	liters	height (mm)	€	code	liters	height (mm)	€	code	liters	height (mm)	
800454	7.8	200	16,00	800553	5.5	200	13,00	800652	3.4	200	
800447	5.7	150	11,50	800546	4	150	11,00	800645	2.4	150	
800430) 4	100	9,45	800539	2.8	100	7,50	800638	1.6	100	
800423	3 2.5	65	6,40	800522	1.8	65	6,15	800621	1	65	
800416	5 1.5	40	6,40								
800409	0.8	20	5,30								



Prices net of VAT

€ 12,00 9,45 6,70 5.30

1/9		8	00737
code	liters	height (mm)	€
800737	1	100	5,60
800720	0.6	65	4,75



LID FOR GN CONTAINERS

code	GN	mm	€
800812	GN 1/1	530x325	10,50
800829	GN 2/3	354x325	9,75
800836	GN 1/2	265x325	6,15
800843	GN 1/3	325x176	4,75
800850	GN 1/4	265x162	4,20
800867	GN 1/6	176x162	3,90
800874	GN 1/9	176x108	2,80

The airtight cover structure helps keep food fresh and avoid leaking during transportation.



LID FOR GN CONTAINERS WITH SILICONE RIM

- With silicone rim for airtight sealing.
- Only suitable for Kitchen-Line & Budget Line gastronorm containers.
- The airtight cover structure helps keep food fresh and avoid leaking during transportation.

C	ode	thickness (mm)	GN	mm	€
80	4001	1	GN 1/1	530x325	52,50
80	4018	0,8	GN 2/3	354x325	36,00
80	4025	0,7	GN 1/2	265x325	33,50
80	4032	0,7	GN 1/3	325x176	25,00
80	4049	0,7	GN 1/4	265x162	23,50
80	4056	0,7	GN 1/6	176x162	20,50





R

f

(

h

Å

B

ကြိ

''




LID WITH DISPENSER FOR GN CONTAINERS

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.
- Suitable for GN containers with a height of 200 mm (not included).

code	GN	mm	€
558133	GN 1/6	180x165	209,00
558140	GN 1/4	270x165	222,00
558157	GN 1/3	330x180	250,00

GASTRONORM CONTAINERS BUDGET LINE WITH HANDLES







code	liters	height (mm)	€	code	liters	height (mm)	€	
817353	12.5	200	24,50	817452	7.8	200	20,50	
817346	9.5	150	20,50	817445	5.7	150	17,50	



LID FOR GN CONTAINERS GN code mm € 817834 GN 1/2 325x265 11.00 7.50 GN 1/3 325x176 817841 817810 GN 1/1 530x325 14.00 817827 GN 2/3 354x325 16,00



HENDI



made of tr	anspare sorb odo ure resist	nt polycarbo ours or flavo tant		ainers		-	0	polyc	arbonate	temp	stackable
110111 40			2	-	2	5	3		-	 For use a temperate -40°C / 11 	ures
				Z	16-		2/1	F			1
	Grad	lated —						code	liters	height (mm)	8611 €
								861196	58	200	58,50
1/1			861202	1/2			861424	1/3			861523
code	liters	height (mm)	e	code	liters	height (mm)	€	code	liters	height (mm)	€
861202	28	200	32,00	861400	12.5	200	16,50	861509	7.8	200	15,50
861219	21	150	24,50	861417	9.5	150	16,00	861516	5.7	150	12,00
861226	14	100	21,50	861424	6.5	100	12,00	861523	4	100	9,45
861233	9	65	17,00	861431	4	65	10,00	861530	2.5	65	7,50
1/4	10	86	1622	1/6	N	86	1721	1/9	400		361820
code	liters	height (mm)	€	code	liters	height (mm)	€	code	liters	height (mm)	€
861608	5.5	200	11,00	861707	3.4	200	8,65	861820	1	100	4,45
861615	4	150	8,65	861714	2.4	150	7,80	861837	0.6	65	3,10
861622 861639	2.8	100 65	7,50 6,40	861721 861738	1.6	100 65	6,15 4,75				
64104		ONTAINE			100 miles	6 8 0 0 9 8 0 4 9 8 0 4				Z	~
Without sp	boon rece ble for st	ess. ainless stee		868522	ATER		P	864203	010		-DC
code	GN	mm	€	PERFOR FOR GN	CONT	AINERS		WITH SC	OUS V	ONTAINE	
864098	GN 2/1	650x530	30,50	POLYCA				RECESS			000//75
864104	GN 1/1	530x325	14,00	code	GN	mm	€			us vide stick	
864128	GN 1/2	265x325	8,65	868522	GN 1/1	467x263	8,65	- Also suita Gastronoi		tainless stee	er Proii Li
864135	GN 1/3	325x176	5,60	868546	GN 1/2	265x206 266x116	5,30 3,35	code	GN	mm	€
			//5	868553	GN 1/3	7667116	1 1 1 1	coue	UN		t
864142 864159	GN 1/4 GN 1/6	265x162 176x162	4,45 4,20	868577	GN 1/6	118x106	2,25	864210		265x325	16,50

19,50

864203 GN 1/1 530x325

864166 GN 1/9 176x108

2,80

		ours or flavo stant from -4						l	polypropylene	temp wash	stackable
						-					
			-						-	For use a — temperat -40°C / 81	ures
			1		-	S.	1	Gr	adated		
				-		GN 1/1	GN 1/2	GN 1/3	GN 1/4	GN 1/6	GN 1/9
						530x325 mm	325x265 mm	325x176 mm	265x162 mm	176x162 mm	176x108 mm
/1 둒	<		1	1/2	4		3	1/3	4		2
	-	5	880012				880111				880210
code	liters	height (mm)	€	code	liters	height (mm)	€	code	liters	height (mm)	€
880005	28	200	16,00	880104	12.5	200	10,00	88020		200	8,35
880012	21	150	12,50	880111	9.5	150	8,65	88021		150	6,40
380029	14	100	11,50	880128	6.5	100	5,60	88022	74	100	5,60
/4	1	-		1/6	4	3		1/9	4		8
		8	80319				880418				880524
code	liters	height (mm)	€	code	liters	height (mm)		code	liters	height (mm)	€
380302	5.5	200	6,40	880401	3.4	200	5,60	88052	4 1	100	3,35
380319	4	150	5,60	880418	2.4	150	4,45				
380326	2.8	100	4,45	880425	1.6	100	3,35				
			2		_				and the	-	A
									Sec. 1		

 Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm	€
880609	GN 1/1	530x325	6,70
880616	GN 1/2	325x265	4,45
880623	GN 1/3	325x176	3,35
880630	GN 1/4	265x162	2,50
880647	GN 1/6	176x162	1,95
880654	GN 1/9	176x108	1,95

LID FOR GN CONTAINERS MADE OF POLYPROPYLENE, WITH SEAL

- Lid with hermetic santoprene seal; the seal is tight enough to prevent leaking when the container is tilted.

code

881828

881804

881811

GN

GN 1/1

mm

530x325

GN 1/3 325x176

GN 1/2 325x265

- With lip to break the airtight seal for easy opening.
- Fits on HENDI GN containers mPolypropylene

881835	GN 1/4	265x162	6.70
881842	GN 1/6	176x162	5,85
881859	GN 1/9	176x108	5,60
			20

€

8,65

16,00

11,50

Prices net of VAT

へ 1111

ß

00

(

 \bigcirc

f

Ŕ

B

ကြိ

''

Ľ,

GASTRONORM STORAGE CONTAINERS HACCP

- Gastronorm containers only lids not included.
- Airtight sealing.
- Doesn't absorb odours or flavours Lids and lid clips (green, yellow, blue, red or purple as per HACCP guidelines) available separately.
- Wear-proof label for monitoring of food storage process.
- Special erasable markers to write on the labels are not included.
- Temperature resistant from -40°C to 80°C.







1/3 880258

code	liters	height (mm)	€
880258	7.8	200	8,65
880265	5.7	150	7,25
880272	4	100	6,15
880289	2.5	65	5,60



code	liters	height (mm)	€
880357	5.5	200	7,25
880364	4	150	6,15
880371	2.8	100	5,00
880388	1.8	65	4,45

 ج

ß

f

00

Ř

B

ා

1

-<u>55</u>





code	liters	height (mm)	€
880456	3.4	200	5,60
880463	2.4	150	5,00
880470	1.6	100	4,20
880487	1	65	3,90



code	liters	height (mm)	€	
880555	0.9	100	3,90	
880562	0.6	65	2,80	

LID FOR GN CONTAINERS POLYPROPYLENE

- Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm	€
880609	GN 1/1	530x325	6,70
880616	GN 1/2	325x265	4,45
880623	GN 1/3	325x176	3,35
880630	GN 1/4	265x162	2,50
880647	GN 1/6	176x162	1,95
880654	GN 1/9	176x108	1,95

HORECA MARKERS

- 2 pieces on blistercard.
- For writing on food containers.
- Erasable.

code	packed per	€
871546	2	8,35





FOOD Allergy

When preparing food for customers with food allergies it's important to prevent cross contamination. With the new purple addition to the HACCP colours you now have tools to safely produce meals for allergic people.

ENDI 🚍 📖 🖼 🖼 🕺



Watch the video

	-40°C 80°C		
polypropylene	temp	wash	stackable



	5	X
/2		-
	1 m	880159

1/3



code	liters	height (mm)	€
880050	28	200	17,50
880067	21	150	13,50
880074	12	100	12,50
880036	9	65	12,00

code	liters	height (mm)	€	
880159	12.5	200	9,75	
880166	9.5	150	8,10	
880173	6.5	100	7.25	

	880159	
ght (mm)	€	code
200	9,75	880258
150	8,10	880265

code	liters	height (mm)	€
880258	7.8	200	8,65
880265	5.7	150	7,25
880272	4	100	6,15
880289	2.5	65	5,60







height (mm)

200

150

100

65

€

5,60 5.00


4,20


3.90





code	liters	height (mm)	€
880555	0.9	100	3,90
880562	0.6	65	2,80







SERVING TONG HACCP 250 MM

- For professional food service - HACCP compliant handpiece colors





LID FOR GN CONTAINERS PURPLE

- Suitable for all Hendi polypropylene Gastronorm containers, including HACCP storage containers.

code	GN	mm	€
881705	GN 1/1	530x325	7,25
881712	GN 1/2	325x265	4,45
881729	GN 1/3	325x176	3,90
881736	GN 1/4	265x162	2,80
881743	GN 1/6	176x162	2,50
881750	GN 1/9	176x108	2,25





- One side smooth and other side with groove.

		J	
code	colour	mm	€
826065	Purple	GN 1/1 - 530x325x(H)15	20,00
826164	Purple	GN 1/2 - 265x325x(H)12	10,00











Ć

R

A

f

Å

B

ကြိ

....

COOK'S	5 KNIFE	PP polypropylene	5.5. Inless steel
code	thickness (mm)	blade length (mm)	length (mm)

coue	UTICKTIESS (TTITT)	blade length (mm)	tength (mm)	t
842676	2.5	180	320	8,10
842775	2.5	240	385	8,65



842171



code	thickness (mm)	blade length (mm)	length (mm)	€					
842270	1.2	90	190	4,45					
842171	1.2	100	205	4,45					




code	colour	mm	€
825662	Purple	600x400x(H)18	31,50
825570	Purple	450x300x(H)12,7	12,00

насср

CAMWEAR® GN POLYCARBONATE CONTAINER

CAMBRO



- Designed for food storage, transport and serving
- Completely safe and hygienic thanks to damage-resistant, unbreakable polycarbonate
- Camwear[®] plastic does not react with food it has the lowest contamination level and is completely BPA-free
- US and metric graduations make it easy to control the amount of product put in the container
- Effectively maintains low temperatures better than stainless steel cookware
- High temperature resistance (from -40°C to 99°C) contributes to the wide use of the containers in food service establishments
- Stackable and space-saving
- Dishwasher safe



CAMWEAR® COVER, ONLY FOR GN CONTAINERS OF THE CAMWEAR® SERIES AND MADE OF TRANSPARENT POLYPROPYLENE

- Secures the contents of GN containers.
- Protects from spills and extends shelf life.
- Made of food grade material.

Â

٢

ß

00

目

 $|\bigcirc|$

Ē

Ì

B

) B

ļļ



code	liters	mm	€
12CW135	8.5	325x530x(H)65	13,00
14CW135	13	325x530x(H)100	16,50
16CW135	19.5	325x530x(H)150	20,00
18CW135	25.6	325x530x(H)200	25,00
10PPCWSC190		cover	6,95



code	liters	mm	€
22CW135	3.9	325x260x(H)65	6,95
24CW135	5.9	325x260x(H)100	9,45
26CW135	8.9	325x260x(H)150	11,50
28CW135	11.7	325x260x(H)200	14,50
20PPCWSC190		cover	4,45



		34CW135	
code	liters	mm	€
32CW135	2.4	325x176x(H)65	5,85
34CW135	3.6	325x176x(H)100	7,25
36CW135	5.3	325x176x(H)150	9,20
38CW135	6.9	325x176x(H)200	11,50
30PPCWSC190		cover	3,35



liters	mm	€
1.7	162x265x(H)65	5,00
2.5	162x265x(H)100	5,60
3.7	162x265x(H)150	7,50
	cover	2,80
	1.7 2.5	1.7 162x265x(H)65 2.5 162x265x(H)100 3.7 162x265x(H)150







64CW135

code	liters	mm	€
62CW135	1	162x176x(H)65	3,65
64CW135	1.5	162x176x(H)100	4,20
66CW135	2.2	162x176x(H)150	5,00
60PPCWSC190		cover	1,95





84CW135

code	liters	mm	€
82CW135	0.7	161x132x(H)65	5,60
84CW135	1	161x132x(H)100	6,70
86CW135	1.5	161x132x(H)150	8,35
80PPCWSC190		cover	3,10





	01011100			
code	liters	mm	€	
92CW135	0.57	108x176x(H)65	3,10	
94CW135	0.85	108x176x(H)100	3,35	
96PCW135	1.4	108x176x(H)150	11,50	
90PPCWSC190		cover	1,95	




GN CONTAINER MADE OF TRANSPARENT POLYPROPYLENE.





Standardised rim width, 1.27 cm, ensures proper fit with tables and buffets



Transparent polypropylene makes it easy to control content and keep high chemical resistance

Smooth surface inside makes it easy to clean

- An essential tool for storing, transporting and serving meals.
- Made of durable, transparent polypropylene.
- High chemical resistance of the material ensures safety when it comes in contact with food.
- High temperature resistance (from -40°C to 70°C) makes the product widely used in food service establishments.
- Stackable for easy storage during transport and for space-saving.
- Effectively maintains low temperatures to a degree similar to stainless steel cookware.
- Dishwasher safe.

CAMWEAR® COVER, ONLY FOR GN CONTAINERS OF THE CAMWEAR® SERIES AND MADE OF TRANSPARENT POLYPROPYLENE

- Secures the contents of GN containers.
- Protects from spills and extends shelf life.
- Made of food grade material.

HENDI



/ ____

ß

A

00


Ř


B

Ö

1

1/2			
code	liters	24PP	I90 €
22PP190	3	325x260x(H)65	4.45
24PP190	5.9	325x260x(H)100	5.60
26PP190	8.9	325x260x(H)150	6,95
28PP190	11.7	325x260x(H)200	8,35







code	liters	mm	€
42PP190	1.7	162x265x(H)65	3,35
44PP190	2.5	162x265x(H)100	3,35
46PP190	3.7	162x265x(H)150	4,45



162x176x(H)150



code	liters	mm	€
92PP190	0.57	108x176x(H)65	2,80
94PP190	0.85	108x176x(H)100	3,10




3,35

66PP190

2.2

CAMWEAR® POLYCARBONATE CONTAINER, 83.3 L

CAMBRO



- Designed for storing food products.
- Made of odor and stain resistant, clear, food grade polycarbonate that extends food product freshness.
- Crystal clear allows for quick identification of stored food
- products without removing the lid.
- Camwear® material is resistant to temperatures from -40°C to 99°C, thanks to which the container can also be stored in cooling cabinets.
- Smooth internal surface for easy cleaning.


- Rough bottom surface increases container's scratch
- resistance and stability.
- Space-saving thanks to its stackable design.
- Capacity: 83.3 L.
- Dishwasher safe.
- Compatible with polycarbonate lid (1826CCW135).

code	mm	€
182615CW135	460x660x(H)380	137,00

CAMWEAR® POLYCARBONATE COVER FOR CONTAINER 182615CW135

- Designed for storage box (182615CW135) with matching dimensions (457x660 mm).
- Helps maintain food freshness for longer.
- Made of tough polycarbonate with a temperature tolerance range of -40°C to 99°C, so the container and cover can also be stored in a cooling cabinet.
- Dishwasher safe.





- Suitable for all types of ovens, including single and continuous ovens and microwave ovens
- Large temperature range (from -40°C to 190°C) allows for heating, baking and grilling food or storing food in cooling cabinets.
- High heating efficiency thanks to a flat base.

- Reinforced handle with special texture and place for fingers for safer cooking, equipped with holes for draining the remaining water after washing.
- Capacity: 2.4 L.
- Dishwasher safe.

code	liters	mm	€
32HP1H150	2.4	176x325x(H)65	47,50





Ê

Ř


ස

ා

ÿ

$\label{eq:camsquare} \begin{array}{l} \text{CAMSQUARE}^{\circ} \mbox{ TRANSPARENT POLYPROPYLENE} \\ \text{FOOD STORAGE CONTAINER} \end{array}$

CAMBRO



- Provides convenient storage for a variety of foods in kitchen and storage spaces.
- Made of food grade, chemical resistant polypropylene.
- Allows for constant control of its contents thanks to transparent walls and printed graduations.
- Suitable for use in a temperature range from -40°C to 70°C.
- Stackable and space-saving design.
- Dishwasher safe.

code	liters	mm	€
2SFSPP190	1.9	185x185x(H)100	9,20
4SFSPP190	3.8	185x185x(H)187	12,50
6SFSPP190	5.7	215x215x(H)185	15,50
8SFSPP190	7.6	215x215x(H)230	18,50
12SFSPP190	11.4	256x310x(H)210	26,50
18SFSPP190	17.2	256x310x(H)320	35,00
22SFSPP190	20.8	256x310x(H)400	43,00

* Height includes the lid

** Measurements include handles

COVER FOR CAMBRO'S CAMSQUARE® CONTAINER.

- Compatible with CamSquare® polypropylene food container.
- Made of food grade polypropylene.
- Effectively secures the contents of the container against external factors and spillage.

Dishwasher safe.

HENDI

code	colour	mm	€
SFC2452	Green	190x190x(H)16	4,45
SFC6451	Red	227x227x(H)16	5,85
SFC12453	Dark blue	290x290x(H)15	7,80



HENDI

PP	stackable	
potypropytene	Stackable	tood contact

FOOD CONTAINER WITH A DIVIDER

code	liters	mm	€
870907	1.9	190x190x(H)95	4,45
870914	3.8	190x190x(H)180	6,15
870921	5.7	235x235x(H)180	8,65
870938	7.6	235x235x(H)230	10,00
870945	11.4	290x290x(H)210	14,00
870952	17.2	290x290x(H)320	17,50
870969	20.8	290x290x(H)400	23,00





LID FOR FOOD CONTAINER

code	mm	€
870976	190x190	2,50
870983	235x235	3,10
870990	290x290	3,90

ICE CREAM CONTAINER LID POLYCARBONATE

- Suitable for polycarbonate ice cream containers.

code	mm	€
807088	360x165	6,15



 ٢

R

A

Ř

B

Ö

"

Ľ,

870976 870983





HENDI

PC

 Iransparent
 5
 360x165x[H]120
 13,50

 Black
 5
 360x165x[H]120
 12,50

 Black
 5
 360x250x[H]80
 13,00

 Transparent
 5
 360x250x[H]80
 13,50

Prices net of VAT

807071

807057

FOOD SAFETY LABELS

 Self-adhesive labels for easy identification of semi-finished and finished products; use in order to meet food service safety standards.





SET OF FOOD SAFETY DISPOSABLE LABELS FOR EACH DAY OF THE WEEK WITH DISPENSER

- The dispenser made of durable, thick cardboard.
- The set includes 2000 pcs. of disposable labels for each day of the week (14 000 pcs.).
- Capacity: 7 label rolls.
- Label size: ø19 mm.
- Included in set: dispenser, 7 label rolls for each day of the week.

code	mm	€
850299	240x80x(H)100	39,00



SET OF FOOD SAFETY DAILY REUSABLE LABELS FOR EACH DAY OF THE WEEK WITH DISPENSER

- The dispenser made of durable, thick cardboard.
- The set includes 1000 pcs. of reusable labels for each day of the week (7000 pcs.).
- Capacity: 7 label rolls.
- Label size: 25x25 mm.
- Included in set: dispenser, 7 label rolls for each day of the week.

code	mm	€
850305	240x80x(H)100	39,00



FOOD SAFETY DAILY STICKERS -DISPOSABLE

- Disposable. Ideal for disposable containers, plastic bags or paper or plastic packaging.
- Every day of week marked with a different colour.
- Label in three languages: Polish, English and Russian.
- Number of stickers per roll: 2000 pcs.

code	-	packed per	mm	€
850008	Monday	2000	ø19	4,75
850015	Tuesday	2000	ø19	4,75
850022	Wednesday	2000	ø19	4,75
850039	Thursday	2000	ø19	4,75
850046	Friday	2000	ø19	4,75
850053	Saturday	2000	ø19	4,75
850060	Sunday	2000	ø19	4,75




FOOD SAFETY DAILY STICKERS - REUSABLE

- Reusable. Easy to remove from plastic, metal and glass.
- Every day of week marked with a different colour.
- Label in three languages: Polish, English and Russian.
- Space for extra notes. Number of stickers per roll: 1000 pcs.
- Remove the sticker before washing the containers.

code	-	packed per	mm	€
850077	Monday	1000	25x25	5,00
850084	Tuesday	1000	25x25	5,00
850091	Wednesday	1000	25x25	5,00
850107	Thursday	1000	25x25	5,00
850114	Friday	1000	25x25	5,00
850121	Saturday	1000	25x25	5,00
850138	Sunday	1000	25x25	5,00







FOOD SAFETY REUSABLE STICKER -"USE BY"

- Reusable.
- Easy to remove from plastic, metal and glass.
- Label in two languages: Polish and English.
- Space for date, time, additional notes.
- Number of stickers per roll: 500 pcs.
- Remove the sticker before washing the containers.

code	packed per	mm	€
850206	500	100x50	12,50

FOOD SAFETY REUSABLE STICKER -"USE BEFORE"

- Reusable.
- Easy to remove from plastic, metal and glass.
- Label in two languages: Polish and English. Space for date, time, additional notes.

 ٩

R

f

C

Ĥ

Ř

B

ကြိ

''

- Number of stickers per roll: 500 pcs.
- Remove the sticker before washing the containers.

code	packed per	mm	€
850145	500	ø50	11,50



FOOD SAFETY REUSABLE STICKER -"USE FIRST"

- Reusable.
- Easy to remove from plastic, metal and glass.
- Label in three languages: Polish, English and Russian.
- Number of stickers per roll: 500 pcs.
- Remove the sticker before washing the containers.

code	mm	€
850152	ø50	7,25







code	colour	mm	thickness (mm)	€
825600	White	600x400	18	31,50
825617	Red	600x400	18	31,50
825624	Blue	600x400	18	31,50
825631	Green	600x400	18	31,50
825648	Brown	600x400	18	31,50
825655	Yellow	600x400	18	31,50
825662	Purple	600x400	18	31,50

CUTTING BOARD HACCP 450X300

code	colour	mm	thickness (mm)	€
825518	White	450x300	13	11,50
825525	Red	450x300	13	11,50
825532	Blue	450x300	13	11,50
825549	Green	450x300	13	11,50
825556	Brown	450x300	13	11,50
825563	Yellow	450x300	13	11,50
825570	Purple	450x300	13	12,00



CUTTING BOARD RACK - For 6 cutting boards up to 20 mm thick.

826201

code		mm	€
	826201	303x211x(H)205	14,50





CUTTING BOARD HACCP GASTRONORM 1/1

- One side smooth and other side with groove.

			,	
code	colour	mm	thickness (mm)	€
826003	White	530x325	15	20,00
826010	Red	530x325	15	20,00
826027	Blue	530x325	15	20,00
826034	Green	530x325	15	20,00
826041	Brown	530x325	15	20,00
826058	Yellow	530x325	15	20,00
826065	Purple	530x325	15	20,00



CUTTING BOARD HACCP GASTRONORM 1/2

One side smooth and other side with groove

- One side shooth and other side with groove.				
code	colour	mm	thickness (mm)	€
826102	White	325x265	12	10,00
826119	Red	325x265	12	10,00
826126	Blue	325x265	12	10,00
826133	Green	325x265	12	10,00
826140	Brown	325x265	12	10,00
826157	Yellow	325x265	12	10,00
826164	Purple	325x265	12	10,00
826171	Black	325x265	12	11,50

CUTTING BOARDS HACCP GASTRONORM 1/1 - SET OF 6 COLOURS

- Set of 6 in the colours red, brown, blue, green, white, yellow.

- Each cuttingboard is 10 mm thick.

code thickne	ess (mm) mr	n €
826676 1	10 530x	325 85,00

Ê

Ř

B

ကြိ

1



HACCP CUTTING MAT SET - 6 PIECES

- Colour coded set of 6 mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	thickness (mm)	mm	€
826300	1	380x305x(H)6	15,00

UNIVERSAL CUTTING BOARD WHITE





UNIVERSAL CUTTING BOARD

- Made of polyethylene HDPE.
- Non-slip feet.

code	mm	€
826379	450x300x(H)20	25,50
826386	500x350x(H)18	34,00
826393	600x400x(H)20	51,00

UNIVERSAL CUTTING BOARD

- Made of polyethylene HDPE.
- Grooved, non-slip feet.


code	mm	ŧ
826362	355x250x(H)15	14,00

CUTTING BOARD PERFECT CUT

- Made of polyethylene HDPE.
- Smooth on both sides.
- Meets HACCP standards.
- With scale 0-40 cm.

- Can be cleaned in professional dishwashers (short program).

code	colour	mm	€
826416	Red	500x380x(H)12	14,50
826423	Blue	500x380x(H)12	14,50
826430	Green	500x380x(H)12	14,50
826447	Brown	500x380x(H)12	14,50
826454	Yellow	500x380x(H)12	14,50



HACCP ANTI-SLIP CUTTING MAT SET -6 PIECES

- Colour coded set of 6 anti-slip mats to facilitate kitchen hygiene.
- White, red, blue, green, brown, yellow.
- Flexible, allowing easy pouring of cut products.
- Lightweight and easy to store and transport.

code	thickness (mm)	mm	€
826324	2	305x455x(H)2	21,00



CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.
- Both sides suitable for cutting.

code	colour	mm	thickness (mm)	€
826348	White	250x150	10	5,00
826478	Black	250x150	10	5,30
826355	White	300x200	10	8,35
826485	Black	300x200	10	6,95





-Sil

Å

नि

Ö

''



KNIVES PROFI LINE

- All knives are precision hot drop forged from a single blank of high carbon German stainless steel.
- The specialized Chromium-Molybdenium-Vanadium surgical alloy steel X50CrMoV15 guarantees the following characteristics: - razor sharp - long-lasting cutting edge easily restorable edge - high stain resistance. Some 50 major manufacturing steps are required to produce each knife.



- Traditional skills and precision machinery continue the grinding and polishing operations until the final cutting edge is applied at the most appropriate blade angle.
- The handle combines balance, safety, heft and control with an exclusive look.
- Each knife is individually packed in a PET presentation blister.






diamond

code		thickness (mm)	blade length (mm)	length (mm)	€	code			thickness [mm]	blade length (mm)	length (mm)	€
844205 1	Cook's knife	3,3	250	390	41,50	844328	8	Ham/salmon knife,	2,6	300	430	46,50
844212 2	Cook's knife	3,3	200	335	36,00			half flexible, granton				
844250 3	Utility knife	2	150	265	29.00	844298	9	Bread knife	2,4	215	340	27,50
844311 4	Carving knife	2,7	250	380	30.50	844281	10	Bread knife	2,4	215	340	33,00
844304 5	Carving knife	2,6	200	332	32.50	844335	11	Cleaver, granton	3	165	300	50,00
844267 6	Boning knife, Flexible.	2	150	270	23.50	844274	12	Santoku knife, granton	3	180	310	42,00
844236 7	Paring knife	1,9	90		20.50	844229	13	Carving fork	9	150	285	26,50
		,				844403	14	Knife sharpener	10.4	310	450	44.00





- Made of one piece of hard, forged chrome molybdenum steel.
- Due to the highest quality of the workmanship, Hendi knives are durable and resistant to corrosion with long-lasting sharpness of the blade.



Ì

/ ____

B

00

E

À

B

(II)

- A unique design of the handle prevents depositing of food residues in the handle/blade transition area.
- Each knife is individually packed in a PET presentation blister.
- With safe, profiled black POM plastic handle.





code			thickness (mm)	blade length (mm)	length (mm)	€	code			thickness (mm)	blade length (mm)	lengi (mm	
781319	1	Chef's knife	3.3	200	340	16,00	781395	7	Paring knife	3	90	200	
781357	2	Chef's knife	3.3	150	285	11,50	781401	8	Poultry shears	5.8	140	260	
781340	3	Carving knife	3.3	200	330	12,00	781364	9	Carving fork	1.9	175	290	
781371	4	Boning knife	2.8	150	285	9,20	781302	10	Cleaver	2.4	180	300	
781333	5	Bread knife	3.3	210	335	11,50	781326	11	Ham/salmon knife	2.4	215	350	
781388	6	Kitchen knife	3.5	125	240	7,25	781418	12	Knife sharpener	10	230	350	

€

7,25

13,50

11,50

22,00

11,00 7,50



PROFI KNIVES

 Knives made of chromium-molybdenum-vanadium steel (x50CrMoV15), hardness: 54 to 55 HRC, POM polyacetal handle, mounted with 3 aluminium rivets







code			thickness (mm)	blade length (mm)	€
840252	1	Knives for cutting meat	3	165	13,00
840269	2	Knives for cutting meat	3	190	13,50
840276	3	Knives for cutting meat	3	210	13,50
840245	4	Knives for cutting meat	3	145	12,50

code			thickness (mm)	blade length (mm)	€
840320	5	Cook's knife with the Granton edge	3	230	21,00
840313	6	Chef's knive	3	230	19,50

SUPERIOR KNIVES


 Knives made of chromium-molybdenum-vanadium steel, 3 mm thick (T5MoV), hardness: 54 to 55 HRC, handle made of ABS with aluminium rivets





PiRGE

code			thickness (mm)	blade length (mm)	€	code
841358	1	Chef's knife	3	190	22,00	84129
841365	2	Chef's knife	3	210	23,50	84130
841372	3	Chef's knife	3	230	24,00	84134
841310	4	Meat knife	3	190	17,50	84140
841327	5	Meat knife	3	210	18,00	84139
841334	6	Meat knife	3	250	19,50	84138





KNIFE SHARPENER MASATLAR

- Polypropylene handle
- Hanger

manger			
code	-	blade length (mm)	€
820018	round	300	41,50
820001	oval	300	54,00
820025	flat	300	61,00



TRUFFLE SLICER

- The perfect tool for slicing thin slices of truffle.
- Blade made of stainless steel (AISI 420) 55HRC hardness.
- Blade housing made of stainless steel (AISI 430).
- Blade adjustment by screw.
- Slice thickness: from 0.2 to 3 mm

HENDI

mm	€
220x85	26,50
220x85	41,50
	220x85



SANELL

S.S.

12

Ć

R

C

À

B

ကြိ

"

Ľ,

KNIVES GREEN LINE

- Highest grade, perfectly heat treated AISI 420 steel with molibdenum, carbon and vanadium: uniform microstructure, balanced elasticity, high degree of rust resistance.
- Taper ground blades for better balance, comfort and effectiveness.
- Each knife is hand-finished and hand-sharpened.
- Uniform and optimal cutting edge (<35°), tested with laser equipment.



- Long edge life and excellent Sharpening potential.
- The exclusive ergonomic handle design made in Santoprene mixed with PP materials is non-slip and much safer to use.
- The handle can be cleaned in dishwasher and sterilized.
- The green colour makes the knife immediately visible on the work bench.





code			thickness (mm)	blade length (mm)	length (mm)	€	code			thickness b (mm)	lade length (mm)	length (mm)	€
843802	1	Paring knife, curved	1.5	70	175	11,00	843895	12	Bread knife	2	300	415	22,00
		model					843901	13	Roast knife	2	230	345	18,50
843352	2	Bread slicing knife -	1.5	100	205	9,45	843345	14	Narrow ham knife	2	290	415	22,50
		serrated					843918	15	Ham knife	2	280	415	22,50
010017	3	Steak knife	1.5	120	220	9,45	843932	16	Chopper	4	200	325	37.00
843826	4	Vegetable knife	1.5	110	215	11,00	843307	17	onoppor	3	220	360	25.00
843833	5		2	140	260	16,00			Chef's knife	3			
843840	6		2	160	280	16,00	843949	18		-	260	400	28,50
	7	Cook's knife	- 2				843956	19	Slicing knife	3	260	400	34,00
843857	/		2	180		18,00	843987	20	Boning knife	3	130	255	18.50
843864	8		2	200	325	19,50	843994	21	Boning knife	3	160	388	19.00
843338	9	Butcher's knife	3	200	335	24,00			Fish fillet flexible knife	-			
843314	10	David Insife	2	230	355	18,50	843321	22 ł	-ISN TILLET TLEXIDLE KNITE	2	210	330	21,00
843888	11	Bread knife	2	260	380	19,50							



GASTRO KNIVES

- Knives made of chromium-molybdenum-vanadium steel (x50CrMoV), hardness: 54 to 56 HRC, injectedpolypropylene handle, no rivets
- Replaceable clips for marking handles in 7 colours, in accordance with the HACCP standard





7

8

Ê

R

f

Ř

ਫ

ကြိ

1

ÿ



code	nazwa	thickness (mm)	blade length (mm)	€
840368 1		3	190	19,50
840344 2	Meat knive	3	145	18,00
840351 3	Meat Knive	3	165	19,50
840375 4		3	210	21,50
840382 5	Meat knive, granton	3	210	22,00
840399 6	Meat trimming and filleting knife	3	210	22,50
840405 7	Meat trimming and filleting knife, granton	3	210	25,50

code	nazwa	thickness (mm)	blade length (mm)	€
840436 1	Cook's knife with the Granton edge	3	210	25,00
840412 2		3	190	22,00
840429 3	Chef's knives	3	210	24,00
840443 4		3	230	25,00
840450 5	Chef's knives, granton	3	230	28,50
840467 6	Chef's knives	3	300	32,50
840474 7	Santoku knife	3	180	22,00
840481 8	Santoku knife with the granton edge	3	180	24,00

513750

HENDI

TAB GRABBER Al - Made of glossy aluminium. - Mounted with screws or adhesive. € code mm 513736 (L)455 9,20 513705 (L)610 15,00 513712 (L)915 20,00 (L)1015 22.50 513743 513750 (L)1220 24,50





HEND	1
------	---

781418 13 Knife sharpener

Boning knife

Fillet knife

1,8

1,8

150 280 6,40

150 260 5.85

230 350 7,50

844441 11

844434 12

842706 5

842904 6 Ham/kebab knife

with the Granton

edge

2,5 240 380 9,45

1,7 350 490 10,00

ECCO KNIVE - Knives made of hardness: 56 HF - Pointed blade - Handle made of - No rivets	chromium-moly C (x50CrMoV15	bdenum-vana)	adium stee	l,				Pelypro	PS.S.	
		5	6		8	9	10	12	13	
code	All-purposo l	(mr		th € 695		code		thickne (mm) 2	ss blade length (mm)	€ 12.00

coue			(mm)	(mm)	÷	coue			(mm)	(mm)	6
840726	1	All-purpose knife	1,5	120	6,95	840764	8	Meat knives	2	190	12,00
840733	2	Steak knife, serrated	1,5	120	5,85	840771	9	Meat Knives	2,5	210	13,50
840788	3		2,5	190	15,00	840849	10	Kebab knife	2	500	32,50
840795	4	Kitchen knife	2,5	210	16,00	840856	11		2	550	35,00
840801	5		2,5	230	17,50	840825	12		2	300	15,00
840740	6	Meat knives	Maat kaiwaa 2 145	145	11,00	840832	13	Ham knife, serrated	2	350	16,00
840757	7	Meal Knives	2	165	11,00	840818	14	Onion knife	2	190	9,75



BUTCHER'S KNIVES

- Made of German chromium-molybdenum-vanadium steel (x50CrMoV15), hardness: 56 HRC
- Polypropylene (PP) handle - No rivets

HENDI

code			thickness (mm)	blade length (mm)	€
840122	1	Butcher's knife,	3	120	17,00
840139	2	bent	3	150	17,00
840146	3	Butcher's knife	3	135	12,50
840177	4	Butcher's knife,	3	260	28,50
840184	5	bent	3	250	28,50

S.S.

PP

Ć

N

Ħ

00

 $|\bigcirc|$


Ř

ස

Ö

KNIVES HACCP

B



BROWN - COOKED MEAT



code			blade/knife length (mm)	thickness (mm)	€
842669	1	Cook's knife	180/320	2,5	7,25
842799	2	Cook's knife	240/385	2,5	8,10
842966	3	Ham/salmon knife with granton edge	350/490	1,7	11,50

RED - RAW MEAT



code			blade/knife length (mm)	thickness (mm)	€
842423	4	Carving knife	150/290	2,5	6,15
842522	5	Filleting knife	150/300	0,9	5,30
842621	6	Cook's knife	180/320	2,5	7,25
842720	7	Cook's knife	240/385	2,5	8,10
842928	8	Ham/salmon knife with granton edge	350/490	1,7	10,50

YELLOW - POULTRY



code			blade/knife length (mm)	thickness (mm)	€
842539	9	Filleting knife	150/300	0,9	5,30
842638	10	Cook's knife	180/320	2,5	7,50
842737	11	Cook's knife	240/385	2,5	7,80

BLUE - FISH



code			blade/knife length (mm)	thickness [mm]	€
842546	12	Filleting knife	150/300	0,9	5,30
842645	13	Cook's knife	180/320	2,5	6,40
842744	14	Cook's knife	240/385	2,5	8,35





WHITE - CHEESE & BREAD



GREEN - FRUITS & VEGETABLES



code			blade/knife length (mm)	model	thickness (mm)	€
842218	22	Universal knife with granton edge	90/190	short model	1,2	4,20
842119	23	Universal knife	100/205	serrated	1,2	3,65
842317	24	Universal knife	130/230	długi	1,2	4,75
842614	25	Cook's knife	180/320		2,5	6,40
842713	26	Cook's knife	240/385		2,5	7,25

BLUE - FISH

1	Stor.
	700

code			blade/knife length (mm)	thickness (mm)	ŧ
842270	27	Universal knife	90/190	1,2	4,45
842171	28	Universal knife	180/205	1,2	4,45
842478	29	Carving knife	150/280	2,5	6,15
842676	30	Cook's knife	180/320	2,5	8,10
842775	31	Cook's knife	240/385	2,5	8,65

HENDI

<u>ب</u>

R

Ê

C

À

नि

ကြိ

1

Š



CENTURY LINE

- Designed for intensive use.
- Products are subjected to heat and cold treatment, which translates into longer service life and increased flexibility of the steel.
- Anatomically shaped and ergonomic handle.



- Knives forged from one-piece chromium-molybdenum steel.
- Handle made of glass fibre reinforced polycarbonate.
- NSF certified.
- 25-year manufacturer's warranty.
- Dishwasher safe.





code			blade length (mm)	€	code			blade length (mm)	€
24009108 1		Century bread knife	200	58,50	24011108	5	Century chef knife	200	80,50
24010106 2		O and the state of the last for	150	55,50	24011110	6	Century cher khile	250	86,00
24010108 3	}	Century utility knife	200	64,00	24020105	7	Century Santoku knife for	130	58,50
24011106 4	-	Century chef knife	150	71,00	24020107	8	chopping and mincing, granton	180	72,00





CHURRASCO LINE

- Churrasco line is characterized by the most advanced technology in the production of wooden flatware handles and other kitchen accessories.
- The world's only handle made of natural wood (FSC certified), dishwasher safe.
- Layers of wood suitably impregnated with resin then pressed, sliced, polished and joined with stainless steel rivets.
- Extremely durable wooden handle resistant to impact, heat and moisture.
- 5-year guarantee.

code			blade length (mm)	€
29810074	1	Churrasco boning knife	150	22,00
29810080	2	Churrasco kitchen knife	200	26,50
29810083	3	Churrasco butcher knife	200	27,50

TRAMONTINA I 吏 24099037

CENTURY 3 PIECE CUTLERY SET

- Designed for intensive use.
- Products are subjected to heat and cold treatment, which translates into longer service life and increased flexibility of the steel.
- Anatomically shaped and ergonomic handle.
- Knives forged from one-piece chromium-molybdenum steel. -
- Handle made of glass fibre reinforced polycarbonate. _
- NSF certified.

MHENDI

- 25-year manufacturer's warranty.
- Dishwasher safe.

0/000007 170 00	ŧ	code
Z4U99U37 I7Z,UU	172,00	24099037

BUTCHER SAW

- Interchangeable stainless steel blade (AISI 420).
- Blade dimensions: 450x20 mm (total length: 475 mm)
- Hardness: 54-55HRC.
- Powder-coated carbon steel (AISI570) frame.
- Profiled handle and blade lock made of Haiplen® modified polypropylene.
- Weight: 0.905 kg.

code	mm	€
1306.045	(L)580	44,50
1312.045	Stainless steel blade 45 cm for saw 1306.045	11,00





Υï

ති

(

Ĥ

नि

I

<u>~</u>





CHEF COLLECTION

- The Chef collection of knives by Ambrogio Sanelli combines tradition with new technological solutions.
- Knife blades are forged from a single piece of high quality stainless steel, each blade is carefully finished and tested.
- They are characterised by high quality and cutting force as well

as corrosion resistance.

- Full blade shank maintains its balance and long life.
- The set includes meat fork and sharpener.
- Not dishwasher safe.



HASAKI COLLECTION

- HASAKI means "cutting edge" in Japanese hence perfectly expresses the name for Ambrogio Sanelli's professional collection of Japanese style knives.
- The blades are made of specially modified NITRO-B stainless steel (X50CrMoVN15 / AISI440B) – in which the addition of nitrogen molecules significantly improves the corrosion protection and final hardness after tempering.
- Hardness: 57-58 HRC.
- As per Japanese tradition, the knives are sharpened on one side, so that the food comes into contact with the blade only for a short time and the friction is reduced to a minimum.
- Perfectly balanced and comfortable handles made of synthetic POM resin, riveted.
- Not dishwasher safe.




SUPRA COLLECTION

- Ambrogio Sanelli Supra knives are designed for professional chefs and butchers.
- Blades are made of high quality NITRO-B stainless steel in which the addition of nitrogen molecules significantly improves corrosion properties and final hardness after tempering.
- The set includes a sharpener, a carving fork and a pastry

spatula.

- Ergonomic handles made of durable SEBS plastic: flexible as well as weather, ozone, and UV resistant.
- Sterilisable, highly resistant to impact and corrosion.
- Not dishwasher safe.



- Special edition of Ambrogio Sanelli Supra knives Supra Colore.
- With their HACCP-compliant coloured handles, they further optimise kitchen work and make it easier to consistently use knives for specific types of food – making it easy to maintain sterile working conditions in the kitchen in accordance with hygiene and food safety rules, and thus the safety of customers eating out.
- Color-codification:
- RED: raw meat.

SUPRA COLORE

- YELLOW: meat or poultry after heat treatment (baked, cooked).
- BLUE: fish and seafood.
- GREEN: fruit and vegetables.
- PURPLE: processing of allergen-free products.
- Blades are made of high quality NITRO-B stainless steel.
- Handles made of durable plastic.
- Handle colors according to HACCP standard.
- The set includes a sharpener.
- Not dishwasher safe.



CHEF COLL German Steel WOCHAWYS POMptar		Summe at	5000 ⁴ 40	Summer and	Şunye A	5mm al .	Sumi al a a	Şamir el	Surr 4	Sumeral Sumeral			ELL	.1
1 2	3 4	5	6	7	8	9	10	11	12	13	14	15	16	17
code			ickness t (mm)	blade length (mm)	€	cod	e				thickness (mm)	blade ler (mm)		€
C307.013 1	Chef boning knife		2.5	130	46,00	C365	.020 10	Chot	f bread l	nifo	1.5	200		3,50
C349.015 2	oner bonning knink		2	150	47,00		.030 11		serrated		1.5	300	-	7,50
C349.020 3			2.5	200	63,50		.025 12				1.5	250		6,50
C349.025 4	Chef knife		2.5	250	80,50		.029 13	Chef	slicing	knife	1.5	290		7,50
C349.030 5			2.5	300	106,00		.028 14	Chef	carving	ı fork	8	280		1,50
C370.023 6	Carving knife		1.5	230	52,50		.011 15				2	110		6,00
C350.018 7	Chef Santoku Knif	fe,	2.5	180	77,50		.007 16	Chei	paring	knite	2	70		3,50
	granton					C343	.020 17	Che	fsharp	ener	10	200		6,00
C351.020 8	Chef fillet knife, flex	ublo —	1.5	200	47,00									
C351.025 9	oner nuer knine, nex		2.5	250	66,50			0						

Same

•

6

HENDI





code			thickness (mm)	blade length (mm)	€
H339.016	1	Hasaki Usuba knife	3	160	69,50
H349.016	2	Hasaki chef knife	2	160	44,50
H349.020	3	Hasaki chel khile	2	200	66,50
H340.016	4	Hasaki Deba knife	3	160	64,00
H341.021	5	Hasaki Yanagi	2	210	61,00
H341.024	6	Sashimi knife	2	240	63,50



code			thickness (mm)	blade length (mm)	€
H341.027	7	Hasaki Yanagi	2	270	69,50
H341.030	8	Sashimi knife	2	300	94,50
H350.016	9	Hasaki Santoku knife, granton	2	160	66,50
H582.010	10	Hasaki multipurpose	2	100	30,50
H582.012	11	knife	2	120	33,50

 ٢

ß

Ħ

 $|\bigcirc|$

Ê

À

B

))

(II)

	COLI POM POM plastic		ON			((((1	5	S/	NEI	
	Support a.*	Surr Ar	5000 · · · · ·	Succession 2	Summer and the second s	Summer are	Sumer as a		Second and P		Summary 10			Scoope are			14 14
Survey 15		Surr ** 16	Suur at	18	€mm ⁻ ≜+	\$mm + 19	Ser 10 20		\$urr +> 22		23	24	25	26	27	28	29
15 code		16	17			19 blade length			22 code		23	24	25			28 ide length	29 €
					(mm)	(mm)								(mr	n)	(mm)	
S307.01					2.8	120	23,50		49.030		Sup	ora chef	knife	2.		300	47,00
S307.01		Supra	boning kr	nife —	3	140	25,00		50.018		Supra	Santok	u knife.	2		180	32,00
S307.01			5		3	160	25,00		50.020	18		grantor	1	2.		200	36,00
S301.01	34	<u>^</u>		.,	3	130	25,00	53	56.028	19		-		2		280	33,50

S307.012	1		2.8	120	23,50	S349.030	16	Supra chef knife	2.8	300	47,00
S307.014	2	Supra boning knife	3	140	25,00	S350.018	17	C C I I I I	2	180	32,00
S307.016	3	Supra boning knile	3	160	25,00	S350.020	18	Supra Santoku knife, granton	2.5	200	36,00
S301.013	4		3	130	25,00	S356.028	19	granton	2	280	33,50
S302.013	5	Supra boning knife,	2	130	25,00	S358.040	20	Supra slicing knife	3	400	47,00
		flexible				S365.021	21	Supra bread knife	2	210	26,50
S312.016		Supra boning knife	3	160	26,50	S362.026	22	Supra cake knife	2	260	36,00
S309.020			2.8	200	33,50	\$363.028	22	Supra bread knife,	2	280	33,50
S309.024	8	Supra butcher knife	2.8	240	40,50	5303.UZ0	23	serrated	2	200	33,50
S309.030	9		2.8	300	49,00	S375.030	24	Supra carving fork	7	300	46,00
S337.018	10	Supra cleaver	4	180	54,50	S682.011	25	Supra paring knife	1.3	110	11,00
S347.024	11	Supra chef knife, granton	2.5	240	36,00	S683.009	26	Supra paring knife, serrated	1.3	90	11,00
S349.016	12		2	160	23,50	S690.014	27	Supra multipurpose	1.3	140	13.00
S349.020	13	6 1 (1)(2	200	26,50	3070.014	21	knife, serrated	1.5	140	13,00
S349.024		Supra chef knife	2.5 240 35,00 S691.007 28		Supra vegetable knife, bent	1.3	70	8,10			
S349.026	15		2.8	260	41,50	S018.030	29	Supra sharpener	12	300	36,00



B

SUPRA COLORE COLLECTION















RED - RAW MEAT

code			thickness (mm)	blade length (mm)	€
S301.015R	1	Supra Colore boning knife, bent	3	150	24,00
S307.016R	2	Supra Colore boning knife, narrow	3	160	25,00

YELLOW - POULTRY

code			thickness (mm)	blade length (mm)	€
S301.013Y	3	Supra Colore boning knife, bent	3	130	25,00
S307.012Y	4	Supra Colore boning knife, bent	2.8	120	23,50
S349.026Y	5	Supra Colore butcher knife	2.8	260	41,50

BLUE - FISH

code			thickness (mm)	blade length (mm)	€
S309.020L	6	Supra Colore butcher knife	2.8	200	33,50
S349.024L	7	Supra Colore butcher knife	2.5	240	35,00
S351.018L	8	Supra Colore fish fillet knife	1.3	180	26,50
S691.007L	9	Supra Colore vegetable knife, bent	1.3	70	7,80

GREEN - FRUITS & VEGETABLES

HENDI

code			thickness (mm)	blade length (mm)	€
S349.020G	10	Supra Colore butcher knife	2	200	26,50
S350.018G	11	Supra Colore Santoku knife, granton	2	180	33,50
S682.011G	12	Supra Colore paring knife	1.3	110	8,10
S018.030G	13	Supra Colore sharpener	12	300	36,00

PURPLE - PROCESSING OF ALLERGEN-FREE PRODUCTS

code		thickness (mm)	blade length (mm)	€
S307.014P 14	Supra Colore boning knife	3	140	25,00
S349.030P 15	Supra Colore butcher knife	2.8	300	47,00



Ć

R

f

00

C

Ř

नि

Ő

1

Always up-to-date!

Our catalogue is also available online with nice features like:

- + powerfull search tool
- + easy navigation
- + fast sharing.

But most important of all, **up-to-date prices.** Scan the QR-code and bookmark the page.







Watch the video

Convenient carrying case.

 ج

R

Ħ

Ř

ස

ů

1

-Si



C	0
5	.১.
-	

9-PIECE KNIVES SET

- Made of one piece of hard, stainless steel 3Cr13.
- Handle made of stainless steel 430 with anti-slip rubber coating.
- Due to the highest quality of the workmanship, knives are durable and resistant to corrosion with long-lasting sharpness of the blade.
- With safe, profiled handle.
- Included:
 - 1 Paring knife 193 mm
 - 2 Boning knife 285 mm
 - 3 Bread knife 333 mm
 - 4 Carving knife 331 mm
 - 5 Chef's knife 330 mm
 - 6 Chef's knife 370 mm
 - 7 Santoku knife 336 mm
 - 8 Knife sharpener 340 mm
 - 9 Carving fork curved 320 mm
- 10 Convenient carrying case

code	mm	€
975770	445x260x(H)65	82,00



PARING KNIVES, SET OF 6 COLOURS

- Polypropylene handle in accordance with HACCP guidelines.



PARING KNIVES

B

- Set with 6 different colours: white, red, blue, green, black and yellow.
- Made of rolled steel.

code	blade length (mm)	length (mm)	€
842003	75	175	15,00







PARING KNIVES

- Set with 6 different colours: white, red, blue, green, black and yellow.
- Made of rolled steel.

code	blade length (mm)	length (mm)	€
842010	90	185	16,00

PARING KNIVES AND PEELERS

- High quality

PARING KNIFE							
code		blade length (mm)	mm	€			
841105	straight model	75	(L)180	3,65			
841112	pointed model	87	(L)190	3,65			
841129	curved model	60	(L)165	3,65			

TOMATO KNIFE

- Polypropyle - "Made in G	ene handle.		
code	blade length (mm)	length (mm)	€
841136	110	215	3,90

PARING P HANDLE - "Made in G	(NIFE WITH W ermany".		S.
code	blade length (mm)	length (mm)	€
841020	60	165	4,45

SPEED PEELER - Transverse model.			
code	blade length (mm)	length (mm)	€
841228	50	110	2.80

PEELER - Pendulum	model.		S.S. stainless steel
code	blade length (mm)	length (mm)	€
841235	50	150	4,45

HENDI





VEGETABLE AND FRUIT PEELING KNIFE

- The blade is made of DIN 1.4116 stainless steel, 54 ±1 degrees HRC hardness.

code		€	
841273	90x15x(H)19	3,90	1



SET OF 4 KNIVES FOR PEELING FRUIT AND VEGETABLES

- The blade is made of DIN 1.4116 stainless steel <u>code</u> ε 841280 **22,00**



ති

f

Ą

नि

ကြီ

SET OF 4 KNIVES FOR PEELING SET OF 4 CARVING KNIVES

Knives made of stainless steel DIN 1.4301
 / 54 ± 1 HRC according to DIN 1.4116
 Polypropylene handle

code	-	€
841457	blade lengths: 65, 80, 55, 90 mm	19,50











2

3

4

- Asian-style knives
- Stainless steel
- Walnut wood handle



- S.S.
- Made of the high carbon steel alloy X50CrMoV15.
- Produced in 50 major manufacturing steps.
- Traditional wooden handle.
- Each knife is individually packed in a PET presentation blister.
 Limited edition, specially made for Hendi.

code			thickness (mm)	blade length (mm)	€	code			thickness (mm)	blade length (mm)	length (mm)	€
840191	1	Chef's knife	3	160	38,50	845035	1	Knife ,Santoku'	4	165	295	22,00
841419	2	Vegetable knife	3	160	38,50	845028	2	Vegetable knife ,Usuba'	4	180	325	36,00
841426	3	Sushi knife YANAGIBA	3	230	45,50	845059	3	Knife ,Sashimi'	3	210	340	25,00
841433	4	Sushi knife YANAGIBA	3	300	54,00	845042	4	Knife "Yanagiba"	4	240	370	30,50





HANGIRI RICE MIXING BOWL

- The perfect utensil for mixing sushi rice with vinegar.
- Core made from polystyrene from (PS), surface made from polyethylene – to ensure lightweight and keeping the warmth of mixed rice which increases vinegar absorption.
- The surface prevents the growth of bacteria and does not absorb moisture, does not crack, there's no risk of black mould formation.
- Shape slightly extended towards the top the tilt angle of the rim enables stacking.
- Dishwasher safe.
- Heat resistance: 90°C.

code	mm	€
513804	ø480x(H)110	639,00
513811	ø600x(H)140	889,00

HANGIRI RICE PADDLE

- For mixing sushi rice.
- Made of polypropylene and nylon.
- Very lightweight.
- Narrow tip.
- Special wave-like surface for perfect mixing of rice and vinegar.

- Dishwasher safe.

code	mm	€
513859	400x115	103,00



NEW

人 1111

R

Ħ

ø

f

Ř

B

ကြိ

''

Š





B



513842

ODI wash

MAKISU SUSHI ROLLING MAT

- For rolling sushi.
- Made of polypropylene.
- Nylon fiber joints.
- Easy to roll.
- No foil required.
- Easy to clean and dry.
- Antibacterial properties
- Dishwasher safe

code	mm	€
513835	250x240x(H)	47,00
513842	250x165x(H)	44,50



NEW SUSHI BOARD, 600×300 MM



- Made of plastic (PB elastomer) with an inner wooden core protected with polyethylene (PE).
- Antibacterial properties.
- 30% lighter than all-plastic boards.
- Wooden core prevents warping and ensure board durability.
- Environmentally friendly production process reduction of plastic.
- Dishwasher safe.

code	mm	€
513866	600x300	260,00

70



513828

NEW

SUSHI BOARD STAND. 45×50×300 MM

- Made of polyethylene (PE).
- Non-slip elastomeric board support.
- Protection against board movement even on wet countertops.
- High hygiene and ergonomics.
- Antibacterial properties.
- Possibility to collect cut ingredients in a container placed under the board.
- Dishwasher safe.

code	mm	€
513828	300x50x(H)45	47,00



CUTTING BOARD SCRAPER

- Core made of polyethylene foam.
- Abrasive layer made of aluminium oxide and zinc stearate.
- Double-sided product abrasive and smoothing properties.
- Intended for Hasegawa cutting boards and HENDI HACCP cutting boards made of wood or PE.
- NOTE: The cutting board surface should be dampened before using the scraper.

code	mm	€
513880	115x50x(H)30	16,50

OD! wash Ř

ස

ů

ÿ



LEMON ZESTER code mm

B

€ 856031 (L)155 7,50



GRAPEFRUIT KNIFE code blade length length (mm) (mm) 100

856185



VEGETABLE CORER € code blade length length (mm) (mm) 856086 110 220 7.50





210

CITRUS PEELER code mm € (L)175 7,25 856055

MELON SCOOP OVAL code ø 856017 ø26

length (mm) € code (L)160 6,95 856024

€

8.10

MELON SCOOP SERRATED ø length (mm) € 6,95 ø22 (L)150



MELON SCOO code 856000 ø 22-2





OP DOUBLE			CHANNEL	KNIFE		APPLE CORER				
-	mm	€	code	mm	€	code	ø	length (mm)	€	
-25 mm	(L)165	9,75	856048	(L)155	5,00	856079	ø20	(L)215	6,40	



DOUGH CUTTER SERRATED BLADE

code	ø	length (mm)	€
856154	ø60	(L)188	6,95



BUTTER CURLER - Serrated. code mm € 856192 (L)190 9.45



SPREADER - SERRATED

code	blade length (mm)	length (mm)	€
855768	85	210	6,40





€

POTATO PEELER code blade length length (mm) (mm)



DECORATION KNIFE € code blade length length (mm) (mm) 856062 90 200 7.80



€

8.90

ش

R

A

Ř

नि

ကြိ

Ľ,

TOMATO KNIFE OFFSET code blade length length (mm) (mm) 110

856253





224

CHEESE SLICER			CHEESE SLI	CER FOR SO	FT CHEESE	CHEESE G	RATER	
code	mm	€	code	mm	€	code	mm	€
856208	(L)200	10,00	856215	(L)160	8,10	856222	(L)170	8,10







CHEESE KNIFE FOR SOFT CHEESE					
code	blade length (mm)	length (mm)	€		
856246	160	270	10,00		





PIZZA SLICER

code	ø	length (mm)	€
617007	ø100	(L)230	5,00



PIZZA SLICER

- Stainless steel knife blade, polypropylene handle.
- With HACCP color coding system, coloured clips are not removable after placing.

		5	
code	ø	length (mm)	€
617014	ø100	(L)230	8,35



€





CHEF PLATING SET, 6 PCS, SATINED

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of satin stainless steel.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Dishwasher safe.

code		€
400081	satined	55,50

CHEF PLATING SET, 6 PCS, BLACK

- Perfect for plating dishes, cakes and other desserts, as well as sushi.
- Made of stainless steel with black PVD coating.
- Tweezers are perfect for gripping very delicate ingredients and optimised for effortless use.
- The drawing spoon with a spout for precise pouring of sauces.
- With compact roll-up case for protecting against damage.
- Straight tweezers: 23 cm
- Curved tweezers: 20 cm
- Offset tweezers (sushi): 21 cm
- Drawing spoon: 22,5 cm
- Small spoon: 15 cm
- Spatula: 19 cm
- Not dishwasher safe.

code	colour	€
400074	black	61,00

KNIVES CARRYING CASE

- Briefcase model for 6 knives (max, length 400 mm).
- Knives are held in place by elastic bands.
- Case reinforced with plastic for a solid construction.
- Dimensions open (LxW): 450x400 mm.
- Knives not included

code	mm	€
856383	450x70x(H)110	31,00





ති

f

(



- Compact case with a total of 17 slots.
- Fits 4 knives with a maximum length of 450 mm and 13 smaller tools.
- Divider reinforced with plastic.
- Knives and tools are held in place by elastic bands.
- Dimensions unfolded: 500x510 mm.
- With shoulder strap.
- Knives not included.

code	mm	€	
856390	500x120x(H)225	59,00	



KNIVES CARRYING CASE

- Compact case with plenty of room for knives and accessories.
- Space for 10 knives (max length 450 mm), knives are held in place by elastic.
- The knives are protected by additional covers which are held in place by either a zipper or velcro, this ensures that knives don't make direct contact when the case is folded to a close.
- With 1 big pocket for note pads, 4 small pockets for business cards and space for 3 pens or other small accessories.
- The shoulder strap length can be adjusted between 770 mm and 1270 mm.
- Dimensions unfolded: 515x675 mm.
- Knives not included

code	mm	€
856277	510x50x(H)170	34,50

KNIFE MAGNET WITH HOOKS

-	With	2	magnetic	stri	ps.
---	------	---	----------	------	-----

	5 1		
code	-	mm	€
820407	6 hooks	(L)620	14,00
820209	3 hooks	(L)340	8,10
820308	5 hooks	(L)470	10,00



20° – two-way sharpening The perfect angle for all European knives

GRINDING AND POLISHING DISC

In one process you sharpen and smooth out

820643

ECONOMY

Grinding stones replacement is easy and maintenance-free

DEEP RUNNER

to quide the blade

Reinforced runner with

large depth - makes it easier

DURABILITY

Durable motor with an excellent cooling unit

DHEND

SAFE OPERATION

Four rubber suction holders prevent the sharpener from moving

ELECTRIC KNIFE SHARPENER

VERSATILITY - WIDE

GRINDING PATH It enables sharpening very thick blades and various

types of knives

- Recommended for use in all professional kitchens.
- For sharpening different types of knives: for meat, fish, vegetables and fruit.
- Efficient and precise single-step sharpening.
- Abrasive material aluminum oxide.
- Contralateral wheels.
- Simultaneously sharpen both sides of the blade at the right angle.
- Blade sharpening time up to 15 cm: approx. 3 seconds.
- Blade sharpening time up to 25 cm: approx. 5 seconds.

code	V	W	mm	€
820643	230	75	160x205x(H)185	195,00



KNIFE SHARPENER

- Suitable for quick and easy sharpening of knives.
- Sand paper easy to change.

code	V	W	mm	€
224403	230	50	295x110x(H)110	228,00
224410	– 2 pcs		50x200	6,70

 ٢

R

ø

Ĥ

Å

नि

ကြိ

''



NEW

820667

JAPANESE SHARPENING STONE HENDI BY NANIWA

- The double-sided stone consists of 2 plates with 2 different grit sizes:
 - 220/1000 (820667)
 - 1000/3000 (820674)
- Stone grit with its purpose:
 - 220: blade edge grinding and regeneration.
 - 1000: basic blade sharpening.
- 3000: blade edge polishing and finishing.
- Before use wet the stone with water.
- The set includes a plastic box for safe storage.

	J	
code	mm	€
820667	185x65x(H)30	33,50
820674	185x65x(H)30	36,00



77

820674

	85631	2000	6	85630	6	T		Bottle opener ntegrated	ysroppere S.S. staintes steel
– Hig	JLTRY S gh carbon s ftgrip.	SHEARS steel.		KITCHEN S - Detachable - - Softgrip.				SCISSORS . With soft grip. an	
c	ode	mm	€	code	mm	€	code	mm	€
85	6314	(L)240	14,00	856307	(L)200	9,45	856284	(L)225	12,50





CUT RESISTANT GLOVES, CERTIFIED -SET OF 2 PCS.

- Offer protection during handling and replacing sharp blades in cutting equipment used in professional kitchen.
- The combination of HPPE, polyester and nylon fibres makes the gloves durable and comfortable.
- Level 4 cut resistance.
- Level 3 abrasion resistance.

code	packed per	€
556641	2	16,50





CUT RESISTANT GLOVES, CERTIFIED

- The set consists of 2 cut resistant gloves:
- inner glove (HPPE).
- outer glove (food grade stainless steel).
- The gloves fit left and right hand.

0	0		
code	-	mm	€
556672	Large	(L)330	47,00
556665	Medium	(L)305	47,00









GARLIC PRESS

- Made of stainless steel durable and easy to clean.
- Its curved arch enables quick and effortless crushing.
- Crushing multiple garlic cloves at once is possible thanks to its size and many holes in its mesh.
- Useful also for other products than garlic, such as ginger.
- Hole diameter: ø3 mm

code	mm	€
856260	105x50	11,00



Ć

R

À

B

ကြိ

''

Y





HENDI







VEGETABLE CUTTER V-TYPE

- Made of hard black PP and ABS.
- Including 5 high quality stainless steel blades.
- Foldable stand with rubber feet.
- V-shaped main cutting blade.
- Blades for julienne or french fries, 6 or 9 mm wide.
- Adjustable slice thickness from 1-9 mm.
- Product holder with metal pins.
- Height 140 mm (with raised support).

code	code mm	
222614	130x335x(H)75	30,50



 ٢

R

A

C

Ĥ

Ř

B

ကြိ

1

ÿ

V-shaped cutting blade for fast slicing

222614

VEGETABLE CUTTER V-TYPE DOUBLE BLADED

- Made of stainless steel and black ABS.
- V-shaped main slicing blade, crinkled secondary slicing blade.
- Easy to adjust the slicing thickness of both blades.
- Foldable stand with rubber feet.
- Comes with two extra blades for julienne or french fries, 6 or 9 mm wide.
- Storage box included to safely store the blades.
- Polypropylene product holder with metal pins.

	code	mm	€	
222676		530x165x(H)203	57,00	



VEGETABLE CUTTER

- 2 blades for slicing (1 crinkle blade) and 3 blades for jullienne (5, 7, 10 mm).
- Sliding product holder and storage box for blades.
- With non-slip stand.

code	mm	€
222652	395x125x(H)200	87,50





Comes complete with product holder, 5 blades and blade storage box



ABS PP S.S.

FRENCH FRIES CUTTER

- Knives made of stainless steel.
- Comes with 4 blades: 6, 9 and 13 mm, as well as a knife for 8 parts.
- Mountable to working table or wall.
- Handle covered by plastic for easier pressing.
- Stainless steel mounting plate allows easy removal and cleaning.
- With rubber feet to hold firmly when using on table.

code	mm	€
630402	430x168x(H)290	192,00





FRIES KNIFE 11 MM FOR FRENCH FRIES

code	€
630419	13,50



With suction cup feet



Sammic 🔁



MANUAL MACHINE FOR CUTTING POTATO SERIES CF-5

- Durable lightweight stainless steel alloy design, pressure press made of durable polypropylene.
- Extended handle and flexible springs make the appliance easy and effortless to use, enabling high output of the appliance of up to 100-150 kg/h.
- Rubber-coated handle for increased comfort.
- The base is equipped with suction cups to ensure stability of the slicer during operation.
- For use with GN 1/1 tank of max. height of: 150 mm.
- Net weight: 4 kg.
- Slicer dimensions with lever arm raised: 280x512x(H)735 mm.
- The set contains: a press with 10x10 mm knives (1020070).
- Sold separately: presses with 8x8 mm knives (1020065) and 12x12 mm knives (1020075)

code	performance (kg/h)	mm	€
1020061	100-150	280x512x(H)735 (with lever raised)	417,00
1020065	A set of presse	s with knives 8x8 mm	94,50
1020070	A set of presses	with knives 10x10 mm	94,50
1020075	A set of presses	with knives 12x12 mm	94,50



(AI)	
AL	100
aluminium	wash





EGG SLICER – RECTANGULAR			EGG SLICER	- OVAL	
code	mm	€	code	mm	€
570104	130x85x(H)30	11,50	570012	120x115x(H)35	10,50



ONION GOGGLES

 Wear the goggles during the cutting of onions to prevent teary eyes. 			utting of
	code	€	
	570906	150x160x(H)45	11.50



WOODEN BUTCHER BLOCK WITHOUT BASE

500x400x(H)200

278,00

 Made of beech wood 				
	code	mm	€	
	505632	500x400x(H)150	203,00	

505649



WOODEN BUTCHER BLOCK WITH BASE

- Handle made of beech wood.
- Wooden base.
- Total height of the block with base: 850 mm.
- The block is connected to the base with Velcro.

code	mm	€
505618	400x400x(H)110	167,00
505625	400x400x(H)150	195,00
505694	500x400x(H)150	250,00
506011	500x400x(H)200	306,00



POLYETHYLENE BUTCHER BLOCK WITH BASE

- Made of HDPE500 polyethylene, thickness: 80 mm.
- Stainless steel stand.

code	-	mm	€
505687	Set	500x400x(H)800	224,00
505656		500x400x(H)50	77,50
505663		500x400x(H)80	106,00
505670		500x400x(H)750	147,00
505144	505663 + 505670	500x400x(H)830	252,00



559291



MEAT NETTING

- Made of polyester yarn and elastic.
- Non-stick and stretchy.
- Length: 50 m
- Available sizes:
 - 125/32/3 (code: 559260) width: 125 mm number of holes on the perimeter: 32
 - 125/48 (code: 559277) width: 125 mm number of holes on the perimeter: 48
 - 160/32/4 (code: 559284) width: 160 mm number of holes on the perimeter: 32
 - 200/48 (code: 559291) width: 200 mm number of holes on the perimeter: 48

roll dimensions (mm)	€
ø190x(H)125	18,50
ø190x(H)125	18,50
ø190x(H)160	19,50
ø190x(H)200	23,50
	ø190x(H)125 ø190x(H)125 ø190x(H)160



ROULADE STRING RED & WHITE

- Soft and flexible, easy to bind and knot.
- Spool with 200g of string, about 132 meters.
- Made of red and white, unbleached cotton.

-	€
132 m	8,65





559246

R

f

नि

I

KITCHEN TWINE

- Intended for tying up and hanging up meat and other produce to give them a uniform shape before smoking, steaming, or baking.
- The string is made of white cotton yarn reinforced with polyester yarn.
- Twine thickness: tex 1480.
- Twine strength: 19 (+/-5%) [DAN].
- Purpose:
 - cooking 2.5 h 90°C.
- smoking: 3 h 150°C.
- Free of heavy metals.
- It has a PZH (National Institute of Hygiene) certificate and declaration of conformity.

code	-	€
559246	42 m	2,25
559253	90 m	3,35



ROULADE STRING

- Soft and flexible, easy to bind and knot.
- Spool with 100g of string, about 70 meters.
- Made of unbleached cotton.

code	-	€
559208	70 m	5,00
559222	144 m	11,50

C	_	-	
	C	C	
L	Э.		١.
Ľ	-	-	2
R	tain	ess ste	1

BUTCHER'S HOOKS - A SET OF 4 HOOKS

code	mm	€
513538	90x4	5,60
513545	110x5	4,75
513552	130x5	6,70
513569	150x6	7,80

Prices net of VAT

MEAT TENDERIZERS



CHEF'S MALLET

- Combines a meat tenderiser with a traditional mallet
- Perfect for pounding meat, softens the fibrous mass and flattens the meat 60 blades in 4 rows of 15. made of stainless steel 2.6 mm-wide blades with maximum cutting depth of approx. 18 mm

code	-	mm	€
513071	60 blades	280x57x(H)70	33,50

- Modern and effective tool for meat improvement, the interspaced vertical blades reduce the length of

- Perfectly tenderizes meat by softening the tissue

- Marinating time can be reduced by up to 25%, because the surface area of the meat is significantly

- During frying, the subtle perforation will allow

mm

42x150x(H)118

42x150x(H)118

€

21.00

21.00

21,00

sauces poured over the meat to penetrate. - Soft springs, easier use, better result,

colour

Black

Red

843468 White 42x150x(H)118

and flattening meat at the same time.

Specially designed grip



Watch the video



513071

843499

51 stainless steel blades for cutting meat



Wave-shaped tabs on the bottom for flattening meat





Prices net of VAT

- Weight: 3	50 g		
code	-	mm	
513071	60 blades	280x57x(H)70	;

86

ABS

meat fibers.

increased.

code

843499

843451

18/8

MEAT TENDERIZER











FOOD SPRAYER ELECTRIC

- Piston made of stainless steel, container made of HDPE
- Intended for liquids of low to medium viscosity, such as: oils, egg wash, jelly, sauces, marinades.
- Uniformly spraying a product from very thin layer to very thick.
- Adjustable product flow.
- Non-electric parts can be cleaned in a dishwasher, after disassembly.
- Container is microwave safe up to 70°C.
- Included in set:
 - screwed-in container with capacity of 700 ml,
 - flat fan nozzle,
 - round jet nozzle,
 - bent nozzle extension.

code	V	W	mm	€
270882	230	60	240x90x(H)220	631,00



PRESSURE FOOD SPRAYER

- For professional use in bakeries, restaurants, bars, hotels, patisseries.
- Ideal for: greasing baking molds, applying food additives and flavourings, wetting bread dough.
- Spraying a perfectly even layer of a product.
- Pressure sprayer function in the kitchen without the need to use heavy appliances.
- Made of very durable polymer HDPE.
- Wide bottom of the bottle, ensuring stability.
- Silicone seals which do not require greasing.
- An adjustable nozzle able to change its position in 360°.
- The suction pipe has a filter to prevent clogging.
- A measuring scale for easy control of liquid level.
- A breather protecting against the lid sucking-in.
- Pressure: 2,2 bar.
- Weight: 0,59 kg.
- code 270875

€ 36,00



OLIVE OIL DISPENSER

- Made of polished stainless steel.
- Conical shape ensuring stability.
- Removable stopper with a spout.

code	liters	mm	€
462904	0.25	ø84x(H)158	11.00







R

F

C

f

Ą

नि

ကြိ

mesh size 7,5x7,5 mm		540913	mesh 5x5 n) size	40609	mes	h size	0203
	OP nless steel with	PA handle.	CHIP SCO - With reinfor	OP ced wire handle.	S. ss steel	CHIP SCO - With wire ha		S. ss steel
 With extra d 	eep scoop.		code	mm	€	code	mm	€
code	mm	6	640401	ø160x470	11,00	640104	ø100x310	7,50
640913	ø240x640	29,00	640500	ø180x470	14,00	640203	ø125x360	9,45
640920	ø260x650	34,00	640609	ø200x510	15,00			
			640708	ø220x540	16,50			
			640807	ø240x540	19,50			,
	Ś	mesh size 5x5 mm	R	\mathbb{R}			nesh size 5x5 mm x1 mm	



code	mm	€
642504	470x180	23,00



335x175



S S

--

642603

Prices net of VAT

25,00



630235

SALT AND PEPPER SHAKER

S.S.	
stainless steel	wash

630105

 with screw cap. 		stainless steel wash		
code	-	mm	€	
630235	Pepper shaker	ø63x(H)100	4,75	
630136	Salt shaker	ø80x(H)175	14,00	





10.50

٢

R

A

00

C

Ř

B

ကြိ

''

Y

- With screw cap.				
code	-	mm	€	
630204	Pepper shaker	ø65x(H)105	4,75	

ø80x(H)195



FAT SKIMMER

- Made of stainless steel.
- With wire handle.
- Fine mesh.

code	mm	€
646205	ø125x350	11,50
646304	ø150x440	12,50



BIRD'S NEST SHAPED STRAINER

Salt shaker

- With wire handle and fastening clip.

code	mm	€
646601	ø100x390	11,50



FRENCH FRIES FUNNEL SCOOP

- With detachable handles
- Fill opening 75 mm.

S.S.

- Left and right handed.

code	mm	€
642559	230x220	17,00



FRENCH FRIES AND NACHOS FUNNEL SCOOP

- Fill opening 70 mm.

		5	
l eft	and	right	hande

- Leit anu righ		
code	mm	€
642566	233x205	11,50

1	518700		D S.	
FUNNEL	WITH HA	NDLE		
code		mm		€
518700		ø120x(H)115		6,40

	-	
5	67616	
	P	
FUNNEL	polypr	opylene wash
code	mm	€
567616	ø100x(H)115	2,80
567630	ø127x(H)130	2,80
567654	ø150x(H)140	3,65

632901

DEEP FRYER

GREASE FILTER HOLDER FOR



GREASE FILTER FOR DEEP FRYER -50 PCS :0.1

- Made of rayon (synthetic sitk).							
code	packed per	mm	€	code	mm	€	
632802	50	254x254	22,50	632901	ø250x(H)240	18,50	



Watch the video



S.S.

BUCKET

- Suitable for storing frying oil and saucesMade of white polypropylene
- High heat resistance can be filled with liquids at temperatures between 85-95°C
- Comfortable plastic handle
- Polypropylene lid (included)
- Side surface suitable for offset printing or labeling
- Useable volume: 11.3 l ± 120 ml

 Printable / labeling area: 810 x 15 	5 mm
---	------

code	liters	mm	€
196007	11.5	ø300x(H)230	8,10

HENDI



PROFI LINE LID FOR BUCKET WITH REINFORCED BASE

code	-	mm	£
516690	516683	ø280x(H)15	15,50
516713	516706	ø290x(H)15	20,00
516737	516720	ø305x(H)15	21,00

S.S. stainless steel



BUCKET WITH REINFORCED BASE

- Graduated.

code	liters	mm	€
516676	7	ø230x(H)245	39,00
516683	10	ø280x(H)265	53,50
516706	12	ø300x(H)310	62,50
516720	15	ø305x(H)330	68,50



code	liters	mm	€
516744	12	ø310x(H)300	41,50



- Ideal for drying large amounts of vegetables and fruits after washing.

PA

PP

Watch the video

222560

/ ____

ß

f

ø

Ř

B

ා

1

-<u>55</u>

- With an easy to use water draining system.

- Removable inner basket.

code	liters	mm	€
222553	12	ø335x(H)430	139,00
222560	25	ø430x(H)530	195,00





91





516102 516201 516300







MEASURING JUG POLYPROPYLENE

- With gradation.

code	liters	mm	€
567104	0.5	ø90x(H)140	2,50
567203	1	ø110x(H)170	6,15
567302	2	ø140x(H)215	8,10
567401	3	ø160x(H)240	10,00
567500	5	ø190x(H)270	17,00



MEASURING JUG STACKABLE

- Scale embossed in the side of the jug.Shape of the handle allows multiple jugs to be . stacked.

code	liters	mm	€
567814	0.5	ø95x(H)136	3,35
567821	1	ø124x(H)170	4,75
567838	2	ø160x(H)205	5,60
567845	3	ø181x(H)233	6,70
567852	5	ø210x(H)270	11,00



MEASURING JUG

- Top quality.
- Scale inside the jug.

code	liters	mm	€
516102	0.5	ø90x(H)105	16,00
516201	1	ø120x(H)130	22,00
516300	2	ø140x(H)170	36,50



ALUMINIUM SCOOP

code	liters	mm	€
521205	0.125	(L)180	3,90
521304	0.2	(L)205	4,45
521403	0.3	(L)245	5,60
521502	0.5	(L)265	8,10
521601	0.65	(L)310	9,20
521809	2	(L)390	20,00



POLYPROPYLENE SCOOP

code	liters	mm	€
562000	0.125	(L)187	3,10
562017	0.25	(L)250	3,90
562079	0.65	(L)330	7,25



B

ELECTRIC KETTLES

- Housing and heating element made of stainless steel.
- Handle, lid and base made of polypropylene.
- Concealed heating element protected against scale which extends the lifetime of the heater and the entire kettle.



ELECTRIC KETTLE - 1,8 L

code	liters	V	W	mm	€
209981	1.8	230	2150	221x163x(H)249	30,50






ELECTRIC KETTLE - 4.2 L code W € liters V mm 209998 340x234x(H)290 4.2 230 2000 47.00

CORDLESS ELECTRIC KETTLE WITH **TEMPERATURE CONTROL**

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- AISI304 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Thermostat indicator light
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.

code liters ٧ W mm



€



ති

(

f

Ą

नि

Ö



ELECTRIC KETTLE - 2.5 L

- Indicator light informs that the heater is on.

- Internal maximum water level indicator.

code	liters	٧	W	mm	€
209936	2.5	230	2150	225x168x(H)288	33,50

WATER KETTLE WITH LID

code	liters	mm	€
624302	6	ø245x(H)290	49,00







18/0 stainless steel

B

5
)
5
)

8/0	680186
nless steel	
NFF7FR	CURVED

18/0 stainless steel	680186	
	ZER, CURVED, ILED HANDLE	WITH
code	mm	

	(1) 10 (0)	
680186	(L)240	5,85


18/0 stainless steel	680063	J
TWEE	ZERS CURVED	
code	mm	€
68007	0 (L)160	4,45
68006	3 (L)235	5,60
68005	6 (L)300	7,50

18/0

18/0 stainless steel 680162







code

OFFSET TWEEZERS

1	ſW	E	Z	ER,	RO	U	ND	HE	AD
---	----	---	---	-----	----	---	----	----	----

code	mm	€	code	mm	€	code	mm	€
680162	(L)145	3,90	680087	(L)210	5,85	680124	(L)150	5,00
			680094	(L)160	4,45	680193	(L)305	5,85



Prices net of VAT





18/0



HEAD	K, CILINDKI	JAL
code	mm	€

680179	(L)170	5,30	

680117 680100 FISH BONE TWEEZERS,

SLANTED) HEAD
code	mm

680117	(L)115	2,80
680100	(L)135	5,30

HENDI



FISH BONE TWEEZER, SLANTED TIP

code	mm	€
680148	(L)100	2,80



À

B

Ö

1

SIS T







SERVING TONGS - 2 PCS

code	packed per	mm	€
171127	2	(L)300	9,20
171028	2	(L)240	7,25

SERVING TONG

code	packed per	€
171509	1	3,90
171400	1	2,50



SERVING TONGS

- With heat resistant silicone tongs.

- Soft-arip with lock.

€
7,80
8,35
8,35





UNIVERSAL TONGS UNIVERSAL TONGS Al A - With fastening clip. WITH TEFLON COATING - Detachable. - With fastening clip. code mm € code mm € (L)270 8,10 524008 524039 (L)270 8,65





SERVING TONG HACCP 250 MM

- For professional food service - HACCP compliant handpiece colors

code	colour	mm	€
171837	Red	(L)250	5,85
171875	Green	(L)250	5,85
171929	Brown	(L)250	5,30
171844	Blue	(L)250	5,30
171882	Purple	(L)250	5,30
171899	Yellow	(L)250	5,30

SERVING TONGS HACCP 300 MM

- For professional food service - HACCP compliant handpiece colors

COLOTIS			
code	colour	mm	€
171721	Red	(L)300	7,50
171936	Brown	(L)300	7,50
171738	Blue	(L)300	7,50
171745	Green	(L)300	7,50
171783	Purple	(L)300	7,50
171790	Yellow	(L)300	7,50



Ř

B

ů

''

<u>555</u>



 mm
 €
 code
 mm
 €

 [L]300
 14,00
 659601
 [L]325
 14,00



code

code blade length mm 6 855713 124 102x265 7,50 855119 118 100x251 5,30 855508 120 75x270 7,50 8555713 124 102x265 7,50 855119 118 100x251 5,30 855508 120 75x270 7,50 855676 855672 855672 855673 855737 855737 855737 955673 955737 95737 95737 95737 95737 95737 95737 95737 95737								
5573 5573							855607	B
		The second	he video	055110			10	
Number of the stands Number of the stands <t< td=""><td></td><td>S.</td><td></td><td>S.S.</td><td></td><td></td><td></td><td>ß</td></t<>		S.		S.S.				ß
$\frac{\operatorname{trime}^{\operatorname{trime}}}{\operatorname{555713} 124 102x26 7,50} \underbrace{\operatorname{855119} 118 100x25 1 5,30}_{\operatorname{855063} 120 110x005 8,35} \\ \underbrace{\operatorname{855063} 120 75x270 7,50}_{\operatorname{855707} 150 110x005 8,35} \\ \underbrace{\operatorname{855607} 150 110x005 8,35}_{\operatorname{855607} 150 110x005 8,35} \\ \underbrace{\operatorname{85567} (\operatorname{150 110x005 8,35})}_{\operatorname{855707} \operatorname{855737} \operatorname{85567} \operatorname{10} \operatorname{10}$	scrape - Black pla	R stic handle		- With wooden hand		-	HAMBURGER TURNER - With wooden handle	
$\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{6000}$ $\frac{60000}{65570}$ $\frac{60000}{6000}$ $\frac{600000}{6000}$ $\frac{60000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $6000000000000000000000000000000000000$		(mm)		(mm)			(mm) 855508 120 75x270 7,50	
$\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{65570}$ $\frac{60000}{6000}$ $\frac{60000}{65570}$ $\frac{60000}{6000}$ $\frac{600000}{6000}$ $\frac{60000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $\frac{600000}{6000}$ $6000000000000000000000000000000000000$				• •				
855/76 85569 HAMBURGER TURNER - Handle made of black plastic. TURNER FLEXIBLE - Handle made of black plastic. TURNER FLEXIBLE - Handle made of black plastic. Handle made of black plastic. ^{abdade} length ^{bmm}			355652		855735	7		
 Handle made of black plastic. Handle made of black plastic. Flexible. Gode thickness mm 6 Imm S55675 1 143 77x283 8,10 S55659 1.2 320x96 10,50 Flexible. Flexible.								
Immin Code thickness mm Code Perforated. 855672 143 77x283 8,10 Code - Flexible. - Flexible. 855652 174 108x313 14,50 855737 1 375x73 9,75 Code thickness (mm) mm 6 855652 174 108x313 14,50 855737 1 375x73 9,75 Code thickness (mm) mm 6 855669 1.2 320x96 10,50 855720 1 375x75 7,80 520628 MODDEN STIRRER 525005 525005 525005 525005 525005 525005 525005 525005 525005 525005 520611 1000x95 26,50 25,000 52005 121400, 350,300 5,00 52005 121400, 350,300 5,00			2					n
855676 143 77x283 8,10	code		€			^		
855669 1.2 320x96 10,50 855720 1 375x75 7,80 Image: Straight of the second seco		143 77x283			mm	£		
520628 Semi-liquid dishes in pots, coppers, pans - Made of a single piece of raw beech wood, which prevents layer separation common in glued wooden products - Exceptionally durable and hard Code mm Code Code Mm Code Code Code Code Code Code Code Code	855652	174 108x313	14,50					
520628 WOODEN STIRRER - For mixing large quantities of soups and other liquid and semi-liquid dishes in pots, coppers, pans - Made of a single piece of raw beech wood, which prevents layer separation common in glued wooden products - Exceptionally durable and hard code mm code mm 620611 1000x95 520604 700x95 520628 1250x95 32,000 code mm € - Made of beech wood 520604 700x95 1250x95 32,000			GHENDI					
520628 WOODEN STIRRER - For mixing large quantities of soups and other liquid and semi-liquid dishes in pots, coppers, pans - Made of a single piece of raw beech wood, which prevents layer separation common in glued wooden products - Exceptionally durable and hard code mm code mm 620611 1000x95 520604 700x95 520628 1250x95 32,000 code mm € - Made of beech wood 520604 700x95 1250x95 32,000							525005	
- For mixing large quantities of soups and other liquid and semi-liquid dishes in pots, coppers, pans - Made of a single piece of raw beech wood, which prevents layer separation common in glued wooden products - Mode of a single piece of raw beech wood, which prevents layer separation common in glued wooden products - For professional use in gastronomy Image: Code of the second se								
- Exceptionally durable and hard w00DEN SPOON - SET OF 3, VARIOUS SIZES code mm € 520611 1000x95 26,50 520604 700x95 25,00 520628 1250x95 32,00 code mm € 52005 (L)400, 350,300 5,00	 For mixin semi-liqu Made of a 	g large quantities of s id dishes in pots, cop single piece of raw b	pers, pans beech wood,	which prevents layer	Ċ	>		B
code mm € 520611 1000x95 26,50 520604 700x95 25,00 520628 1250x95 32,00 Code mm € 525005 (L)400, 350,300 5,00				ucts				
520611 1000x73 26,50 - Elegant, classic shape 520604 700x95 25,00 - Made of beech wood 520628 1250x95 32,00 - Code mm € 525005 (L)400, 350,300 5,00					- For profe	ssional u	use in gastronomy	
320604 700x95 25,00 - Made of beech wood 520628 1250x95 32,00 - Code mm € 525005 (L)400, 350,300 5,00 - Code 000 - Code 000							hape	
525005 (L)400, 350,300 5,00					 Made of b 		ood	
	JZUOZŎ	120	ux/J	32,00				
	Prices net	of VAT		Фн				9



 SCRAPER ABS handle, blade made of synthetic rubber. 		ADJ	<110°C
code	blade length (mm)	mm	€
659205	90	52x257	3,65
659304	116	70x358	5,30
659403	116	70x410	6,70

659304

659403

ABS handle.Silicone blade.		ADS SIL	mp
code	blade length (mm)	mm	€
659014	90	55x270	4,75
659007	105	70x360	9,20
659106	105	70x420	8,90





SCRAPER

ß

- Handle made of glass-fiber reinforced nylon.
- Blade made of natural rubber.

 Only suitable for cold food preparation. 			wash	
	code	blade length (mm)	mm	€
	658604	90	55x260	5,30
	658703	90	75x320	11,00
	658802	90	75x425	12,50
	658901	150	100x515	18,00

- ABS handle	R SPOON SHA e. e of synthetic rubb	ABS	10°C
code	blade length (mm)	mm	€
659472	117	75x408	7,80
659458	88	57x254	5,00
659465	117	75x357	7,50





SPOON - Made of reinforced polyamide.

code	mm	€
659700	(L)305	10,00
659809	(L)385	14,00

LADLES & SKIMMERS PROFI LINE

- Professional, seamless one piece, in accordance with HACCP standards.

- Heavy-duty stainless steel.
- Thickness 2,7 mm





/ _____

R

P

Ê


Ř

नि

ကြိ

....

_____ ____



THICKNESS



€ 4,45

5,60

		1
118	526101	526200

LADLE				
code	liters	mm	€	
527108	0.05	ø60x320	4,45	
527207	0.18	ø90x390	5.30	

527108

÷	111111	uters	
4,45	ø60x320	0.05	8
5,30	ø90x390	0.18	7
5,30	ø100x420	0.21	6

527207

SKIMMER				
code	mm			
528105	ø90x310			
528204	ø115x370			

SLOTTED		
code	mm	€
526118	(L)355	3,90

SPATULA			CARVING	FORK		VEGETAB	E SPOON	
code	mm	€	code	mm	€	code	mm	€
526101	(L)350	5,00	526200	350x35	4,45	526309	(L)325	5,00

52730



WHISKS 2.2 MM 2 MM S.S PP SS 509470 THICKNESS THICKNESS FRENCH WHISK **FRENCH WHISK WITH 8 STIFF** - 8 heavy stiff wires, with eyelet. WIRES 1 MM - Wire thickness: 2,2 mm. - 8 stiff wires. FOR MIXIN - Polypropylene handle with eyelet. THICKNESS code mm € - Wire thickness: 2 mm. 510001 (L)290 5,30 code mm € 510100 (L)335 5,30 509012 (L)245 5,85 **PIANO WHISK** 510209 (L)380 509005 (L)270 - 5 flexible piano wires, 6,40 6,15 (L)435 (L)320 with thin handle. 510308 7,25 509104 7,50 - Wire thickness: 1 mm 510407 (L)490 8.10 509203 (L)365 8.35 code mm € 511503 (L)540 8,10 509302 (L)415 8,90 (L)285 3.35 509470 (L)640 (L)465 511701 9,45 509401 11,50



HENDI



PIANO WHISK

code

532003 532102

532201

532300

- 7 flexible piano wires, with eyelet.

mm

(L)230

(L)275

(L)330

(L)375

- Wire thickness: 1,4 mm.

CC	
5.5.	2001
	North Con
stainless steel	wash





- 12 flexible piano wires.
- Stainless steel handle with eyelet.

€	code	mm	€
5,30	511718	(L)285	5,30
6,15	511725	(L)335	5,85
5,60	511732	(L)385	5,85
6,70	511749	(L)435	6,40
	511756	(L)485	8,35



PIANO WHISK WITH 12 PIANO WIRES

- 12 flexible piano wires.
- _ Polypropylene handle with eyelet.
- Piano wire thickness 1.4 mm

- Fidilo wire ti	IICKIIESS: 1.4 IIII	II.
code	mm	€
509418	(L)250	6,15
509425	(L)270	6,70
509432	(L)320	6,70
509449	(L)360	8,65
509456	(L)410	9,45
509463	(L)460	11,50

Ĝ

R

f

C

Å

ලි

ကြိ

''

<u>____</u>




HENDI

517109 0.7 ø158x(H)55 4,45 517208 1.4 ø197x(H)68 4,20 2.3 517307 ø240x(H)88 6,95 3.3 ø259x(H)92 7,50 517406 517604 4.9 ø300x(H)118 8,65



517109








515501

HENDI



code	mm	€
515501	400x215x(H)175	52,00

R

A

Ē

Ř

नि

ကြိ

1

<u>555</u>





B

COLANDERS

COLANDER PROFILINE

- With base and 2 riveted handles.

code	mm	€
535523	ø415x(H)210	77,50
535516	ø365x(H)185	55,50
535509	ø325x(H)175	44,50

S.S.



COLANDER - 2 handles and a	base.	S.S. stainless steel
code	mm	€
535295	ø165x(H)65	7,80
535400	ø225x(H)90	9,45
535417	ø285x(H)100	12,50
535424	ø315x(H)120	15,00



- 2 handles and a		S.S. stainless steel
code	mm	€
535271	240x169x(H)65	10,00
535288	290x218x(H)80	14,00





€ 41,50

EXTENDABLE SINK COLANDER

- Entirely made of stainless steel AISI 201.
- Extendable handles, non-slip covered with rubber.
- Support-legs to place it directly in the sink.
- Fine mesh.
- Adjustable to max. sink width: 545 mm.

- Dishwasher safe.

code	mm	
535219	360x240x(H)115	





-		
- 1	n	7
	υ	1

"

<u>____</u>

0		٥	Ô
		7	ß
			چُ
		535516	ß
535301		2	Ê
-	The		
535103	535202		
- With base and 2 han	idles.	S.S. stainless steel	
535301	ø340x(H)160	14,00	<u> </u>
535103	ø240x(H)110	8,35	
535202	ø280x(H)135	10,00	
~			Ħ
535431 COLANDER	TTP	S.S.	101
- 2 handles and a bas	e.	stainless steel	
code	mm	€	
535431	ø180x(H)90	14,00	النصري
535448	ø220x(H)110	19,50	
535455	ø260x(H)140	25,00	Ą
			B
4		5	Ĩ





580233

KITCHEN SCALE 15 KG

- Weighs up to 15.000g with gradation of 1g with a minimum of 2q.
- Seamless stainless steel surface, housing made of HIPS plastic with integrated display.
- High precision strain gauge sensor for accurate measurements.
- Readout in grams.
- Touch control with on-off and tare buttons.
- With auto tare, overload and low power indication.
- Auto power off.
- Powered by 3 AAA batteries (not included).

code	max. kg	mm	€
580233	15	266x269x(H)34	37,50



KITCHEN SCALE 5 KG

- Housing made of stainless steel.
- Built-in digital LCD display.
- Measuring up to 5000 g.

580226

- Readout in grams (g), kilograms (kg), ounces (oz) or pounds (lb).
- Auto power off and reset (auto tara).

5

- Overload and low battery notifications.

-	Power: 1	x 3V lithium	battery – include	ed in the set.
	code	may kr	mm	£

169x218x(H)13

40,50

ABS plastic Universitie	
O 10 kg	
01110	
580028	
	RECHARGEABLE BATTERY
108	HENDI

KITCHEN SCALE 10 KG

- Waterproof housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 10 000 g.
- Readout in grams (g), kilograms (kg), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions on the touchscreen panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tara).
- Overload and low battery notifications.
- Power: built-in rechargeable lithium battery.
- USB cable for recharging included in the set.
- Waterproof and dustproof rate: IP67.

code	mm	€
580028	160x210x(H)19	26,00



KITCHEN SCALE 3 KG

- Housing made of ABS and stainless steel.
- Built-in LED display.
- Measuring up to 3000 g.
- Readout in grams (g), kilograms (kg), millilitres (ml), ounces (oz) or pounds (lb).
- Available functions on the touchscreen panel: on/off, tare, changing the unit.
- Auto power off and reset (auto tara).
- Overload and low battery notifications.
- Power: 3 x 1.5V AAA batteries included in the set.

code	mm	€
580011	165x180x(H)31	21,00



 ٢

R

A

Ř

B

ů

1

_____ ____



DIGITAL SCALE UP TO 200 KG

- Stainless steel scale.
- Precise measurement thanks to advanced. technology - from 200 g to 200 kg (440 lb).
- Accuracy: 10-50g / 0,02-0,1lb.
- Reading in kg or lb.
- Tare function.
- Operation via separate digital display with 4 buttons.
- Energy-saving LCD display with battery charge indicator.
- Fingerprint-resistant coating.
- Power supply: 2 AAA batteries (included).
- USB-C port kit includes cable.
- NOTE: Power adapter not included.

code	max. kg	mm	€
580462	200	298x248x(H)37	120,00

580462

С

max

200 ka

HENDI





LCD KITCHEN SCALE WITH LEGALISATION, ECO+ LINE

- For use in retail, catering, food industry.
- Two-digit scale: up to 3 kg 1 g graduation, up to 6 kg 2 g graduation or up to 6 kg 2 g graduation, up to 15 kg 5 g graduation – depending on a model.
- Large 6-digit LCD display.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: 20 g 6 kg or 15 kg, depending on a model.
- Powerful 6 V, 4.5 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- 3 scale pans: 2 flat (stainless steel and ABS) and a deep pan made of ABS.
- Base housing made of ABS.
- Weighing surface on a flat pan: 176x223 mm.
- Inner dimension of the deep pan: 250x274x(H)67 mm.
- Built-in spirit level.
- 4 non-slip feet.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TEK0+LCD06T-P1	6	255x264x(H)189	161,00
TEK0+LCD06C-P1-B1	6	255x264x(H)189	222,00
TEK0+LCD15T-P1	15	255x264x(H)189	161,00
TEK0+LCD15C-P1-B1	15	255x264x(H)189	222,00

ICE CREAM SCALE WITH LCD WITH RS232 PORT AND LEGALISATION

- Housing made of ABS.
- Flat scale pan and ice cream holder are made of AISI 430 stainless steel.
- 6-digit LCD display.
- Control panel with function buttons: settings, zero, tare, screen backlight.
- Fitted with the RS232 port for connecting a cash register or a receipt printer.
- Built-in spirit level.
- 4 non-slip feet.
- Two-digit scale:
 - up to 3 kg: 1 g graduation,
 - up to 6 kg: 2 g graduation.
- Weighing range: from 20 g to 6 kg.
- Weighing surface flat pan: 176x223 mm.
- With primary legislation.
- Ice cream holder pan scale (code: 755754), charger included in set.

code	max. kg	mm	€
755761	6	255x264x(H)244	231,00

ICE CREAM CONE HOLDER - SCALE PAN

- Made of AISI 430 stainless steel.
- 2 holes:
 - smaller of dimensions ø45 mm
- bigger of dimensions ø65 mm
- Dishwasher safe.

code	mm	€
755754	230x120x(H)151	35,00

(

f

Ą

नि

I



LCD RETAIL SCALE WITH LEGALISATION, EGE LINE, 15 KG

- For use in retail, catering, food industry.
- One-digit scale: up to 6 kg 2 g graduation, up to 15 kg 5 g graduation.
- Large 6-digit LCD display.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: 0.04 15 kg.
- Powerful 6 V, 4.5 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Scale made of ABS, weighing surface made of stainless steel.
- Steel stop for stable placing of the weighed product on the pan.
- Base housing made of ABS.
- Weighing surface: 230x300 mm.
- Built-in spirit level.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TTB015-0	15	325x320x(H)160	222,00





LCD RETAIL SCALE WITH LEGALISATION, SRP+ LINE, 30 KG

- For use in retail, catering, food industry.
- One-digit scale: up to 15 kg 5 g graduation, up to 30 kg 10 g graduation.
- Large 6-digit LCD display.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: 50 g 30 kg.
- Powerful 6 V, 4.5 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Scale made of ABS, weighing surface made of stainless steel
- Base housing made of ABS.
- Weighing surface: 210x280 mm.
- Built-in spirit level.
- 4 non-slip feet.

 Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TSRP+LCD30T-D	30	295x320x(H)120	184,00







LCD LABEL PRINTING SCALE WITH ARM AND LEGALISATION, EGE SERIES, 15 KG

- Perfect precision scale is suitable for owners of delis, grocery stores, butcher stores, vegetable stores, pharmacies, and other retail outlets, as well as post offices.
- Two-digit scale: up to 6 kg 2 g graduation, up to 15 kg 5 g graduation.
- Large 6-digit LCD display on a column with 3 indicators: weight, retail price, and total price.
- Display visible from both customer and operator side.
- Number of articles stored in memory (PLU): 250.
- Up to 8 articles can be assigned to the quick access menu.
- Panel with function keys: i.a. numeric keypad, settings, zero, tare, and screen backlight.
- Weighing range: 40 g 15 kg.
- Powerful 6 V, 4.5 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Scale made of ABS, weighing surface made of stainless steel.
- Steel blockage (edge) at the back of the pan.
- Base housing made of ABS.
- Built-in spirit level.
- Weighing surface: 230x300 mm.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TEM015B1D	15	325x377x(H)394	242,00





TEM030C-PZR

LCD LABEL PRINTING SCALE WITH ARM AND LEGALISATION, EGE LINE, 30 KG

- Perfect precision scale is suitable for owners of delis, grocery stores, butcher stores, vegetable stores, pharmacies, and other retail outlets, as well as post offices.
- One-digit scale: up to 15 kg 5 g graduation, up to 30 kg 10 g graduation - depending on the model.
- Large 6-digit LCD display with 3 indicators: weight, retail price, and total price.
- Display visible from both customer and operator side.
- Number of articles stored in memory (PLU): 250.
- Up to 8 articles can be assigned to the quick access menu.
- Panel with function keys: i.a. numeric keypad, settings, zero, tare, and screen backlight.
- Weighing range: 100 g 30 kg.
- Powerful dual 6 V, 9 Ah battery for up to 200 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Deep scale pan made of stainless steel, stably placed in special holders.
- Inner dimension of the pan: 225x295x(H)32 mm.
- Base housing made of ABS.
- Built-in spirit level.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TEM030C-PZR	30	355x330x(H)155	270,00

ТЕМ

ති

(

f

Ą

নি

ကြီ





TAM060D

60 KG LCD SCALE WITH LEGALISATION, ATA LINE

- Perfect precision scale is suitable for owners of delis, grocery stores, butcher stores, vegetable stores, pharmacies, and other retail outlets, as well as post offices.
- Two-digit scale: up to 30 kg 10 g graduation, up to 60 kg 20 g graduation
- Large 6-digit LCD display with 3 indicators: weight, retail price, and total price.
- Display visible from both customer and operator side.
- Number of articles stored in memory (PLU): 250
- Up to 15 articles can be assigned to the quick access menu.
- Panel with function keys: i.a. numeric keypad, settings, zero, tare, and screen backlight
- Weighing range: up to 60 kg.
- Powerful 6 V, 4.5 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Stainless steel scale pan.
- Dimensions of the scale pan: 280x340 mm.
- Base housing made of ABS.
- Built-in spirit level
- 4 non-slip feet
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
TAM060D	60	359x502x(H)133	356,00

BE2TP028X035060

O

max

60 kg

LCD PLATFORM SCALE WITH A COLUMN AND LEGALISATION, 60 KG

- Perfect precision scale is suitable for owners of delis, grocery stores, butcher stores, vegetable stores, pharmacies, and other retail outlets, as well as post offices.
- One-digit scale: up to 30 kg 10 g graduation, up to 60 kg 20 g graduation - depending on the model.
- Large 6-digit LCD display on a column with 3 indicators: weight, retail price, and total price.
- Display visible from one (BE2TP028X035060) or both (customer and operator) sides (BE2CA028X035060).
- Stainless steel (BE2TP028X035060) or ABS (BE2CA028X035060) display housing.
- Number of articles stored in memory (PLU): 250.
- Up to 9 (BE2TP028X035060) or 15 (BE2CA028X035060) items can be assigned to the guick access menu.
- Panel with function keys: i.a. numeric keypad, settings, zero, tare, and screen backlight
- Weighing range: up to 60 kg.
- Powerful 6 V, 3.2 Ah battery (BE2TP028X035060) / 4.5 Ah battery (BE2CA028X035060) ensures up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Stainless steel scale and column (painted steel in BE2CA028X035060).
- Built-in spirit level.
- Weighing surface: 280x350 mm.
- 4 non-slip feet.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
BE2CA028X035060	60	342x386x(H)499	361,00
BE2TP028X035060	60	342x386x(H)534	445,00







BEK+C035X040060-KB

LCD PLATFORM SCALE WITH A FOLDABLE COLUMN AND LEGALISATION, EKO+ LINE, 60 KG

- For use in trade or industry, especially in storage or transport, as well as grocery stores and delis.
- One-digit scale: up to 30 kg 10 g graduation, up to 60 kg 20 g graduation - depending on the model.
- Large 6-digit LCD display in ABS housing, on a foldable column.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: 200 g 60 kg.
- Powerful 6 V, 4,5A battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Scale made of electrostatically coated steel, weighing surface made of stainless steel.
- Weighing surface: 350x400 mm.
- Steel blockage (edge) at the back of the pan.
- Special column locking system.
- Coated cast iron column.
- Built-in spirit level.
- 4 non-slip feet.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
BEK+C035X040060-KB	60	350x400x(H)522	292,00

BEK+C050X060150-F

PORTABLE LCD PARCEL SCALES WITH LEGALISATION, EKO+ LINE, 150 KG

- For use in trade or industry, especially in storage or transport.
- One-digit scale: up to 60 kg 20 g graduation, up to 150 kg 50 g graduation depending on the model.
- Large 6-digit LCD display in ABS housing.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: up to 150 kg.
- Powerful 6 V, 3.2 Ah battery for up to 100 hours of operation.
- 7.8 V / 1.2 A AC adapter included.
- Scale made of electrostatically coated steel.
- Weighing surface: 500x600 mm.
- Ergonomic handle for easy handling.
- Built-in spirit level.
- 4 non-slip feet.

max 50 kg

 Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	€
BEK+C050X060150-F	150	320,00



LCD PLATFORM SCALE WITH A COLUMN AND LEGALISATION, EKO+ LINE, 300 KG

- For use in trade or industry, especially in storage or transport.
- One-digit scale: up to 150 kg 50 g graduation, up to 300 kg 100 g graduation - depending on the model.
- Large 6-digit LCD display in ABS housing, on a column.
- Panel with function keys: settings, zero, tare, and screen backlight
- Weighing range: up to 300 kg.
- Powerful 6 V, 3.2 Ah battery for 40 to 150 hours of operation.
- 7.8 V / 1.2 A AC adapter included.

- Scale and column made of electrostatically coated steel.
- Weighing surface: 500x600 mm.
- Built-in spirit level.
- 4 non-slip feet.
- Scale with primary legalisation, ready to use immediately after unpacking.

code	max. kg	mm	€
BEK+C050X060300	300	500x700x(H)940	320,00

Ê

R

A

Thermometers

B



	Infrared		Shock proof thermometer	Fast response	
	thermometer		with probe	thermometer	
Code	271148	271254	271407	271230	
Unit	°C/°F	°C/°F	°C/°F	°C/°F	
Reaction time	quick	quick	medium	quick	
Temperature min.	-32°C	-60°C	-50°C	-50°C	
Temperature max.	400°C	350°C	300°C	350°C	
Accuracy	±1,5°C	±1,5°C	±1°C	±0,8°C	
Gradation	0,1°C	0,2°C	0,1°C	0,1°C	
Hold function	V	v	V	v	
Probe length		96 mm	213 mm	130 mm	
Probe material		stainless steel	stainless steel	stainless steel	
Suitable for use in the ov	en				
Waterproof			odporny na zachlapania	V	
Auto off	v	v	V	v	
Battery included	V		V	v	
Additional information	Distance and spot size ratio 12:1 Laser pointer for accurate measurement target.	Distance and spot size ratio 8:1	Min / Max temperature function. With table stand, including protection case.	IP65 waterproof. With probe cover.	



Thermometer with foldable probe	Pocket thermometer with probe	Waterproof thermometer	Roasting thermometer/timer
271308	271209	271162	271346
°C / °F	°C / °F	°C / °F	°C / °F
medium	medium	medium	slowly
-50°C	-40°C	-50°C	-50°C
300°C	200°C	300°C	250°C
±1°C	±1°C	±1°C	±1°C
0.1°C	0.1°C	0,1°C	1°C
V	V	V	V
110 mm	65 mm	120 mm	150 mm
stainless steel	stainless steel	stainless steel	stainless steel
			only probe
		V	V
V	V	V	v
V	V	V	V
Min / Max	With probe cover.	Measures temperature	With timer function.
emperature function.		in one second.	With temperature
		With cover and	alert setting.
		ergonomic handle.	

					1.51		
	Pocket thermometer	Steak thermometer	Oven thermometer	Refrigerator thermometer	Refrigerator thermometer	Refrigerator thermometer	Milk frothing thermometer
Code	271216	271339	271179	271186	271117	271124	271247
Unit	°C	°C/°F	°C	°C	°C	°C	°C
Reaction time	medium	slowly	slowly	slowly	slowly	slowly	slowly
Temperature min.	0°C		50°C	-50°C	-40°C	-50°C	-10°C
Temperature max.	100°C		300°C	25°C	40°C	50°C	110°C
Gradation	1°C		10°C	10°C	1°C	1°C	1°C
Probe length	127 mm	50 mm					140 mm
Probe material	stainless steel	stainless steel					stainless steel
Suitable for use in the furnace		~	V				
Additional information	Probe cover with clip	With indication rare-medium- well done.	With special hook and support. Easy to read.	With special hook and support. Easy to read.	Fitted with hook to hang from	Fitted with hook to hang from	With clip to fasten the thermometer to the milk jug

A

ß

 ٢

B

 $|\bigcirc|$

Ē

Ì

B

))

ŢŢ,



INFRARED THERMOMETER WITH PROBE HACCP

- Temperature scan by infrared or foldable probe.
- HACCP check lights provide instant recognition of safe/unsafe temperatures.
- With foldable 90 mm long stainless steel probe.
- Measuring range -60°C to 350°C.
- Gradation 0,2°C.
- Infrared accuracy: -60/65°C ±1°C, 65/350°C ±1.5%.
- Probe accuracy: -60/-5°C ±1°C, -5/65°C ±0.5°C, 65/350°C ±1%.
- Distance spot ratio (D:S) 8:1.
- Auto power off after 15 seconds.
- Battery: 2xAAA (excluded).

code	range	mm	€
271254	-60/350°C	39x53x(H)158	100,00





INFRARED THERMOMETER

- Laser pointer for accurate targeting.
- Measuring range: -32 to +400°C.
- Gradation: 0.1°C, accuracy: up to ± 1.5°C/± 1.5%.
- The ratio of the measuring distance to the area to be measured: 12:1.
- "Lock mode" function for continuous temperature monitoring.
- Automatic switch off.
- Power supply: 9 V battery, included in the set.

code	range	mm	€
271148	-32/400°C	37x70x(H)150	62,00



THERMOMETER WITH FOLDABLE PROBE

- Temperature range from -50° to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°C, accuracy 1°C between 0° and 100°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- With foldable 110 mm long stainless steel probe.
- Turns off automatically after 60 minutes.
- Battery included.

code	range	mm	€
271308	-50/300°C	160x40x(H)25	26,50



POCKET THERMOMETER WITH PROBE

- Temperature range -40°C to 200°C.
- Unit of measurement °C or °F.
- Gradation 1°C.
- Accuracy ± 2°C.
- Hold function saves momentary temperature.
- 65 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

code	range	mm	€
271209	-40/200°C	150x20x(H)15	17,00





R

f

नि

I



SHOCK PROOF THERMOMETER WITH PROBE

- Splash proof.
- Temperature range -50°C to 300°C.
- Unit of measurement °C or °F.
- Gradation 0,1°, accuracy 1°C between -30°C and 150°C.
- Lock mode for continuous monitoring of temperatures.
- Min/max temperature function.
- 213 mm removable stainless steel probe.
- Turns off automatically.
- With table stand, including protection case.
- Battery included.

code	range	mm	€
271407	-50/300°C	195x85x(H)45	78,50



FAST RESPONSE THERMOMETER

- Provides fast and accurate temperature readings.
- IP65 waterproof.
- Measuring range -50°C to 350°C, unit of measurement °C or °F.
- Gradation 0,1°C, accuracy ±0,8%/0,8°C.
- Hold function saves momentary temperature.
- 130 mm stainless steel probe.
- Turns off automatically.
- With probe cover.
- Battery included.

	code	range	mm	€
2	271230	-50/350°C	204x42x(H)20	62,50



WATERPROOF THERMOMETER

- Waterproof.
- Temperature range -50°C to 300°C.
- Gradation 0,1°C between -19,9°C and 199,9°C, for other temperature ranges 1°C
- Accuracy 1°C between -20°C and 100°C, for other temperature ranges ± 2°C.
- Lock mode for continuous monitoring of temperatures.
- 120 mm stainless steel probe.
- Measures temperature in one second.
- With cover and ergonomic handle.
- Turns off automatically after 10 minutes.
- Batterv included.

code range mm € 07711/0 50/0000 2000/(0.(U))/0 20 00					
0711/0 50/0000 000(0.(11)/0 00.00	code	range	mm	€	
Z/TI6Z -50/300°C ZY0X48X(H)40 ZU,00	271162	-50/300°C	290x48x(H)40	20,00	



ROASTING THERMOMETER WITH TIMER

- Timer function with countdown.
- Measuring range: from -50 to +250°C.
- Interchangeable between: °C and °F.
- 1°C gradation, accuracy ± 1°C from 0°C to +100°C, ± 2°C in other ranges.
- Possibility of continuous temperature monitoring.
- Max./min. temperature function.
- With acoustic signal informing about reaching the set temperature.
- Stainless steel probe 150 mm (heat resistant), can be left in the oven during baking.
- 1 AAA 1.5 V alkaline battery included (disposable).

code	range	mm	€
271346	-50/250°C	65x70x(H)17	20,00







MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: ±2%.
- Stainless steel probe, cover with clip.
- Easy to read.

code	range	mm	€
271247	-10/110°C	ø44x(H)140	7,50



STEAK THERMOMETER - SET OF 4 PCS.

- The range is: rare medium well done.
- Accuracy: ±2%.
- Stainless steel 50 mm probe.
- Can be used in ovens.

code	packed per	mm	€
271339	4	ø25x(H)70	11,00

271216

POCKET THERMOMETER

- Temperature range: from 0°C to 100°C.
- Gradation 1°C.
- 127 mm stainless steel probe.
- Probe cover with clip.
- Easy to read.

,			
code	range	mm	€
271216	0/100°C	ø44.5x(H)140	5,85



REFRIGERATOR THERMOMETER

- With hook.
- Temperature range -50 °C to 50 °C.
- Gradation 1°C.
- Easy to read.

code	range	mm	€
271124	-50/50°C	ø72x(H)21	5,30






REFRIGERATOR THERMOMETER

- Horizontal model, with hooks
- Temperature range -40 to 20 °C.
- Graduation 1°C.

code	range	mm	€
2712	61 -40/20°	C 123x30x(H)1	9 5,60



- With hook.

- Temperature range -40 to 40 °C.
- Graduation 1°C.

code	range	mm	€
271117	-40/40°C	150x23x(H)9	3,65

271117

R

f

Ĥ

Å

नि

ကြိ

''



OVEN THERMOMETER

- Measuring range: from +50 to +300°C.
- 10 °C gradation, accuracy: ±5%.
- Stainless steel housing.
- Equipped with special hook and support.

- Easy to read.

code	range	mm	€
271179	50/300°C	60x40 x(H)70	6,70

	1	14	12	2	
0		and a	00	Contra Contra	
	4	@H	END	10	1
1186		_	_	_	

REFRIGERATOR THERMOMETER

- Temperature range from -50°C to +25°C.
- Gradation 2,5°C.

27

- Stainless steel housing with special hook and support.
- Easy to read.

code	range	mm	€
271186	-50/25°C	60x40 x(H)70	5,30



DIGITAL KITCHEN TIMER

- With stand and magnet.
- 99 min. 59 s.
- count down.

code	mm	€
582022	65x70x(H)17	15,00



ANALOG KITCHEN TIMER

- Max. 60 minutes.
- Accurate to 1 minute.
- Magnetic rear.
- Red marking indicates remaining time.
- Well visible from a distance.

code	mm	€
582015	ø80x(H)30	12,50









Magnetic DIGITAL KITCHEN TIMER

- With magnetic clip.

271

99 min 59s count down.	
1 X 1.5V AAA Alkaline Battery	
included[non-rechargeable]	

nctudeu(ii	luueu(IIIII-Techargeable).				
code	mm	€			
271155	67x20x(H)67	7,50			

ABS







558102

STAINLESS STEEL SAUCE CONTAINER WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 35 ml
- Not dishwasher safe.

code	liters	mm	€
558102	4.5	(H)420	278,00

558119

SET: 2 X STAINLESS STEEL SAUCE CONTAINER WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump
- Each lid fitted with 2 snap latch locks.
- Dispensed sauce portion: 35 ml
- Not dishwasher safe.
- Stand with adapter included in set.

code	liters	mm	€
558119	9	400x200 x(H)440	667,00



LID WITH DISPENSER FOR **GN CONTAINERS**

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.
- Suitable for GN containers with a height of 200 mm (not included).

code	GN	mm	€
558133	GN 1/6	180x165	209,00
558140	GN 1/4	270x165	222,00
558157	GN 1/3	330x180	250,00



SAUCE BAIN-MARIE WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- With overheating protection sensor it turns on the sound alarm and automatically cuts the heating off.
- Adjustable heating temperature: up to 90°C.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe

code	V	W	mm	€
558126	230	900	ø180x(H)500	500,00



123



PC 18/8



f

Ą

नि

ကြိ

DISPENSER BOTTLES

- Made of polyethylene.
- The cap ensures that the sauce stays fresh and hygiene is maintained.





DISPENSER BOTTLES

code	packed per	colour	liters	mm	€
558003	1	Yellow	0.2	ø50x(H)185	1,95
558010	1	Red	0.2	ø50x(H)185	1,95
558027	1	Transparent	0.2	ø50x(H)185	1,95
557808	1	Yellow	0.35	ø55x(H)205	2,25
557815	1	Red	0.35	ø55x(H)205	2,25
557822	1	Transparent	0.35	ø55x(H)205	2,25
557907	1	Yellow	0.7	ø70x(H)240	2,80
557914	1	Red	0.7	ø70x(H)240	2,80

DISPENSER BOTTLE SET - 3 PCS

code	packed per	colour	liters	mm	€
558058	3	Transparent	0.2	ø50x(H)185	4,20
557853	3	Transparent	0.35	ø55x(H)205	5,00
557952	3	Transparent	0.7	ø70x(H)240	7,50



SAUCE DISPENSER WITH PUMP

- Pump dispenser for various types of sauces.
- For use in snack bars, buffets, restaurants, and during catering events.
- ABS housing, removable sauce container completely BPA-free – does not affect the taste and smell of its contents.
- Sauce container has a measuring scale, lid and removable pump, all made from polypropylene.
- Pump fitted with lock to prevent accidental dispensing during transport.
- Capacity: 2.5 l. Dosage: 20 ml.
- Temperature resistance from -40°C up to +70°C.
- Easy to disassemble and stackable.
- Available in red, yellow and white.

code	colour	mm	€
203521	Red	230x210x(H)250	24,50
203545	White	230x210x(H)250	24,50
203538	Yellow	230x210x(H)250	24,50



Dispensing is very easy thanks to the flexible material



558386

EASY SQUEEZE CONDIMENT & SAUCE DISPENSER

- Polyethylene bottle and cap.
- Ergonomic bottle design and flexible material for easy dispensing.
- The cap keeps the content of the bottle uncontaminated and fresh.
- Small opening prevents condiment or sauce from leaking out of inverted bottle.

code	colour	liters	mm	€
558386	Transparent	0.3	ø65x(H)190	1,40



HOTDOG STAND

- Quality finish.
- 2 dispenser bottle slots and 2 hotdog slots.
- Suitable for Hendi Dispenser bottles 70 cl.

code	mm	€
630648	260x110x(H)118	25,00



SAUCE STAND

- Quality finish.
- Suitable for Hendi dispenser bottles.
- Available with 3 and 5 slots.

code	-	mm	€
557969	3 holes ø 50 mm	209x80x(H)78	12,50
557976	3 holes ø57 mm	229x90x(H)78	18,50
557983	3 holes ø70 mm	274x102x(H)98	21,00
630655	5 holes ø70 mm	530x110x(H)118	33,50



NON-DRIP SAUCES DISPENSER

- Designed by Robert Bronwasser.
- Clear bottle with specially designed dosing cap.
- Thanks to the construction of this piece of equipment, the bottle can be placed upside down without the risk of sauce spillage.

code	liters	mm	€
558096	0.23	ø50x(H)160	2,25



TACU NUI	LDER			
code	-	mm	€	
429440	2 slots	135x115x(H)50	11,00	
429457	4 slots	225x115x(H)50	13,50	

HENDI

C

Ĥ

Å

नि

ကြိ

''



JU.

HENDI



- Smoking is a very flavourful addition to your meat, fish and vegetable dishes, but can also create a wow-factor when serving.
- The cold smoke is gentle for delicate fruits and vegetables, smoke without changing the texture or temperature.
- One button operation, the smoking gun has 3 speeds
- The aluminium fan chamber functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking
- Can also be used with tea or spices.

B

- Removable smoking chamber with integrated mesh filter.
- Flexible silicone hose (50 cm long) for easy injection of smoke into resealable bags and containers.
- Lightweight with a comfortable handle making it easy to use with one hand.
- Powered by a rechargeable Lithium battery of 1000mAh.
- Very complete, comes with 3 spare filter meshes, a tweezer and USB charging cable.
- Wood or herbs for smoking not included.

CHENDI

199640	215x70x(H)160	118,00
code	mm	e



OHEND



SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with removable filter.
- Large woodchip holder.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

code	mm	€
199992	90x54x(H)122	32,00





GLASS DOME

- Ideal to use in combination with the smoking gun.

code	mm	€
199978	ø275x(H)140	35,00

GLASS DOME WITH VENT

 Made from borosilicate glass, fitted with silicone vent to hold the tube of a smoking gun.

- Ideal to use in combination with a smoking gun.

code	-	mm	€
199664	Plate dome	ø260x(H)174	86,50
199657	Cocktail dome	ø130x(H)282	37,00



GAS LIGHTER - SET OF 2 PCS.

Reili	lldL	ne.	
C	-11-		

- Subbried ell	ipty.			
code	packed per	mm	€	
198124	2	(L)230	11,00	

ø

Ĥ

Ř

ස

ကြိ

''

Ľ,

AROMATIC WOOD CHIPS

Dust and wood chips were obtained from the wood of noble species of deciduous trees - fruit trees - and the wood of barrels of seasoned alcohols: red wine, whiskey and cognac.

We recommend the latter to connoisseurs of the above liquors, as they give an extraordinary taste experience. We confirm this is an authentic and unique solution for those who do not believe it. The products come from fragments of old oak barrels in which the abovementioned alcohols were aged for years!_____

In our offer, you will find delicate smoking dust and two types of wood chips - fine and slightly larger. Use them in the smoking process, and you will not only gain an excellent taste and smell of any dish, but you can also present it exceptionally attractive, causing the WOW effect!



		-	12	-		A	
		OAK	BEECH	CITRUS	PEACH	ALMOND	OLIVE
Smoking dust							
Ter Ber alter	code	199787	199183	199213	199237	199220	199190
No 13	weight	700 g					
Name.	€	6,15	6,15	6,15	6,15	6,15	6,15
Smoking chips small							
Attend	code	199282	199275	199305	199329	199312	199299
ALL AND	weight	700 g					
	€	7,80	7,80	7,80	7,80	7,80	7,80
10 Mg.	code	199374	199367	199398	199411	199404	199381
JUL 1	weight	3 kg					
A CAR	€	7,80	7,80	7,80	7,80	7,80	7,80

B



		RED WINE	WHISKY	COGNAC
Smoking dust				
Torn Bar alle	code	199244	199251	199268
No. 12	weight	700 g	700 g	700 g
No. A.	€	6,15	6,15	6,15
Smoking chips small				
Sindu	code	199336	199343	199350
A TRANS	weight	700 g	700 g	700 g
	€	7,80	7,80	7,80
an ÈR	code	199428	199435	199442
STIC-	weight	3 kg	3 kg	3 kg
3	€	7,80	7,80	7,80



SMOKING DUST ASSORTMENT - SET OF 9 FLAVORS

- For use with cold smoke infusers/smoking guns.
- Assortment of 9 different kinds of very fine aromatic chips.
- Flavours in this set: almond, beech, citrus, cognac, oak, olive, peach, red wine and whisky.

code	weight (kg)	€
199794	1.35	47,50

00

目

 $|\bigcirc|$

Ì

B

Ö



BIG CHUNKS

B

- Intended for medium to high temperatures
- Ideal for pizza ovens, outdoor ovens and barbecues direct to charcoal
- Unique aroma
- Strengthen the taste of your favourite dishes
- Made from the best wood or from the best aging barrels.
- Our offer includes wood chunks made from:
 wine, whisky, or cognac barrels.
 - beech, olive, citrus, almond, or peach wood.

Sec.

23,50



199541

10 kg

33,50

	PEACH	BEECH	CITRUS	OAK
code	199503	199459	199480	199466
weight	3 kg	3 kg	3 kg	3 kg

23,50



23,50

23,50

	ALMOND	OLIVE	RED WINE	COGNAC	WHISKY
code	199497	199473	199510	199534	199527
weight	3 kg	3 kg	3 kg	3 kg	3 kg
€	23,50	23,50	23,50	23,50	23,50

€



- Dishwasher safe. 600 Watch the video 512302 512104 512210 512234 512227

FOOD RING ROUND

- Made of AISI 430 stainless steel.

code	mm	€
512135	ø60x(H)45	3,35
512104	ø70x(H)45	3,90
512302	ø90x(H)45	4,75

ß

¢

ß

00

 $|\bigcirc|$

Ř

B

18/0 stainless steel

18/0

512173





512142


512135

FOOD RING

- Made of AISI 430 stainless steel.

- Dishwasher safe.

code		mm	€
512142	food ring	ø80x(H)45	4,45
512159	food ring	ø100x(H)45	5,00
512203	pusher	ø80x(H)55	2,80
512210	pusher	ø100x(H)55	3,90



512166

6

- Perfect for plating food in refined shapes.

code	-	mm	€
512166	food ring	65x65x(H)45	4,20
512173	food ring	80x80x(H)45	5,30
512227	pusher	63x63x(H)55	2,80
512234	pusher	80x80x(H)55	3,10





131

Prices net of VAT

CREAM WHIPPERS





588017



CREAM WHIPPER

- Makes delicious whipped cream, mousses, desserts, cold foams and sauces easily.
- Perfect for garnishing cappuccinos, coffees, shakes and ice cream.
- Suitable for dispensing warm creams and sauces up to 70°C.
- Keeps contents fresh for up to 14 days in the refrigerator.
- Includes 3 stainless steel nozzles and a cleaning brush.
- Requires cream charger (N20) to operate, not included.

code	liters	mm	€
588017	0.5	ø85x(H)235	82,50
588024	1	ø98x(H)330	89,00



code	mm	€
589205	120x30x(H)240	24,50

DECORATING AND INJECTOR TIPS

- Ideal for decorating, filling, injecting, marinating, etc.
- Set of 4 stainless steel tips:
 - 1 long injector tip ø3x(H)106 mm.
 - 1 long injector tip ø5x(H)106 mm.
 - 1 short injector tip ø3x(H)40 mm.
 - 1 short injector tip ø5x(H)40 mm.
- Suitable for use only with Hendi cream whippers 588017, 588024.

code	€
589106	20,50



for cream for liquid



for decorating







586907

CREAM WHIPPER CHARGERS

- Suitable for commercially available cream dispensers.
- N₂O Best before 5 years after production date.

code	packed per	€
588208	10	4,45
588215	24	10,00
586907	50	21,00





HENDI

CREAM WHIPPER

- Completely made of aluminium
- Set of 3 polypropylene nozzle, as well as a cleaning brush
- Not suitable for hot sauces.
- Requires cream charger (N₂0) to operate, not included

code	colour	liters	mm	€
975855	Yellow	0.5	ø80x(H)260	46,00
975893	Turquoise	0.5	ø80x(H)260	46,00
975886	Purple	0.5	ø80x(H)260	46,00
975879	Green	0.5	ø80x(H)260	46,00
975862	Blue	0.5	ø80x(H)260	46,00

-

Ř

B

ා

1

S.

135









290934



WHIPPED CREAM MACHINE

- Housing, cream container and internal elements made of durable stainless steel.
- Easily removable cream container for easy cleaning.
- Equipped with an intuitive control panel.
- Pre-cooling function to keep the cream fresh for longer.
- Manual dispensing or automatic portioning in 3 portion sizes: small, medium, large.
- Size and cooling temperature settings for every portion size.
- Regulating cream aeration with a knob ensuring the optimal consistency of a ready product.
- Automatic cleaning program significantly reducing cleaning time.
- Refrigerant: R600A environmentally-friendly.
- Production capacity: 90 L/h.
- The set includes: 2 polypropylene dispensing nozzles, 1 wafer roll filling nozzle made of stainless steel, 3 round wire brushes for washing hard-to-reach areas (small, medium, large).

code	V	W	mm	€
290965	220-240	500	577x234x(H)440	3 060,00

HENDI AUTOMATIC, ELECTRONIC WHIPPING CREAM MACHINE, 2.5 L

D.D.

- Designed for pastry shops, cafes, ice cream parlors and restaurants.
- Whipped cream is always made in the correct temperature (4°C) and texture.
- Dispensing nozzle elements are removable and allow for thorough cleaning and maintenance of a high hygiene level.
- Convenient control by means of electric panel.
- Air-cooled.
- Removable container.
- Capacity: 2.5 l.
- Output: 50 kg/h.
- Weight: 25 kg.

HENDI

code	V	W	mm	€
290934	230	500	400x230x(H)430	3 500,00





Watch the video

ICE CREAM MAKER

- Ideal for making ice cream, sorbets and frozen yoghurt in up to 90 minutes.

S.S.

R

f

नि

Ö

- 2L ice cream container made of stainless steel.
- Air-cooled compressor with temperature range: -10°C to -35°C.
 With 2 hours cooling extension function to help keep the ice's
- consistency after it's ready.
- Prior chilling of ingredients not necessary.
- Large, back-lit digital display showing working time, freezing temperature and motion of the mixer.
- Easy to mount mixing paddle made of polypropylene.
- Transparent polycarbonate lid with "Twist-Lock" safe close system.
- Measuring cup and spoon included.
- Refrigerant: R600a.

code	V	W	mm	€
274231	230	180	272x315x(H)362	556,00



ICE CREAM SCALE WITH LCD WITH RS232 PORT AND LEGALISATION

- Housing made of ABS.
- Flat scale pan and ice cream holder are made of AISI 430 stainless steel.
- 6-digit LCD display.
- Control panel with function buttons: settings, zero, tare, screen backlight.
- Fitted with the RS232 port for connecting a cash register or a receipt printer.
- Built-in spirit level.
- 4 non-slip feet.
- Two-digit scale:
 - up to 3 kg: 1 g graduation,
 - up to 6 kg: 2 g graduation.
- Weighing range: from 20 g to 6 kg
- Weighing surface flat pan: 176x223 mm.
- With primary legislation.
- Ice cream holder pan scale (code: 755754), charger included in set.

code	max. kg	mm	€
755761	6	255x264x(H)244	231,00





max 6 kg

ĽU.		
\sim	LL_	
\circ	4	
	\sim	
	~	
<u> </u>	6	
LL.		
\sim	\leq	
0	4	
5	\mathbf{m}	

Ê



ICE	CREAM	SC00P
-----	-------	-------

code	-	mm	€	
759233	1/24	ø51	30,50	
759240	1/30	ø49	30,50	
759257	1/36	ø46	30,50	
759264	1/40	ø44	30,50	





572016

759240

759233

TOE OILE			
code	-	mm	€
572016	1/10	ø70	16,00
572313	1/20	ø56	15,00
572115	1/12	ø66	14,50
572214	1/16	ø59	15,50
572412	1/24	ø53	14,00
572511	1/30	ø50	14,00
572610	1/36	ø48	14,50
572719	1/40	ø44	14,50

572313



572719



ICE CREAM SCOOP STÖCKEL

ICE CREAM SCOOP

- Perfect choice not only for ice cream, but also for serving mashed potatoes.
- Easy to keep portions identical in size.

755006

,			
code	-	mm	€
755006	1/4	ø100	49,00
755013	1/8	ø80	53,50
755020	1/10	ø70	53,50
755037	1/12	ø67	50,00
755044	1/16	ø59	54,50
755051	1/20	ø56	54,50
755068	1/24	ø51	54,50
755075	1/30	ø49	50,00
755082	1/36	ø47	50,00
755099	1/40	ø45	50,00
755105	1/50	ø43	54,50
755112	1/60	ø40	54,50
755143	1/100	ø30	54,50



HENDI

755075

755143



- 3/8" water supply line, Ø 20 mm drainage line
- Made of 18/10 stainless steel

code	with a washing system for	mm	€
755181	building in	270x110x(H)115	388,00
755174	wall mounting	220x120x(H)90	444,00

MOUNTING BRACKET FOR SCOOP WASHER

270x111x(H)115

code	mm	€
802014	302x115x(H)122	19,50

802007

Ö

58.00



CONFECTIONERY, CAFE BAKERY, CAFE





18/10
stainless steel

ICE CREAM SPATULA

code	colour	mm	€
755808	Blue	(L)260	7,50
755815	Red	(L)260	7,50
755822	Yellow	(L)260	7,50
755839	Purple	(L)260	7,50

Ē

 ج

R

A

00

ø

Ř

B

ů

1



STÖCKE	OCKEL ICE CREAM DIPPER ICE CREAM DIPPER STOCKEL ICE CREAM DIPPER STOCKEL code - mm € - With ceramic coating and extra long handle. - With extra long handle.								OCKEL		
code	-	mm	€	 With cerai 	mic coat	ing and extra	a long handle.	 With extra 	i long ha	ndle.	
755556	1/20	ø56x120	45,50	code	-	mm	€	code	-	mm	€
755563	1/24	ø51x120	45,50	755686	1/20	ø56x170	88,00	755655	1/20	ø56x170	61,00
755570	1/30	ø49x120	45,00	755693	1/30	ø49x170	88,00	755679	1/30	ø49x170	61,00



- NOTE: Not dishwasher safe.

code	-	mm	€
759301	1/30	ø56x225	18,50



ICE CREAM CONES STA

-	FILS	3	con	es.	

code	mm	€
755730	200x95x(H)85	14,50



Ć



ICE CREAM CONTAINER LID POLYCARBONATE



807033

- Suitable for polycarbonate ice cream containers.

code	mm	€
807088	360x165	6,15
807095	360x250	*807095*



POLYCARBONATE ICE CREAM CONTAINER

807071

code	colour	liters	mm	€
807026	Transparent	5	360x165x(H)120	13,50
807033	Black	5	360x165x(H)120	12,50
807071	Black	5	360x250x(H)80	13,00
807057	Transparent	5	360x250x(H)80	13,50



COUNTERTOP FREEZER DISPLAY 77L

- Intended for presentation and serving up to 4 hours.
- Not intended for long term storage of frozen produce.
- Body made of high-quality stainless steel, fitted with triple glazed cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers, fit 150 mm high containers; GN not included.
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.
- Refrigerant: R290.
- Climate class: 4
- Energielabel: E (A-G).

code	range	V	W	mm	€
233689	-24/-20°C	230	220	805x666x(H)305	1 000,00



ROUND ICE CREAM TRAY

- Made of AISI 201 polished stainless steel, thickness: 0.9 mm.
- Robust construction.
- Rounded edges for easy cleaning.
- Can be used in refrigerators and freezers.
- Dishwasher safe
- Lid (802076) sold separately.

code	liters	mm	€
807002	7	ø200x(H)245	32,00



ICE CREAM CONTAINER, ROUND

- Made of AISI 304 polished stainless steel, thickness: 0.8 mm.
- Rounded edges for easy cleaning.
- Can be used in refrigerators and freezers.
- Dishwasher safe
- Without lid.
- Lid (802076) sold separately.

code	liters	mm	€
802083	7.3	ø200x(H)250	43,00

ICE CREAM CONTAINER LID, ROUND

polycarbonate

807002 802083 R

C

Ĥ

Å

B

ကြိ

"

802076

Made of polycarbonate.Dishwasher safe

S.S.

201

- Compatible with ice cream container 802083, 807002

code	ø	length (mm)	€
802076	ø190	ø190	7,80





Ê



HENDI





design by Robert Bronwasser

Powerful motor with two speeds. 15.000 and 19.000 rpm.



2 sets of replaceable polycarbonate stirrers (2 pieces each)

2 cups: made of stainless steel (capacity: 0.95 l) and of polycarbonate (capacity: 0.9 l)

MILKSHAKE MIXER - DESIGN BY BRONWASSER

- Designed by Dutch Designer Robert Bronwasser and available in 6 attractive colours.
- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different agitators to control the level of aeration.
- Very complete, comes with a stainless steel mixing cup (0.95 liter) and polycarbonate mixing cup (0.9 liter) and 2 sets of 2 agitators.
- Cups and agitators are dishwasher safe.

code	colour	٧	W	mm	€
221617	White	230	400	170x196x(H)490	195,00
221600	Black	230	400	170x196x(H)490	195,00
221624	Caramel	230	400	170x196x(H)490	195,00
221631	Yellow	230	400	170x196x(H)490	195,00
221648	Red	230	400	170x196x(H)490	195,00
221655	Blue	230	400	170x196x(H)490	195,00

221631



221617

221600

PC 961124

POLYCARBONATE MIXING CUP STAINLESS STEEL MIXING FOR MILKSHAKERS – DESIGN BY BRONWASSER

- Made of durable polycarbonate.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.



CUP FOR MILKSHAKERS -DESIGN BY BRONWASSER

- Made of stainless steel.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.



221624

STIRRERS FOR MILKSHAKERS - DESIGN BY BRONWASSER

- Easily replace the agitator of your Hendi Milkshake Mixer designed by Robert Bronwasser.
- Set consists of a single and double agitator.
- Intended for Hendi Milkshake Mixers 221600 221617 2216241 221631 221648 221655, 221495, mm

32x27x(H)50

code	mm	€	code	mm	€	code
961124	ø116x(H)161	11,00	961117	ø113x(H)160	22,00	961131

€

11,00

Ć

R

A

C

Ř

नि

ကြိ

''

Ľ,









PASTRY BAGS

- Disposable.
- Suitable for hot and cold mass.
- Meets HACCP standards.
- Film thickness: 80 microns.
- Package roll of 100 pcs.

code	mm	€
557112	445x220	14,00
557105	530x285	16,50



PASTRY BAG ANTI SLIP -100 PCS

- Disposable bags.
- Suitable for hot and cold preparation.
- Meets hygienic HACCP standards.
- Material thickness 80 micron.

- Roll of 100 in box.

code	packed per	mm	€	
557303	100	515x280	19,50	



- Reusable (suitable for cleaning in boiling water).
- Made of cotton, inside coated with polyurethane.
- With an eyelet.

code	packed per	mm	€
550120	2	(L)300	7,25
550229	2	(L)350	8,35
550328	2	(L)400	9,45
550427	2	(L)450	11,00
550526	2	(L)500	12,50

- Made of seamless super nylon.

Heavy duty, with a hang tag.Suitable for cleaning in boiling water.




00

code	packed per	mm	€
550106	1	(L)300	7,25
550205	1	(L)350	7,25
550304	1	(L)400	7,80
550403	1	(L)450	8,35
550502	1	(L)500	9,75









18/10

551615


STRAIGHT SLEEVE TIPS



551325 551295 551332 551349 551356 551264 551363

ICING TIP - PLAIN ROUND

code	mm	€
551325	ø2	3,10
551295	ø3	3,10
551332	ø4	3,10
551349	ø6	3,10
551356	ø8	3,10
551264	ø9	3,65
551363	ø10	3,10





	Ċ
	ß
Watch the video 551592	<u>ل</u>
 A set of 5 different icing tips for: filling. macarons. decorating. 	ß
- basket weave. - writing. - Extra precise thanks to sharp edges. code ε	
551592 11,50	
ICING TIPS - A set of 5 icing tips: - 2 closed Star tips. - 1 drop Flower tip.	
 - 1 french Star tip. - 1 v-shaped tip. Extra precise thanks to sharp edges. 	
code € 551202 11,50	
ICING TIP - DROP FLOWER ICING TIP - FRENCH STAR ICING TIP - V-SHAPE code mm € code mm € 551219 ø10 3,10 551226 ø11 3,10 551233 ø14 3,10	101
ICING TIP - FRITTER •••••• •••••• code mm € 551240 ø7 5,00	Ţ
code mm € 551257 ø4 5,00 Image: state stat	B
	1
ICING TIPS PP - Set of 12 different icing tips in a box. € 551400 ø 6-8-10-12 18,50	ŢŢ,
Prices net of VAT (Prices net of VAT 149	55

CONFECTIONERY, BAKERY, CAFÉ



CUPCAKE

MOULD	aluminium	h micro
-	mm	€
with smooth rim	ø70x(H)68	5,30
with rolled rim	ø70x(H)68	6,95







CAKE MOULD

Α

code 689806 689608

- Rectangul		
code	mm	€
682104	180x80x(H)60	11,00
682302	260x100x(H)75	13,50
682401	300x110x(H)75	16,50
682401	300x110x(H)75	16,



682302









FOOD RING

- Dishwasher safe. code

- Made of AISI 430 stainless steel.

512142 food ring ø80x(H)45

512159 food ring ø100x(H)45

512203 pusher ø80x(H)55

512210 pusher ø100x(H)55





512166

FOOD RING AND PUSHER SQUARE

 Perfect for plating food in refined shapes. 			l shapes.
code		mm	€
512166	food ring	65x65x(H)45	4,20
512173	food ring	80x80x(H)45	5,30
512227	pusher	63x63x(H)55	2,80
512234	pusher	80x80x(H)55	3,10





mm

512159

€

4,45

5,00

2,80

3,90

512210

512104 512302

512135

FOOD RING ROUND

- Made of AISI 430 stainless steel.
- Nichwacher cafe

code	mm	€
512135	ø60x(H)45	3,35
512104	ø70x(H)45	3,90
512302	ø90x(H)45	4,75



Watch the video



PASTRY CUTTER SET BUTTERFLY

- Set of 8 different sizes.

code	mm	€
673782	(H)20	11,00



PASTRY CUTTER SET OVAL

- Set of 8 different sizes.

code	-	mm	€
673720	smooth edge	(H)52	22,00
673737	serrated edge	(H)52	22,50



PASTRY CUTTER SET

673751

S.S.

Set of 9 diffe	rent sizes.		
code	-	mm	€
673744	round	(H)30	12,50
673768	star	(H)30	12,50
673751	square	(H)30	12,50

673744



PASTRY CUTTER SET TRIANGULAR

- Set of 6 different sizes.

code	mm	€
673775	(H)50	13,00



Ś

R

00

Ê

Ř

नि

Ő

1

<u>____</u>

673768

PASTRY CUTTERS, ROUND - SET

– Round.

- 14-piece set, different sizes.

code	-	mm	€
673416	with plain edge, ø19-112	(H)35	13,00
674413	with serrated edge, ø18-108	(H)35	13,00











-40°C 250°C

code	thickness (mm)	mm	€
677827	0.7	600x400	19,50
677810	0.7	530x325	18,50
677834	0.7	300x400	14,50

NON-STICK SILICONE BAKING MAT

- DIGCK		
code	mm	€
677018	300x400	15.00



BAKERY AND CONFECTIONERY RIM -RECTANGULAR

- 1.5 mm thick stainless steel.

code	mm	€
512418	383x285x(H)50	26,00
512432	385x285x(H)60	28,00
512401	585x385x(H)50	35,00
512425	585x385x(H)60	38,50




BAKERY AND CONFECTIONERY RIM - ROUND

- 1.5 mm thick stainless steel.

code	mm	€
512241	ø140x(H)50	10,00
512340	ø140x(H)60	11,50
512258	ø160x(H)50	12,50
512357	ø160x(H)60	13,00
512265	ø180x(H)50	12,50
512364	ø180x(H)60	13,50
512272	ø200x(H)50	14,00
512371	ø200x(H)60	14,50
512289	ø220x(H)50	13,50
512388	ø220x(H)60	14,00
512296	ø240x(H)50	13,50
512395	ø240x(H)60	16,50

BUTTER AND FAT BRUSH WITH STAINLESS STEEL BRISTLES



- Wooden handle

mooden nanate.		
code	mm	€
515389	200x25	7,50
515396	220x50	12.00





515327

٢

R

A

00

Ř



- Pig bristle.
- Handle made of beech wood.

code	packed per	mm	€
515228	2	190x20	4,75
515327	2	210x40	7,80





BUTTER AND FAT BRUSH FLAT SILICONE

- Polypropylene handle.

code	mm	€
515358	220x32	4,20
515365	230x45	5,30



PP

BAIN-MARIE PAN

- Double walled, with resevoir for water.
- Fill the resevoir with water to melt chocolate au bain-marie.
- With stainless steel handle.

code	liters	mm	€
833032	1	330x165x(H)95	26,00



833032






<u>____</u>

DOUGH SCRAPERS



Ê

x6



DOUGH SCRAPERS DOUGH SCRAPERS SEMI-TRAPEZOIDAL - SET OF 6 PCS. CIRCULAR - SET OF 6 PCS.

554135


code	packed per	mm	€	code	packed per	mm	
554135	6	136x97	8,35	554142	6	104x74	
554128	6	155x107	8,35	554159	6	159x103	
554111	6	194x127	8.35				



PP

DOUGH SCRAPERS SEMI-CIRCULAR - SET OF 6 PCS.

code	packed per	mm	€
554197	6	130x100	8,35



DOUGH SCRAPERS (COMB), RECTANGULAR -SET OF 6 PCS.

- With 2 serrated edges.

€ 8,35 8,35

code	packed per	mm	€
554173	6	110x72	8,35

DOUGH SCRAPERS (COMB) TRIANGULAR -SET OF 6 PCS.

- With serrated edges.

code	-	packed per	mm	€
554203	big teeth	6	110x110x(H)	8,35
554210	small teeth	6	110x110x(H)	8,35



PP

Ć

R

Ħ

00



€

4,20



DOUGH SCRAPERS SEMI-TRAPEZOIDAL - SET OF 3 PCS. RECTANGULAR - SET OF 6 PCS. CIRCULAR - SET OF 6 PCS. - Flexible

-	T LEXIDLE.				
	code	packed per	mm	€	
	554166	6	120x88	4,20	



DOUGH SCRAPERS

packed per mm

216x128

3

code

554432

CONFECTIONERY SCRAPER (COMB) TRIANGULAR

- With serrated edges.

J			
	code	mm	€
	554227	110x110	6,40



DOUGH SCRAPERS

packed per

6

mm

120x96

€

5,50

code

554364

CONFECTIONERY SCRAPER (COMB), RECTANGULAR

 With serrat 	With serrated edges.		
code	mm	€	
554234	102x69	7,25	







855751 S.S.

CAKE KNIFE



DOUGH CUTTER

-	- Stainless steel with polypropylene handle.			 Made of stainless steel. 		
	code	mm	€	code	mm	€
	855751	150x110	7,25	553404	150x110	5,85



Ř B ကြိ

1


Ľ,



CONFECTIONERY, BAKERY, CAFÉ

 ٢

 With flexit 	ole offset blade.		
code	blade length (mm)	mm	€
855775	110	19x220	6,70
855782	200	32x343	9,45
855683	254	37x390	9,45



850275

SPATULA FOR CONFECTIONERY SUBSTANCES

- Made of DIN 1.4301 stainless steel.
- Polypropylene (PP) handle without rivets.

code	-	blade length (mm)	€
850268	wide 85 mm	115	10,50
850275	wide 100 mm	120	11,00
850237	wide 110 mm	125	12,00

SPATULA FOR SPREADING, NARROW

- Made of stainless steel.
- Polypropylene (PP) handle without rivets.

code	-	blade length (mm)	€
840894	flat	300	9,75
840863	flat	120	10,00
840870	flat	200	9,45
840887	flat	250	10,00
840900	flat	350	11,50
840917	with two handles	300	12,50

SPATULA FOR SPREADING, NARROW

- German chrome-molybdenum-vanadium steel.
- ABS handle with aluminium rivets.

code	-	blade length (mm)	€
840924	flat, flexible	200	10,50
840931	flat, flexible	300	12,50
840948	bent	200	16,50
840955	bent	300	16,50



SPATULA FOR CONFECTIONERY SUBSTANCES WITH RING

- Made of DIN 1.4301 stainless steel.
- Polypropylene (PP) handle without rivets.

code	-	blade length (mm)	€
850244	wide 110 mm	125	14,00
850251	wide 125 mm	130	16,00



Prices net of VAT






SPATULA

855690

855744

- For confectionery substances.
- Smooth flexible blade.

code	blade length (mm)	mm	€
855744	255	37x400	11,50
855706	110	17x220	6,15
855690	203	34x345	7,50



CAKE KNIFE


- Made of German chrome-molybdenum-vanadium steel.
- ABS handle with aluminium rivets.

code	-	blade length (mm)	€
841068	with serration	300	17,00
841075	with serration	350	19,00

CAKE SERVING KNIFE

- German chrome-molybdenum-vanadium steel.
- ABS handle with aluminium rivets.

code	-	blade length (mm)	€
841051	serrated	180	13,50
841044	with fine serrations	180	13,50



 ٢

R

A

ø

À

B

ကြိ

.

SIS T

CAKE KNIFE

- Made of stainless steel.
- Handle made of injected polypropylene (PP) without rivets.

code	-	blade length (mm)	€
840962	flat	300	12,00
840979	flat	350	12,50
841037	serrated on 2 sides	350	10,50
840986	serrated on 1 side	300	11,50
840993	serrated on 2 sides	300	12,00



coue			111111	÷
S719.008	1	Supra spatula	120x80	19,50
S773.015	2	Supra lasagne spatula	150x90	26,50
S772.020	3	Supra baker spatula	200	19,50
S772.027	4	Supra baker spatula	270	23,50
S772.035	5	Supra baker spatula	350	26,50
S780.026	6	Supra baker spatula	260	23,50





SINGLE PASTRY GUITAR

- The tool for precise longitudinal and transversal cutting and fast portioning soft confectionery goods, such as ganache, custards, marshmallows, pralines and confection of banquet cakes.
- Eye-catching black design: base frame and strings frame made of black anodised aluminium.
- Working area and plate made of stainless steel durability and easy cleaning guaranteed.
- Strings made of hygienic surgical steel.
- Profiled working area and sharp strings guarantee extraordinary precise operation; cutting with surgical precision.
- Specially designed hinges made of brass long product life unlike other products on the market which have hinges made of plastic.
- Non-slip feet ensuring stability during operation.
- Included in set:
 - 1 base measuring 600×400×(H)100 mm,
 - 3 cutting frames:
 - 9 strings with 45 mm spacing
 - 13 strings with 30 mm spacing
 - 17 strings with 22,5 mm spacing
 - steel plate,
 - wrench for changing strings.

code	mm	€
195789	636x441x(H)109	1 250,00

Benefits:

- Improving production in pastry shops, bakeries, and caterings.
- High precision: cutting pastry, cakes, mousses to many even pieces without deforming and tearing - with the help of stainless steel strings placed in various dimensional combinations.
- Efficient and effortless applying pastry and taking the cut product off thanks to the stainless steel plate included in the set.
- It's possible to precisely determine the weight of every cut end product with adequate structuring the grammage of pastry.
- Simple operating principle enables perfect pastry cutting even for those who are less experienced.
- Easy assembly, disassembly and maintaining hygiene.



3 cutting frames with Zip Pitch to Cut in 22.5 mm (17 mm), 30 mm (13 mm) and 45 mm (9 mm) increments





SPONGE CAKE SAW

- Eye-catching black design: body made of hygienic anodised aluminium.
- Stainless steel blade, the only one on the market with food contact certificate, easily removable and dishwasher safe – guaranteeing high work hygiene.
- Feet made of PTFE, ensuring comfortable work on every countertop.
- Saw blade properly tightened and fixed on a milled element it does not bend and rotate during operation.
- Holes for the blade are the same on both sides the cap can be attached on both left and right side.
- Fitted with a measure located on the body for regulating thickness of sponge cake layers: from 1 cm to 6 cm.
- The range of effortless sponge cake cutting, compliant with the confectionery standard: 60x40 cm.
- Possible to precisely cut a round sponge cake of diameter: from ø5 cm to ø40 cm.
- Blade length: 57 cm, with regulated height according to the measure.

code	mm	€
400098	620x120x(H)130	195,00

841068

Benefits:

HENDI

- Speeding up the sponge cake cutting process up to 50%.
- Reducing production losses during sponge cake cutting by 20%.
- The measure enables precise cutting without the necessity for using additional tools – always the same visual effect is achieved, every sponge cake layer is identical.
- Comfortable operation: the saw blade is properly tightened and fixed on a milled element - it does not bend and rotate during operation.



ß

Ē

Ř

ස

ා

ÿ





5 WHEEL DOUGH CUTTER

- Cutting width can easily be adjusted from 13 to 125 mm.
- With 5 smooth ø55 mm stainless steel cutting wheels.

code	mm	€
515044	222x56x(H)55	58,50

7 WHEEL DOUGH CUTTER

- Cutting width can easily adjusted.
- With 7 smooth ø55 mm stainless steel cutting wheels.

code	mm	€
515150	222x80x(H)55	77,50

Â

Ć

R

A

C

Ř

ස

Ő

1

Š



code

512548

512555

PIE CUTTER

- For slicing a round pie or cake in equal parts.

code	-	mm	€
512500	8 portions	ø320	41,00
512517	12 portions	ø320	51,50
512531	16 portions	ø320	56,50





mm

ø270

ø270

- For slicing a round pie or cake in equal parts.

6 portions

8 portions

HENDI

€

29.50

32,00

EC CONFECTIONERY, BAKERY, CAFE



659007
the second se

 ABS hand synthetic i 	le, blade made of	ADJ	emp
code	blade length (mm)	mm	€
659205	90	52x257	3,65
659304	116	70x358	5,30
659403	116	70x410	6,70







SCRAPER


- Handle made of glass-fiber reinforced nylon.
- Blade made of natural rubber.

-	Only suitabl	e for	cold	food	preparation.
---	--------------	-------	------	------	--------------

blade length (mm)	mm	€
90	55x260	5,30
90	75x320	11,00
90	75x425	12,50
150	100x515	18,00
	90 90 90	90 55x260 90 75x320 90 75x425

SCRAPER SPOON SHAPED

– ABS hand – Blade ma	le. de of synthetic rubb	ADJ	np
code	blade length (mm)	mm	€
659472	117	75x408	7,80
659458	88	57x254	5,00
659465	117	75x357	7,50





SPOON Made of roinfor

 Made of reinforced polyamide. 		temp wash
code	mm	€
659700	(L)305	10,00
659809	(L)385	14,00

<200°C



STAINLESS STEEL **ROLLING PIN**

- With slide bearings. code mm 515006 ø62x470

ROLLING PIN W	/ITH
NON-STICK CO.	ATING

 With slide b Including ch 	earings. Irome-plated sto	orage stand.
code	mm	€
515013	ø62x470	48,50

WOODEN ROLLING PIN

- Roller width: 380 mm. MOLEN IN

With ball be	earings.	
code	mm	€
515020	ø75x590	52,50



€

36,00

BAKERS' SIEVE

- With hang	ing loop.		
code	-	mm	€
637791	for powdered sugar	ø250x(H)75	11,00
637821	for powdered sugar	ø410x(H)80	22,00
637807	for flour and meal	ø250x(H)75	13,00
637838	for flour and meal	ø410x(H)80	22,00
637814	for bread-crumbs	ø250x(H)75	12,50
637845	for bread-crumbs	ø410x(H)80	21,00



0,5x0,5 mm



for flour and meal for powdered sugar mesh size mesh size 1x1 mm

for bread-crumbs mesh size 3x3 mm



<u>ب</u>

R

A

C

Ř

B

Ő

Ľ,

ROLLING PINS









DOUGH PUNCH ROLLER

- Roller width: 70 mm.
- Roller and handle made of polypropylene.

code	mm	€
515099	85x210	20,50



DOUGH PUNCH ROLLER

- Roller width: 120 mm.
- Roller and handle made of polypropylene.

code	mm	€
515112	140x210	22,50



DOUGH PUNCH ROLLER

- Roller width: 70 mm.
- Stainless steel roller, polypropylene handle.

code	mm	€
515136	80x210	25,50





DOUGH PUNCH ROLLER

- Roller width: 120 mm.
- Stainless steel roller, polypropylene handle.

code	mm	€
515143	140x210	32,00



PASTRY CUTTING ROLLER - GRID PATTERN

- Roller width: 120 mm.
- Stainless steel cutting blades.
- Polypropylene handle.

code	mm	€
515129	135x200	33,50



/ _____

ß

Ċ

À

B

Ö

1



DOUGH PUNCH ROLLER

- 60 mm wide roller with 32 long, robust plastic spikes for punching dough.
- Ideal for deaerating shortcrust pastry and pizza dough.
- Prevents air bubbles and ensures better baking results.
- Made of polypropylene.

code	mm	€
515037	210x73	11,50



DOUGH DOCKER

- 120 mm wide roller with 32 long, robust plastic spikes for punching dough.
- Ideal for deaerating shortcrust pastry and pizza dough.
- Prevents air bubbles and ensures better baking results.

code	mm	€
515082	140x200	8,35



LATTICE CUTTING ROLLERS

- Roller width: 120 mm		
code	mm	€
515075	130x200	8,35



BEAR CLAW CUTTING ROLLER

nm	
mm	€
80x210	6,40
	mm



SILICONE MOULDS

CONFECTIONERY, BAKERY, CAFÉ

Ć

- Made of 100% non-stick silicone.
- Perfect for: baking, freezing, creating monoportions.





SEMI-SPHERE	
-------------	--

code		baking (mm)	moulds	€
676202	GN 1/3	ø70x(H)32	6	12,50



MINI-CAKE

code		baking (mm)	moulds	€
677001	GN 1/3	80x30x(H)33	9	13,00
676387	GN 1/1	100x52x(H)31	20	49,50



TARTELETTE

code		baking (mm)	moulds	€
676509	GN 1/3	ø50x(H)17	15	12,50





MUFFINS € baking (mm) moulds code 677209 ø69x(H)40 12,50 GN 1/3 6 676905 GN 1/3 ø53x(H)30 11 13,00 676363 GN 1/1 ø70x(H)40 24 49,50

70

62,50

676233 600x400 ø48x(H)31



CANNELE BORDELAIS

code		baking (mm)	moulas	ŧ	
677506	GN 1/3	ø54x(H)48	8	13,00	



MADELEINES

code		baking (mm)	moulds	€
677308	GN 1/3	42x29x(H)11	20	12,00
676707	GN 1/3	70x47x(H)17	9	13,00





CHEFS TORCH

- Gas, refillable automatic ignition.
- Torch is supplied empty.
- Complete with base.
- code
 mm
 €

 198209
 145x70x(H)190
 39,00

CHEFS TORCH

- Gas, refillable automatic ignition.
- Torch is supplied empty.
- Complete with base.
- 198223 115x50x(H)155 **18,00**

GAS CANISTER

- With various filling nozzles.

code	packed per	liters	€
199046	4	0.2	13,50
199008	1	0.2	4,20

Ē

/ _____

R

f

00

C

 $|\bigcirc|$

Ř

B

Ö

1







RAMEKIN

- Ribbed, made of porcelain.

€

code	order unit	mm	€
783153	12	ø70x(H)35	3,65
783160	6	ø90x(H)48	3,35
783627	6	ø100x(H)25	3,35
783177	6	ø120x(H)55	6,15



<u>م</u>

TEMPERATURE STABILISER

From the first second of operation. the burner reaches the optimum flame temperature of 1300 °C REPEATABILITY WITH BLUE HEAT

GILL-TYPE AIR INTAKE

Combustion chamber air inlets with increased capacity. HIGH FLAME POWER, CARBON BLACK-FREE COMBUSTION

design by Robert Bronwasser

PRECISE FLAME CONTROL

Ideal for browning: sugars, proteins, cheeses, fruit, vegetables and meat SMOOTH FLAME LENGTH CONTROL FROM 15 TO 150 MM

LONGEST FIRE NOZZLE 100 mm

- safe flambéing
- precise placement of the fire zone and heat treatment zone
- maximum separation of the hand from the high temperature COMFORT and FREEDOM

QUICK INSTALLATION

The indicator on the SAFETY COVER allows you to quickly install the container. One click and the container is SAFELY replaced. WHEN TIME IS OF THE ESSENCE - YOU CAN BE SURE THAT THE CONTAINER HAS BEEN INSTALLED CORRECTLY

CHEFS TORCH ANTI FLARING

- Designed with chefs in mind by Robert Bronwasser.
- This torch is a pleasure to use thanks to the stylish matt black design with green accents and the ergonomic grip.
- The torch is easily and securely attached to the gas cartridge and covers the whole top of the cartridge, this is also very hygenic.
- The piezo ignition makes it easy to ignite, the large gas dial allows for easy adjusting the flame size and intensity.
- This chefs torch can operate in every angle, even upside down, thanks to the improved design of the burner that prevents flaring

code	-	mm	€
198247	chefs torch	185x65x(H)100	24,00
198254	set: chefs torch + cartridge	175x68x(H)260	33,50



RHEND TOOLS FOR CH



VERTICAL WORK - Gen 2.0

 intense - DIRECTIONAL spray / 360 degrees.
 the flame does not retract towards the burner

and the hand VERSATILE AND SAFE



Contrasting colours allow you to immediately locate the device among your kitchen utensils

 ٩

N



Made from a cover plate and a singlepass valve, it provides permanent protection against the interference of flames from the browned materials with the gas valve during work SAFETY

RELIABLE

The flame initiator uses the electrical discharge that appears on the crystal surface as a result of a mechanical interaction JUST PUSH IT AND IT WORKS - NO NEED TO REPLACE THE ABRASIVE STONES OR BUY ANOTHER BURNER

DESIGNED TO MEET CULINARY CHALLENGES

The lightweight and durable structure of the burner is due to the high quality materials. Heavy duty body with gas cover DON'T BUY TOYS - CHOOSE A TOOL THAT WILL LAST YOU FOR YEARS



LPG GAS CARTRIDGE

- Suitable for use in combination with Hendi Chefs torches 198247 & 198216.
- Not suitable for refilling gas lighters etc.
- Packed per 4 canisters.

-	Order	unit: box with 7 se	ets of 4 cans.
	code	nacked ner	weight (kg)

code	packed per	weight (kg)	£
199039	4	0,227	14,50



Ţ

R R

ကြိ


....

ħ



Ć





- Make delicious Belgian style waffles without a hassle, ideal for a self-serve waffle station

90

- You can make up to 20 waffles per hour.
- Waffle irons made of enameled cast aluminum, can be cleaned with a brush.
- The waffles measure Ø 190 mm and up to 23 mm thick.
- The temperature can be set steplessly between 50°C and 220°C.
- The timer can be set up to 15 minutes.

and still close the waffle iron.

with a brush.

code	٧	W	mm	€
212172	230	1000	250x380x(H)590	189,00

- Perfect for all types of catering establishments who wants to

add these fun waffles on a stick or corn dogs to their offer.

- It's possible to bake 6 lollypop waffles or corn dogs at the same time.

- Grooves are cut out of the waffle iron so you can insert the stick

- Waffle irons made of enameled cast aluminum, can be cleaned

- Open the waffle iron easily with the large, stay-cool, handle.

- Fitted with a drip tray for dough and fat, helps you keep your work space clean.

- Ventilation slots in the housing protect the controls against overheating.
- The temperature is continuously adjustable from 50°C to 220°C.
- Timer can be set up to 15 minutes.

212172



212189

WAFFLE MAKER CORN DOG

- It's possible to bake 6 lollypop waffles or corn dogs at the same time.
- Net weight: 10 kg

, J	5			
code	V	W	mm	€
212189	230	1550	390x335x(H)230	312,00



- It's possible to bake 4 lollypop waffles at the same time, each 255 mm long (without the stick) and shaped like an elongated cone. - Net weight: 10.5 kg.

	code	V	W	mm	€
21	2165	230	1750	310x395x(H)230	310,00



212165

Watch the video

WAFFLE MAKER

- Waffle irons made of enameled cast iron, can be cleaned with a brush.
- Thermostatic temperature control.
- Including waffle fork.
- Insulated handle.



WAFFLE	MAKER	'LIÈGE'

 Liege wattles, two 4x6 rectangular patterns. 							
code	V	W	mm	€			
212103	230	1500	320x437x(H)251	312,00			

WAFFLE MAKER 'BRUSSELS'

- Brussels waffles, two 3x5 rectangular patterns.							

WAFFLE MAKER 'HEART'

 Flower waffles, five conjoined heart-shaped patterns. 								
code	٧	W	mm	€				
212134	230	2200	320x437x(H)251	306,00				



Liège waffles

Brussels waffles

> Flower waffles





Ć

R

Ř

नि

Ö

''

Ľ,



CRÊPE MAKER

- Designed for making crepes.
- Baking plate Ø 400 mm made of cast iron with a ceramic coating.
- Very even heat distribution across the surface.
- Including wooden spreader.
- Stainless steel housing.

Al

- Thermostat continuously adjustable from 50 to 300°C.
- With protection from overheating and EGO thermostat.

code	٧	W	mm	€
212028	230	3000	470x520x(H)160	240,00

WOODEN SPREADER FOR CRÊPE MAKERS

- For use in professional catering.
- Made of wood.
- Characteristic shape perfect for spreading the dough on the cooking surface.
- It is possible to obtain a smooth dough with the appropriate thickness.
- Recommended for use with the pancake maker with the code: 212028

code	€
525197	6,70

COTTON CANDY MACHINE

- Stainless steel removable bowl, suitable for dishwashers.
- The bowl is fastened by 4 secure clamps.
- Motor housing finished with a pink coating.
- Fitted with a drawer for sticks, sugar, dyes, etc.
- Separate switches for power on and the heating elements, with integrated lamps.
- Voltmeter showing actual voltage.
- Sugar dispenser included.
- Overload fuse protects the motor against burning in the event of a blockage.
- Weight: 11 kg.

code	V	W	mm	€
282731	230	1200	520x520x(H)480	347,00

COVER FOR COTTON CANDY MACHINE PMMA

- Protect the cotton candy machine from dust and dirt.

- Made of plexiglass.
- Suitable for HENDI cotton candy machine 282731.

code	mm	€
282755	ø520x(H)350	109,00



CONFECTIONERY, BAKERY, CAFÉ

> ode V W 2028 230 3000









NACHO WARMER

- Housing made of aluminium and tempered glass.
- Internal compartment made of AISI 403 stainless steel
- Fitted with a removable crumb collecting tray.
- Max. heating temperature: 55°C
- Max. load: 30 L

code	٧	W	mm	€
282779	230	300	320x390x(H)510	250.00



282779

٩

N

Ĥ

Ř

ස

ကြိ

Š



SAUCE BAIN-MARIE WITH DISPENSER

- Housing, spring in the dispenser and mechanical system made of AISI 304 stainless steel.
- The lower element of the dispenser made of polypropylene.
- Removable: lid, dispenser pump.
- Lid fitted with 2 snap latch locks.
- With overheating protection sensor it turns on the sound alarm and automatically cuts the heating off.
- Adjustable heating temperature: up to 90°C.
- Dispensed sauce portion: 35 ml.
- Not dishwasher safe.

code	٧	W	mm	€
558126	230	900	ø180x(H)500	500,00



FRENCH FRIES AND NACHOS FUNNEL SCOOP

- Fill opening 70 mm.
- Left and right handed.

code	mm	€
642566	233x205	11,50





<90 °C

558126









POPCORN MACHINE

- Professional popcorn machine, energy efficient and safe to operate.
- Frame made of aluminum alloy, robust housing made of tempered glass and red powder coated steel.
- The popcorn heating pan is fitted with a stirring unit and is easy to empty thanks to the use of a clamp.
- With convenient popcorn scooping flap at the service side.
- Large hinged service door made of acrylic glass.
- The interior is illuminated, and the bottom of the popcorn chamber is heated to ensure nice warm popcorn.





- With crumb drawer under the chamber for easy disposal of un-popped kernels and crumbs.
- It takes approximately 2 minutes to create a batch of popcorn.
- Net weight: ±25 kg.

code	V	W	mm	€
282748	230	1500	560x420x(H)770	417,00
282762	230	1500	560x420x(H)770	417,00

With convenient collection drawer for crumbs and unpopped popcorn kernels.



(PP)

POLYPROPYLENE SCOOP

code	liters	mm	€
562000	0.125	(L)187	3,10
562017	0.25	(L)250	3,90
562079	0.65	(L)330	7,25





CHOCOLATE

- Made of stainless steel.
- With warming function, heats the chocolate to 45°C.
- With separate switch for motor and heating element.







CHENDI



Å

<u>ب</u>

ß

Ħ

S.S. stainless steel






٩

BLACKBOLT

SUPERPOWER IN YOUR KITCHEN!





Foldable doughnut rack





Â



B











Ê

À

B

Ö

Š

	Thanks to the cold zone
	frying residues are collected
	below the heater, increasing
	the quality of the oil.
in	1 3

Drain tap

1.11.1 "cold to

DOUGHNUT DEEP FRYER

- The appliance is ideal for frying donuts, angel wings and various other dishes that are fried in deep fat.

205914

- Designed for intensive use.
- Entirely Made of stainless steel.
- Large oil tank 400x400x(H)160 mm with a max. capacity of 12 liters.
- Welded oil tank with equipped with drain tap at the bottom.
- Removable control element with heater, with an additional safety feature that switches off the entire unit when removed.
- Temperature control: 50°-190°C.
- Overheating protection with reset function for better safety.
- "Cold zone" system separates frying residue below the heater level, increasing fat yield and preventing the fries from getting burnt.

Rubber	, non-	slip	feet.	
code	liters	٧	W	mm

code	liters	٧	W	mm	€
205914	12	230	3500	630x860x(H)360	528,00

Prices net of VAT

HENDI

177



Big inlet for inserting big pieces of vegetables





5 discs included, 2 for slicing 3 for grating

VEGETABLE CUTTER

- Suitable for cutting large quantities of vegetables.
- 6 discs included: slices 2 mm thick (3 blades), slices
 4 mm thick (2 blades), 3 mm grater, 4,5 mm grater,
 7 mm grater, ejector disc.
- Big inlet with lever for inserting big pieces.
- Small inlet with pusher for inserting smaller pieces.
- Cast aluminium housing.
- 2 security systems: first screw locks the cover, second - electromagnetic sensor (opening the cover turns off the machine).
- Speed: 295 RPM.
- Productivity: 100 300 kg/h
- Weight: 27.6 kg

code	٧	W	mm	€
231807	230	550	540x240x(H)450	847,00



SLICING DISC

- For vegetable cutter 231807 & 231852.

code	thickness (mm)	€
280126	4	103,00
280096	1	103,00
280102	2	103,00
280201	6	103,00
280218	8	103,00
280225	10	103,00



GRATING DISC

- For vegetable cutter 231807 & 231852.

code	thickness (mm)	€
280317	7	96,00
280294	2	96,00
280300	3	96,00
280416	4.5	96,00



DICING DISC

- For vegetable cutter 231807 & 231852.
- Must be used in combination with a slicing disc (234730 + 280218, 234747 + 280225).

code	thickness (mm)	€
234747	10	161,00
234730	8	161,00





S.S

Αl

ABS

G

Double protection against accidents two safety microswitches: after removing the lid and / or lifting the blankholder, the motor switches off automatically

Wide application - 5-step speed regulation! for products with various structures (hard root vegetables and soft tomatoes, bananas)

Maximum efficiency and comfort of work! ULTRA models with brushless technology:

- they are highly efficient because they work with the same power over the entire speed range.
- they guarantee uniform, repeatable cutting results and reduce losses on the product thanks to the exclusive Force Control System
- they are distinguished by better tightness of the housing due to the lack of the need for ventilation, which also reduces noise emissions and improves work comfort

Maximum comfort for the user. Side exit for sliced vegetables ensures better ergonomics of work even on a narrower worktop. Very intuitive electronic control panel.





3 080.00

- ELECTRIC VEGETABLE SLICER WITH ELECTRONIC GRAPHIC PANEL CA-3V AND CA41V - 5 SPEEDS
- The appliance is designed for chopping vegetables (delicate products in particular) and forming them so as to achieve the desired shape using a wide range of OPTIONALLY available discs and grids - possibility to obtain a range of various slices, shreds, bars, cubes, or fries.
- Model CA-4V for cutting small cabbages.
- New, intuitive, electronically controlled panel for easy operation, offering a range of many important functions.
- Choice of up to 5 knife speeds, perfect for various types of vegetables.
- Powerful brushless motors effectively maintain torque.
- Control of slicing force assuring identical slicing of top highest quality.
- SENCO FORCE motor overload alarm function.
- FORCE CONTROL function indicates the motor power in use.
- An additional FORCE CONTROL enables observing the following:
 - current in the motor.

Large feeder for

vegetables:

- motor power at a given moment.
- temperature in the IGBT electronic module.
- temperature inside the motor housing.
- Made of stainless steel and cast aluminium, it is distinguished by its high durability and fitness for heavy-duty work.

Sammic

ති

f

नि

ကြီ

- Disc diameter: 205 mm.
- Speed: 300-1.000 rpm.
- Equipped with a large container for vegetables: 136 cm² or 286 cm².
- Knife design guarantees repeatable cutting.
- Side exit for chopped vegetables enables placing the vegetable cutter on a narrow worktop.
- High profile ejection disc for better efficiency of the appliance.
- Output: up to 500 ka/h.
- Easily detachable lid with presser.
- Double accident protection: the motor automatically shuts off when the lid is removed and/or the presser is lifted.









1050784 CA-3V

[cm²] (ka) 391x409x(H)552 136 up to 500 230 1500 24 Large feeder for vegetables: 136 cm² or 286 cm²



DYNAMIC DEVICES

ß

Maximum efficiency and comfort of work! ACTIVE models with brushless technology:

- Active models with brushless technology:
 they are highly efficient
 they guarantee uniform, repeatable cutting results and reduce losses on the product thanks to the exclusive Force Control System
 they are distinguished by better tightness of the housing due to the lack of the need for worklichtige which also reduce neice.
- ventilation, which also reduces noise emissions and improves work comfort
- are easy to use thanks to the new, ergonomic control panel

Double protection against accidents against accidents two safety microswitches: after removing the lid and / or lifting the blankholder, the motor switches off automatically

sammic

HENDI





/ _____

R

A

C

Ĥ

Ř

B

ා

''

_____ ____

- The appliance is designed for chopping vegetables (delicate products in particular) and forming them so as to achieve the desired shape using a wide range of OPTIONALLY available discs and grids – possibility to obtain a range of various slices, shreds, bars, cubes, or fries.
- New, intuitive, electronically controlled panel.
- Made of stainless steel and cast aluminium, it is distinguished by its high durability and fitness for heavy-duty work.
- Knife design guarantees repeatable cutting.
- Side exit for chopped vegetables enables placing the vegetable cutter on a narrow worktop.
- Speed: 365 rpm.
- Easily detachable lid with presser.
- Double accident protection: the motor automatically shuts off when the lid is removed and/or the presser is lifted.



1050700



1050719

code	model	opening head [cm ²]	performance (kg)	V	W	mm	kg	€
1050700	CA-31 230V	136	150-450	230	550	389x405x(H)544	21	1 590,00
1050701	CA-31 400V	136	150-450	400	550	389x405x(H)544	21	1 590,00
1050719	CA-41 230V	286	200-650	230	550	391x396x(H)653	24	2 540,00
1050721	CA-41 400V	286	200-650	400	550	391x396x(H)653	24	2 540,00





Higher productivity! 2 speeds and a highly efficient feeder for loading large amounts of products at a time

0

HENDI

C

0

0

1

sammic

HIGH-PERFORMANCE ELECTRIC VEGETABLE SLICER WITH CA-62 ELECTRONIC PANEL SAMMIC

- The appliance is designed for chopping large quantities of vegetables (delicate products in particular) and forming them so as to achieve the desired shape using a wide range of OPTIONALLY available discs and grids – possibility to obtain a range of various slices, shreds, bars, cubes, or fries.
- Made of stainless steel and cast aluminium, it is distinguished by its high durability and fitness for heavy-duty work.
- Equipped with a large vegetable feeder and a side outlet for finished product.
- Knife design guarantees repeatable cutting.

Sammic 🔁

/ ____

ති

A

(

Ĥ

Ř

B

ကြိ

''

<u>....</u>

- Easy to use new waterproof, electronically controlled panel.
- 2 speed operation:
 - 365 rpm. for fine cutting.
 - 730 rpm. for maximum performance operation.
- Output: 500-1000 kg/h.
- Feed chute: 273 cm².
- Disc diameter: 205 mm.
- Easily removable lever and lid for easy cleaning.
- Precise safety system protecting from opening the lid.
- Net weight: 29.8 kg.



code	model	opening head [cm ²]	performance (kg)	V	W	mm	kg	€
1050738	CA 62	273	500-1000	230	750	430x420x(H)810	29,5	4 800,00







code		intended use	€
1010215	Disc for slices FC-1 + 1 mm	Cucumbers, carrots, and potato chips	122,00
1010220	Disc for slices FC-2 + 2 mm	Queunshana cometa aniana and actata akina	122,00
1010224	Disc for slices FC-3D 3 mm	 Cucumbers, carrots, onions, and potato chips 	122,00
1010227	Disc for slices FC-6D 6 mm		122,00
1010409	Disc for slices FC-8D 8 mm	Cucumbers, carrots, onions, potato chips, white cabbage and more	122,00
1010410	Disc for slices FC-10D 10 mm		122,00
1010411	Disc for slices FC-14D 14 mm		136,00
1010252	Disc for slices FC-20 + 20 mm		136,00
1010247	Disc for slices FC-20 + 25 mm		136,00
1010406	Disc for slices FCC-2 + 2 mm		122,00
1010403	Disc for slices FCC-3 + 3 mm	The curved blade allows for precise cutting of delicate products: tomatoes, oranges, bananas, lemons, etc.	122,00
1010404	Disc for slices FCC-5 + 5 mm	······, ······, ······, ······, ······, ······	122,00
1010295	Disc for crinkle-cut slices FCO-2 + 2 mm	The grooved blade allows you to get	136,00
1010300	Disc for crinkle-cut slices FCO-3 + 3 mm	crinkle-cut slices of cucumbers,	136,00
1010408	Disc for crinkle-cut slices FCO-6 + 6 mm	carrots, potatoes, etc.	136,00



186



code		intended use	€
1010350	French fries grating FFC-8 + 8 mm	In combination with the FC-8 disc, it allows you to get French fries	136,00
1010355	French fries grating FFC-10 + 10 mm	In combination with the FC-10 disc, it allows you to get French fries	136,00
1010364	Cube grating FMC-14D 14x14 mm	In combination with the FC-14D disc, it allows you to receive a cube 14x14x14 mm	136,00
1010375	Cube grating FMC-20 + 20x20 mm	In combination with the FC-20 disc, it allows you to receive a cube 20x20x20 mm	136,00
1010380	Cube grating FMC-25 + 25x25 mm	In combination with the FC-25 disc, it allows you to receive a cube 25x25x25 mm	136,00





	intended use	€
Disc for posts FCE-2 + 2x2 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	170,00
Disc for posts FCE-4 + 4x4 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	170,00
Disc for posts FCE-8 + 8x8 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	184,00
	Disc for posts FCE-4 + 4x4 mm	Disc for posts FCE-2 + 2x2 mm Produces a "Julienne" cut effect. Celery, parsley, carrots, etc. Disc for posts FCE-4 + 4x4 mm Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.





ß





code		intended use	€
1010320	Disc for shreds SH-2 2 mm	Vegetable shaving disc, pizza cheese, nuts, almonds	94,50
1010315	Disc for shreds SH-3 3 mm	Vegetable shaving disc, pizza cheese, nuts, almonds	94,50
1010322	Disc for shreds SH-4 4 mm	Vegetable shaving disc, pizza cheese, nuts, almonds	94,50
1010324	Disc for shreds SH-6 6 mm	Vegetable shaving disc, pizza cheese, nuts, almonds	94,50
1010326	Disc for shreds SH-7 7 mm	Vegetable shaving disc, pizza cheese, nuts, almonds	94,50



code		intended use	€
1010318	Disc for friction SH-1 1 mm	Creaming disc for bread, hard cheese, chocolate etc.	94,50
1010328	Disc for friction SH-8 8 mm	Creaming disc for bread, hard cheese, chocolate etc.	94,50





code		intended use	€
1010362	Cube grating FMC-8D 8x8 mm	In combination with the FC-8D disc, it allows you to obtain an 8x8x8 cube	139,00
1010363	Cube grating FMC-10D 10x10 mm	In combination with the FC-10D disc, it allows you to obtain a 10x10x10 cube	136,00



code		€
1010361	Grating washing set FMC-8	122,00
1010366	Grating washing set FMC-10	122,00
1010359	Holder for washing set QC-8 and QC-10	75,00



DISC AND GRATING STAND

- Perfect for storing discs and grids.
- Holds 10 discs.

code 1010204

€
61,00

DRIVING BASE FOR SHREDDER AND MULTIFUNCTIONAL DEVICES

- The base enables placing the appliance at the optimum height for work and adjusting the GN container to fit right next to the vegetable cutter outlet.
- Made of stainless steel.
- Equipped with 2 wheels enabling easy transportation.

code	mm	€	
1050063	666x686x(H)400	428,00	







Ć

R

A

C

Ř

B

ကြိ

"

SAMMIC COMPACT LINE VARIABLE SPEED AND FIXED SPEED SHREDDERS



- Designed with exceptional precision, the slicing discs ensure highly accurate slicing
- Robust construction made of the highest quality food-grade materials; easy to use thanks to the new, ergonomic control panel
- Lightweight and compact design the shredder weighs less and takes up less space
- Casing made of fiberglass a reinforced polymer
- High water resistance no vents in the casing
- Quiet operation high user comfort
- Wide application 5 speed settings!

Model 1050962 for products with varied textures (hard root vegetables and soft tomatoes or bananas)

- Up to 35 different types of slicing thanks to the wide assortment of discs and grids (to be ordered separately)
- Brushless technology (model 1050962) guarantees consistent, repeatable slices and reduces product loss thanks to the exclusive Force Control System
- Double protection against accidents two safety microswitches: after removing the lid and/or lifting the pusher, the motor switches off automatically



							50702		
code	model	opening head [cm ²]	performance [kg]	knife speed (rpm)	V	W	mm	kg	€
1050940	CA-21	89	50-350	1500	230	800	378x309(H)533	15,3	1 320,00
1050962	CA-2V	89	50-350	300-1000	230	1100	378x309(H)533	13	2 170,00

ACCESSORIES

code		€
2059762	Приставка-куттер для овощерезки CA-21/CA-2V и куттера K-41/K-4V	336,00
2059750	Гладкий нож для куттеров К-31, КЭ-4В и многофункциональных роботов CK-241, CK-24B Compact Line	200,00
2059752	Перфорированный нож для куттеров К-31, КЭ-4В и многофункциональных роботов СК-241, СК-24В Compact Line	200,00
2059748	Зубчатый нож для куттеров К-31, КЕ-4В и многофункциональных роботов CK-241, CK-24B Compact Line	200,00



DISC AND GRATING STAND

- Perfect for storing discs and grids.

- Holds 10 discs.

code	€
1010204	61,00

DYNAMIC

R







code		intended use	€
1010530	Disc for slices FCS-1 1 mm	Cucumbers, carrots, and potato chips	94,50
1010532	Disc for slices FCS-2 2 mm	Cucumbers, carrots, onions, and potato chips	94,50
1010534	Disc for slices FCS-3 3 mm	Cucumbers, carrots, onions, and potato chips	94,50
1010536	Disc for slices FCS-4 4 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	94,50
1010538	Disc for slices FCS-5 5 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	94,50
1010540	Disc for slices FCS-6 6 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	94,50
1010570	Disc for slices FCS-8 8 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	109,00
1010572	Disc for slices FCS-10 10 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	109,00
1010574	Disc for slices FCS-12 12 mm	Cucumbers, carrots, onions, and potato chips, biała kapusta i inne	109,00
1010546	Disc for crinkle-cut slices FCOS-2 2 mm	The grooved blade allows you to get crinkle-cut slices of cucumbers, carrots, potatoes, etc.	89,00





code		intended use	€
1010590	French fries grating FFS-8 8 mm	In combination with the FCS-8 disc, it allows you to get French fries	139,00
1010592	French fries grating FFS-10 10 mm	In combination with the FCS-10 disc, it allows you to get French fries	139,00
1010580	Cube grating FMS-8 8x8 mm	In combination with the FCS-8 disc, it allows you to receive a cube 8x8x8 mm	139,00
1010582	Cube grating FMS-10 10x10 mm	In combination with the FCS-10 disc, it allows you to receive a cube 10x10x10 mm	139,00
1010584	Cube grating FMS-12 12x12 mm	In combination with the FCS-12 disc, it allows you to receive a cube 12x12x12 mm	139,00





code		intended use	€
1010514	Mashed Potato Set – SHSF fine shield	Masher for mashed potatoes, to be used only with the disc for slices	77,50
1010516	Mashed Potato Set – SHSF coarse disc	Masher for mashed potatoes, to be used only with the disc for slices	77,50





1010502 Disc for friction SHS-3 3 mm Vegetable shaving disc, pizza cheese, nuts, almonds 7	€
1010002	77,50
1010504 Disc for friction SHS-4.4 mm Vegetable shaving disc, pizza cheese, nuts, almonds 7	77,50
	77,50
1010506 Disc for friction SHS-7.7 mm Vegetable shaving disc, pizza cheese, nuts, almonds 7	77,50





code		intended use	€
1010550	Disc for posts FCES 2x2 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00
1010552	Disc for posts FCES 2x4 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00
1010554	Disc for posts FCES 2x6 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00
1010556	Disc for posts FCES 4x4 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00
1010558	Disc for posts FCES 6x6 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00
1010560	Disc for posts FCES 8x8 mm	Produces a "Julienne" cut effect. Celery, parsley, carrots, etc.	122,00





A

B

 ش

R

E

Ê

Ř

B

ů



Efficiency and productivity possibility to program the time and button of pulse operation. Reverse rotation for mixing products Depending on the purpose, use of smooth blades or optional punch blades

Safety

Two safety microswitches in the position of the vessel and the lid – when the lid and/or the vessel is removed, the motor automatically switches off

Robust stainless steel and aluminium construction for intensive and faultless operation, which ensures high endurance

and resistance to working conditions



HENDI

CUTTERS-EMULSIFIERS – ULTRA RANGE

- It is designed for cutting, chopping, grinding, and mixing of all kinds of products such as vegetables and herbs, raw and cooked meats, fish, fruits, nuts, ice cubes, and for kneading all kinds of dough.
- Perfect for making mousses, purées, sauces, soups, chopped meat for meatballs or tartare, potato, vegetable or fruit purée, butter, e.g. with herbs, mayonnaise, and even for kneading dough or powdered sugar and almond paste.
- Cutter-Emulsifier especially designed for liquids.
- Additionally equipped with a manual scraper for even more homogeneous mixtures.
- Removable stainless steel bowl with polycarbonate lid and a special hole for adding ingredients when the appliance is in operation.
- Safety systems prevent the motor from starting if cutteremulsifier module is not mounted on the block featuring the motor or if it is mounted incorrectly.
- An additional safety microswitch blocks knife rotations if the container lid is removed or improperly installed.
- The motor block is made of high grade aluminium alloy.
- The high tightness of the housing prevents flooding of the motor.
- The appliance is equipped with a modern, electronic visual

Sammic 🔁

f

R

ကြီး

control panel with many useful functions and information on its operation.

- Special function verifying whether the module is mounted correctly.
- The reverse rotation is perfect for removing the finished product.
- Pulse mode is especially useful for chopping delicate food products.
- Visual speed display with speed number and revolutions per minute.
- Operating time set function.
- Reverse rotation for mixing food products.
- Powerful motors made with "Brushless" technology, effectively maintaining torque in each of the 10 speed ranges from 300 to 3,000 rpm.
- Additional Force Control function enables observation of up to

100000

- 4 parameters of the appliance:
- current in the motor.
- motor power at a given moment.
- temperature in the IGBT electronic module.
- temperature inside the motor housing.
- Complete with serrated knife.



			1050834		-	-		-	1020823		
code	model	container [l]	number of gears	knife speed (rpm)	V	W	mm	container (mm)	weight – emulsifier [kg]	weight – cutter (kg)	€
1050834	KE-5V	5,5	10	300-3000	230	1500	286x387x(H)487	Ø240x(H)150	26,5	18	2 730,00
1050853	KE-8V	8	10	300-3000	230	1500	286x387x(H)517	Ø240x(H)199	27,6	19	3 170,00

ACCESSORIES SAMMIC

code		€
2053058	Smooth knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multifunctional machines. Mainly recommended for chopping raw meat and fibrous products.	200,00
2053935	Smooth knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multifunctional machines. Mainly recommended for chopping raw meat and fibrous products.	397,00
2053063	Perforated knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multifunctional machines. Recommended mainly for whipping egg whites and making sauces	184,00
2053940	Perforated knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multifunctional machines. Recommended mainly for whipping egg whites and making sauces	397,00
2053091	Serrated knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multi-functional machines. Recommended mainly for kneading dough and general use	215,00
2053930	Serrated knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multi-functional machines. Recommended mainly for kneading dough and general use	417,00
2059417	Scraper for KE-5V emulsifier and CK-35V and CK-45V multifunctional machines	75,00
2053960	Scraper for KE-8V emulsifier and CK-38V and CK-48V multifunctional machines	94.50



SAMMIC COMPACT LINE VARIABLE SPEED AND FIXED SPEED MEAT PROCESSORS AND EMULSIFIERS

- The device is designed for shredding, chopping, grinding and mixing a variety of products and kneading all kinds of dough
- The emulsifier is designed especially for processing liquids
- Removable, stainless-steel tank (4.4 l) with a polycarbonate lid and an opening that allows ingredients to be added while the machine is running
- The emulsifier is equipped with a modern electronic panel (model 1051000) with many useful functions and information about the operation of the device
- Wide application 5 speed settings! (model 1051000) for products with varied textures (hard: root vegetables and soft: tomatoes, bananas). Special programmes: coarse and fine grinding, timer

- Overload warning - Force Control - visual and sound alarm

🔁 sammic

Ê

R

f

(

Ĥ

Å

ति

I

_____ ____

- Double protection against accidents safety microswitches by the bowl and the lid, error notification system
- Robust construction made of the highest quality food-grade materials
- The devices are easy to use thanks to the new, ergonomic control panel
- Lightweight and compact design
- Casing made of fiberglass a reinforced polymer
- High water resistance no vents in the casing
- Quiet operation high user comfort
- Meat processor bowl equipped with ergonomic handles



code	model	type	container (l)	knife speed (rpm)	V	W	mm	motor	weight (kg)	€
1050980	K-41	cutter	4,4	1500	230	800	252x309x(H)434	asynchronous	14,2	1 440,00
1051000	KE-4V	cutter-emulsifier	4,4	300-3000	230	1100	252x309x(H)434	brushless	11,9	2 290,00

ACCESSORIES

	€
Vegetable cutter head for K-41 and K-4V cutter-emulsifiers	450,00
Smooth blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for chopping raw meat and fiber crops.	200,00
Perforated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for the preparation of protein shakes, sauces.	200,00
Serrated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for shredding vegetables.	200,00
	Smooth blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for chopping raw meat and fiber crops. Perforated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for the preparation of protein shakes, sauces. Serrated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors



CUTTER - ACTIVE RANGE



- Appliance designed for slicing, grinding, mixing and crushing of food products.
- Removable stainless steel bowl with polycarbonate lid and a special hole for adding ingredients when the appliance is in operation.
- Safety systems prevent the motor from starting if cutter module is not mounted on the block featuring the motor or if it is mounted incorrectly.
- An additional safety microswitch blocks knife rotations if the container lid is removed or improperly installed.
- The motor block is made of high grade aluminium alloy.

- The high tightness of the housing prevents flooding of the motor.
- The appliance is equipped with a modern, electronic visual control panel with many useful functions and information on its operation.
- Special function verifying whether the module is mounted correctly.
- Pulse mode is especially useful for chopping delicate food products.
- Visual speed display with speed number and revolutions per minute.
- Operating time set function.
- 2-step speed adjustment: 1,500 and 3,000 rpm.





code	model	container (l)	number of gears	knife speed (rpm)	۷	W	mm	container (mm)	weight – emulsifier [kg]	weight – cutter (kg)	€
1050832	K-52	5,5	2	1500 and 3000	400	1500	286x387x(H)439	Ø240x(H)150	29,7	18	2 210,00
1050850	K-82	8	2	1500 and 3000	400	1500	286x387x(H)473	Ø240x(H)199	30,8	18,9	2 370,00

ACCESSORIES SAMMIC

code		€
2053058	Smooth knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multifunctional machines. Mainly recommended for chopping raw meat and fibrous products.	200,00
2053935	Smooth knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multifunctional machines. Mainly recommended for chopping raw meat and fibrous products.	397,00
2053063	Perforated knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multifunctional machines. Recommended mainly for whipping egg whites and making sauces	184,00
2053940	Perforated knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multifunctional machines. Recommended mainly for whipping egg whites and making sauces	397,00
2053091	Serrated knife for the K-52 cutter, KE-5V emulsifier and CK-35V and CK-45V multi-functional machines. Recommended mainly for kneading dough and general use	215,00
2053930	Serrated knife for the K-82 cutter, KE-8V emulsifier and CK-38V and CK-48V multi-functional machines. Recommended mainly for kneading dough and general use	417,00
2059417	Scraper for KE-5V emulsifier and CK-35V and CK-45V multifunctional machines	75,00
2053960	Scraper for KE-8V emulsifier and CK-38V and CK-48V multifunctional machines	94,50



DYNAMIC

COMPACT LINE FOOD PROCESSORS

- Vegetable cutter for cutting and chopping vegetables (delicate products in particular) and forming them so as to achieve the desired shape with the use of a wide range of discs and grids sold separately.
- Designed with exceptional precision, cutting blades ensure perfect results.
- Robust structure made from top quality food-grade materials.
- Easy to use thanks to the new ergonomic control panel.
- Low weight and compact design the vegetable cutter weighs less and takes up less space.
- Housing made of reinforced fiberglass.
- High water resistance thanks to a vent-free housing.
- Quiet operation ensures high comfort of use.
- Wide range of application 5 speeds (model 1050962) for products with different textures (hard ingredients such as root vegetables and soft such as tomatoes, bananas).
- Pressure force control system.
- Double safety system two microswitches: the motor automatically switches off when the lid is removed and/or

the lever is lifted.

- Large capacity container for vegetables: 89 cm².
- Lateral outlet opening for finished product makes it possible for the machine to be positioned on a small-size working surface.
- 1 or 5 cutting speeds: 1500 or 300-1000 rpm (depending on model).
- High profile ejection disc for better efficiency of the appliance.
- Output: 50-350 kg/h.
- Lever and lid easy to detach.
- 4.4 l capacity emulsifier bowl designed to be used for cutting, chopping, grinding and mixing products as well as kneading dough of any kind.
- 1 or 10 emulsifier speeds: 1500 or 300-1000 rpm (depending on model).
- Pulse mode (model 1050900) useful for chopping delicate foods to avoid grinding them into a pulp (only for emulsifier module).
- Up to 35 different types of cuts thanks to the broad range of discs and grids (sold separately).



code	performance (kg)	opening head [cm ²]	container (l)	V	W	dimensions – emulsifier (mm)	dimensions – cutter (mm)	weight – emulsifier [kg]	weight – cutter (kg)	€
1050900	50-350	89	4,4	230	1500	378x309(H)533	252x309x(H)434	15,3	14,2	1 740,00
1050922	50-350	89	4,4	230	1500	378x309(H)533	252x309x(H)434	13	11,9	2 730,00

ACCESSORIES

code		€
2059762	Attachment-cutter for CA-21/CA-2V vegetable cuttor and K-41/K-4V cutter	336,00
2059750	Smooth blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for chopping raw meat and fiber crops.	200,00
2059752	Perforated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for the preparation of protein shakes, sauces.	200,00
2059748	Serrated blade for K-31, KE-4V and CK-241, CK-24V Compact Line food processors Designed for shredding vegetables.	200,00



ති

f

নি

ကြီ



CK-35V AND CK-38V FOOD PROCESSORS

- CK-35V and CK-38V Sammic food processors combine the advantages of using vegetable cutters with cutter-emulsifiers.
- The product perfect for those who appreciate convenience and full professionalism.
- High quality, stainless steel design guaranteeing durability and resistance to external factors.
- Each appliance is equipped with:
 - motor block (common to all food processors).
 - vegetable cutter head (inlet opening size: 136 cm2).
 - the cutter-emulsifier's bowl with a capacity of: 5.5 l or 8 l (depending on the model).
- The motor block is made of high grade aluminium alloy.
- User-friendly, easy-to-read, waterproof control panel with LED backlight.
- The high tightness of the housing prevents flooding of the motor.
- Removable stainless steel bowl with polycarbonate lid.
- A hole in the lid enables adding more ingredients during operation.
- Cutter-emulsifier bowl designed for cutting, chopping, grinding, and mixing all kinds of food products, especially useful for preparing mousses, purees, sauces, and soups. It equipped with

a scraper for even more thorough mixing of food products.

- The head of the vegetable cutter, made of cast aluminium, is characterised by high durability and fitness for heavy-duty work. It designed to cut vegetables using discs and grids (accessories sold separately).
- Powerful brushless motor effectively maintains torque in each of the 10 speed ranges.
- Reverse rotation feature for even more homogeneous product.
- Pulse mode useful for chopping delicate foods to avoid grinding them into a pulp (only for emulsifier module).
- Vegetable cutter:
- Machine dlmensions: 391x409x(H)552 mm.
- Dimensions of the appliance with the lever raised: 391x409x(H)761 mm.
- Vegetable cutter output: 100-450 kg/h.
- 5-step, 300-1,000 rpm. speed adjustment of the cutter.
- Disc diameter: ø205 mm.
- 10-step, 300-3,000 rpm. cutter speed adjustment.
- Complete with serrated knife.
- Powerful 1,500 W motor.
- Noise level: <70 dB.



code	model	performance (kg)	opening head [cm ²]	container (l)	V	W	dimensions – emulsifier (mm)	dimensions – cutter (mm)	weight – emulsifier (kg)	weight – cutter (kg)	€
1050752	CK-35V	100-450	136	5,5	230	1500	391x409x(H)552	286x387x(H)487	26,5	18	3 800,00
1050808	CK-38V	100-450	136	8	230	1500	391x409x(H)552	286x387x(H)517	27,6	19	4 280,00
1050769	CK-45V	200-650	286	5,5	230	1500	391x400x(H)652	286x387x(H)487	29,7	18	4 410,00
1050821	CK-48V	200-650	286	8	230	1500	391x400x(H)652	286x387x(H)517	30,8	18,9	4 820,00

MHENDI



Ć

ති

f

নি

ကြီ



SALAD SPINNER ES-200 SERIES

- Quick and quiet, perfect for kitchens of all kinds in restaurants, hotels, and hospitals.
- Stainless steel design and lightweight, removable vegetable and fruit basket.
- Compact design enables placing the appliance under standard sized worktops.
- 3 wheels with brakes to stabilize the appliance during operation.
- Transparent, durable lid with self-opening mechanism for easy access to the basket.
- Safety mechanism when the lid is opened, the cycle stops automatically.
- Open door indicator light.
- The VCS system which shuts down and restarts the basket if the weight is not evenly distributed, protects the machine from damage and prevents staff accidents.
- Easy-to-use, waterproof control panel.
- Electronic timer with 3 fixed cycles: 1, 2, 3 minutes.
- 2 motor speeds: 350 or 900 rpm.
- Slow speed perfect for delicate vegetables such as lettuce.

code	1000710	
model	ES-200	
dimensions	540x750x(H)815 mm	
capacity	12 kg	
performance	240-720 kg/h	
power/voltage	550 W/230 V	
weight	52 kg	
€	4 380,00	



Watch the video



1000710

JUICER SAMMIC

- Housing made of stainless steel.
- Large batch feed opening Ø75 mm.
- Flesh container with capacity of 3.25 l.
- A specially designed lid for efficient transfer of pulp into the container.
- Safety lock the appliance will only operate when the lid is properly installed.
- Turbo switch temporarily increases speed to balance any vibration and clean the sieve.
- Waterproof control panel cover for safe operation and easy cleaning.
- Simple and intuitive assembly and disassembly of individual components, easy to use and clean.
- Air-cooled motor.
- Speed: up to 6,300 rpm.
- Net weight: 5 kg.

code	V	W	mm	€
5410000	230	240	310x205x(H)360	653,00



R

HIGH CAPACITY MEAT GRINDER FOR UP TO 280 KG/H

- An interesting solution for customers who want to make their own decisions on individual components of the meat grinder.
- The drive must be ordered separately and the conduit with the cutting unit which is available in two variants: "ENTERPRISE" and "UNGER". Both units are made of stainless steel and come standard with a screw and sieve with ø6 mm holes. However, they differ in the knife which can have cutting edges on one or both sides.

HIGH EFFICIENCY MEAT GRINDER DRIVE PS-22

- The body is made of stainless steel.
- Removable stainless steel meat feeder.
- Polypropylene pusher.
- Start/stop switch.
- Loading throat diameter: ø60 mm.
- Powerful 740 W motor.
- Noise level: <70 dB.
- Net weight: 30 kg.
- Throat with the cutting unit sold separately (1050215, 1050216).

code	mm	٧	W	€
1050210	310x440x(H)480	230	740	1 850,00



One-sided knife

Cutter

Reversible knife

🔁 sammic



- Replaceable components: throat, screw, pre-grinding sieve (Unger model), knife with cutting edges on one side (Enterprise model) or both sides (Unger model), sieve (holes ø6 mm), plastic pressure ring, pressure nut.
- PS-22 drive and additional sieves sold separately.

code	type		mm	weight (kg)	€
1050215	Enterprise	one cut	200x200x(H)245	6,5	722,00
1050216	Unger	double cut	200x200x(H)245	6,7	767,00

STRAINER FOR A HIGH EFFICIENCY MEAT GRINDER

- Made of stainless steel.
- Dishwasher safe
- Suitable for Enterprise throat with cutting unit (1050215) for PS-22 grinder

code	mesh diameter (mm)	diameter of the entire disc (mm)	€
282021	1050216	ø6	33,50
282014	1050216	ø8	33,50
282038	1050216	ø4,5	33,50
282045	1050216	ø3	36.00



2051525



Enterprise

1050215

Unger

1050216



ති

(

Ĥ

Ą

नि





DYNAMIC

ß

MEAT MINCERS TOP LINE PROFI LINE

- High quality professional equipment designed for mincing all types of skinless and boneless meat
- Housing made entirely of high quality, polished stainless steel
- Removable surgical steel (304 18/10) funnel
- Easy removal of funnel and all internal parts for easy cleaning
- Motor protection against overheating
- Rotational speed 165 rpm
- Machine with reverse function in case of clogging the funnel
- Reset button protecting the device against overheating
- The hopper tray is made of stainless steel.
- IPX1 rating
- Comfortable grip on upper body for easy handling
- Non-slip feet
- Package includes:
- 2 stainless steel mincing discs with 6 and 8 mm holes (5 and 8 mm in model 210765)
- Stainless steel knife and worm
- Stuffing tube made of polypropylene

- Powerful motor of up to 550 W

- Mincing disc diameter ø62 mm

210765 230 300 250x370 511,00 x(H)490

- Output: up to 80 kg/h

٧

Weight: 20.5 kg

code

- Polyethylene meat pusher
- Not for continuous use (after 45 minutes of operation switch off to cool down)



mm

€

S.S.

MEAT MINCER PROFI LINE 12 PROFI LINE

PERFORMANCE

temporarily to

<u>250 kg/h</u>

Hopper tray is

steel

Removable

(304 18/10)

Reset button

Reverse in case

the funnel is blocked

funnel

surgical steel

made of stainless

- Powerful motor of up to 735 W
- Output: up to 150 kg/h
- Mincing disc diameter ø69.8 mm
- Weight: 24.5 kg

code	V	W	mm	€
210772	230	550	264x420 x(H)548	639,00

MEAT MINCER PROFI LINE 22 PROFI LINE

- Powerful motor of up to 1100 W
- Output: up to 250 kg/h
- Mincing disc diameter ø82 mm
- Weight: 31 kg

code	V	W	mm	€
210789	230	900	305x490 x(H)607	806,00

210437



PERFOR	PERFORATED PLATE				
code	suitable for	mm	€		
210413	210765	ø5	25,00		
210420	210765	ø8	25,00		
210451	210772	ø6	27,50		
210468	210772	ø8	27,50		
210499	210789	ø6	30,50		
210505	210789	ø8	30,50		



NIFE		5.5. stainless steel	WORM SC	REW	5.5. stainless steel
code	suitable for	€	code	suitable for	€
210406	210765	22,00	210390	210765	75,00
210444	210772	25,00	210437	210772	86,00
210482	210789	22,00	210475	210789	103,00



ΎЛ


210772

CC





<u>~</u>



PROFI LINE MEAT MINCER 12

- Hopper and meat container Made of stainless steel.
- Worm screw made of a special aluminium alloy.
- Polyethylene pusher included.
- Professional machine designed for mincing of all kinds of skinless and boneless meat.
- Oil bathed gears (for smooth and extra quiet operation).
- Mincing disc diameter: ø70 mm, holes: ø6 mm Made of stainless steel.
- Non-slip feet.

DYNAMIC

R

- Weight: 19 kg
- Output: 200 kg/h
- The appliance is not intended for continuous operation.

code	V	W	mm	€
282199	230	750	370x220x(H)440	753,00

PROFI LINE MEAT MINCER 22

- Hopper and meat container Made of stainless steel.
- Worm screw made of a special aluminium alloy.
- Polyethylene pusher included.
- Professional machine designed for mincing of all kinds of skinless and boneless meat.
- Oil bathed gears (for smooth and extra quiet operation).
- Mincing disc diameter: ø82 mm, holes: ø6 mm Made of stainless steel.
- Non-slip feet.
- Weight: 24 kg.
- Output: 300 kg/h
- The appliance is not intended for continuous operation.

code	V	W	mm	€
282007	230	1100	430x250x(H)510	1 040,00

000 000
000

282267
LOLLOI

PERFORATED PLATE S.S. - Ø 70 mm.					
code	-	mm	€		
282229	210802	ø8	26,50		
282250	210802	ø3	26,50		
282243	210802	ø4.5	26,50		
282236	210802	ø6	26,50		
282267	210802	ø2	30,50		



MEAT MIN	CER KNIFE	S.S.
code	-	€
282359	210802	14,00
282076	210819	19,50

PERFOR/ - Ø 82 mm.	S.S.		
code	-	mm	€
282014	210819	ø8	33,50
282021	210819	ø6	33.50

282021	210819	Øð	33,50
282038	210819	ø4.5	33,50
282045	210819	ø3	36,00
282052	210819	ø2	47,00

WORM S - Made of ar	CREW nodized aluminium.	Al aluminium wash
code	-	€
282304	282199	91,50
282069	282007	134,00





MEAT MINCER KITCHEN LINE 12

- Stainless steel feeder tray, hopper made of a special aluminium alloy.
- Knife and worm screw made of stainless steel and funnel of cast iron.
- Stuffing tube and two Ø 70 mm mincing discs with Ø 6 and 8 mm holes included.
- Easy disassembly for easy cleaning.
- Motor with an overheat protection mechanism.
- Anti-slip feet.
- Output 100 kg/h.
- Not for continuous use.

code	٧	W	mm	€
210802	230	550	432x261x(H)484	600,00

MEAT MINCER KITCHEN LINE 22

- Stainless steel feeder tray, hopper made of a special aluminium alloy.
- Knife and worm screw made of stainless steel and funnel of _ cast iron.
- Stuffing tube and two Ø 82 mm mincing discs with Ø 6 and 8 mm holes included.
- Easy disassembly for easy cleaning.
- Motor with an overheat protection mechanism.

WORM SHAFT

- Anti-slip feet.
- Output 200-220 kg/h.
- Not for continuous use.

code	V	W	mm	€
210819	230	750	427x261x(H)486	717,00

						10000	1000			
						9333	247	code	-	
						/000	107	933367	210819	
PERFOR	ATED				\frown		931257	210802		
PLATE - Ø 70 mm.		S.C.		PLATE - Ø 82 mm.		S.S.	teel wash	282359		~ ~
code	-	mm	€	code	-	mm	€		\leq	ა.ა
282229	210802	ø8	26,50	282014	210819	ø8	33,50	- V -	st.	ainless s
282250	210802	ø3	26,50	282021	210819	ø6	33,50	MEAT MIN	ICER KNIF	Ε
282243	210802	ø4.5	26,50	282038	210819	ø4.5	33,50	code	-	
282236	210802	ø6	26,50	282045	210819	ø3	36,00	282359	210802	
282267	210802	ø2	30,50	282052	210819	ø2	47,00	282076	210819	

ς



Ć

R

(

f

Å

नि



€ 14,00

19.50



DYNAMIC

ß

MEAT MINCER PROFI LINE 1/2 UNGER 12

- Designed for professional use, ideal for butcher shops, supermarkets, large canteens, restaurants and other catering establishments.
- For mincing any type of boneless meat.
- Sleek engine housing made of polished cast aluminium.
- Funnel made of stainless steel AISI 304.
- _ Oil batch gear (for smooth and extra quiet operation).
- Removable stainless steel funnel.
- Ventilated asynchronous motor with protection against overheating.
- _ Worm screw speed: 140 RPM
- Polyethylene meat pusher.
- Mincing disc with ø6.5 mm openings and pre-cutter included.
- Tray with stainless steel hopper.
- Filling opening: ø52 mm.
- Funnel outlet diameter: ø70 mm.
- Output: up to 150 kg/h.
- Not for continuous use.
- Weight: 23 kg.

code	V	W	mm	€
282274	400	1100	460x240x(H)510	1 340,00



Al	S.S.	
aluminium	stainless steel	indoor

MEAT MINCER 198

- Ideal for small amounts and sausage making, not for commercial use.
- Aluminium housing.
- Die cast metal hopper with meat dish/dust cover. -
- Pusher made of plastic.
- Aluminium worm screw and stainless steel knife.
- 2 mincing discs, diameter 65,8 mm included: 4 mm and 7 mm diameter holes.
- 3 sausage stuffing tubes: Ø 12, 15 and 20 mm.
- Steak tartare attachment
- On/off/reverse switch.
- Not for continuous use
- Weight 5.2 kg.

5,	5			
code	V	W	mm	€
210864	230	400	275x190x(H)347	192,00





Worm screw made of aluminium. blade made of stainless steel





Watch the video

BUTCHER SAW

- Interchangeable stainless steel blade (AISI 420).
- Blade dimensions: 450x20 mm (total length: 475 mm).
- Hardness: 54-55HRC.
- Powder-coated carbon steel (AISI570) frame.
- Profiled handle and blade lock made of Haiplen[®] modified polypropylene.
- Weight: 0.905 kg.

code	mm	€
1306.045	(L)580	44,50
1312.045	Stainless steel blade 45 cm	11,00



1312.045

R

f

(



Watch the video

\frown	\frown
	CC
ΙΑίΙ	5.5.
aluminium	stainless steel
aluminium	stainless steel

BONE SAW ELECTRIC

- For use in professional gastronomy
- Body made of lacquered aluminium
- Elements coming into contact with meat are made of stainless steel
- Emergency stop button
- Motor brake
- Lid switch (a microswitch)
- Cutting thickness and height regulation
- Cutting dimensions: 170x(H)150 mm
- Sawing table: 330x300 mm
- Net weight: 37 kg

code	٧	W	mm	€
282502	230	750	530x400x(H)850	1 890,00



CHEF'S MALLET

- Combines a meat tenderiser with a traditional mallet
- Perfect for pounding meat, softens the fibrous mass and flattens the meat 60 blades in 4 rows of 15, made of stainless steel 2.6 mm
- Wide blades with maximum cutting depth of approx. 18 mm
- Weight: 350 g

code	-	mm	€
513071	60 blades	280x57x(H)70	33,50





code	V	W	mm	€
843598	230	370	290x500x(H)490	1 090,00
841464	Knea		ollers for electric hopper	153,00

843598

OHENS

DYNAMIC

ß



841464





- For use in professional gastronomy
- Lower housing made of anodized aluminium
- Press ram and tray made of stainless steel
- The press makes hamburgers up to ø130 mm
- A practical lever to release formed meat from the tray
- With integrated patty divider container
- Patty dividers are included in set

code	mm	€
282113	320x250x(H)300	222,00

PATTY DIVIDERS

- Made of transparant cellulose.
- High temperature resistant and biodegradable.
- ø130 mm.
- Packed per ±1400 pieces.

code	packed per	mm	€
282120	1255	ø130	44,50



 ٢

R

A

C

Ř

ස

ů

1

Ľ,

code	mm	€
513026	ø120x(H)80	11,50









Made of stainless steel.

SAUSAGE FILLING MACHINE

- Made of stainless steel.
- Equipped with a two-speed filling system:
- quick gear for lifting the piston
 slow gear (low load) for filling the skins with stuffing.
- Parts that have contact with food are removable for easy filling
- and cleaning.
- Supplied with a set of 4 stainless steel funnels, diameter: ø16, ø22, ø32 and ø38 mm, 180 mm long.
- Equipped with bearings and gear train made of hardened steel, resistant to pressure.

code	liters	mm	€
282571	3	304x304x(H)525	222,00
282588	5	304x304x(H)640	236,00
282090	7	300x340x(H)830	259,00
282151	10	415x315x(H)690	361,00

With a set of 4 stainless steel funnels 16/22/32/38 mm





208





ELECTRIC SAUSAGE FILLING MACHINE 15 L

- Made of stainless steel.
- Capacity 15 l = approx. 13 kg of meat.
- Electric motor for moving the piston of the sausage filling machine.
- Adjustable piston speed (0-10 mm/s) allows precise adjustment _ of filling pace depending on the consistency of the stuffing and the size and thickness of the skin.

/ ____

R

Ħ

C

f

Å

B

ကြိ

- Possibility of switching the filling machine on with the use of a foot pedal.
- Supplied with 4 funnels with the following diameters: 16, 22, 32 and 38 mm; each funnel is 180 mm long.
- Equipped with bearings and gear train made of hardened steel, resistant to pressure.
- Weight: 30 kg

code	liters	V	W	mm	€
282083	15	230	60	450x350x(H)750	750,00





- Made of chrome-plated steel.
- Housing made of ABS plastic.
- Effectively seals various types of packaging with a clip.
- The clips can be tightened without much effort with a 390 mm lever.
- Weighted clip bar ensures correct positioning of clips.
- The clamp can be adjusted by a knob with a locking screw (it is possible to select the appropriate clamp according to the type and thickness of the casing, net, bag, etc.).
- Chrome-plated, heavy-duty base with rubber feet ensures appliance stability during use.
- Net weight: 15 kg.
- The set includes: 1000 U-shaped 11.5x11 mm clips.
- Additional clips available for purchase in packs of 2000. (265123).

code	mm	€
265116	150x350x(H)500	220,00
265123	Clips for sausage casings 2 000 pcs	22,00

265123





MEAT MIXER MANUAL

DYNAMIC

R

- Device for small manufacturing establishments, kitchens, bars and agri-tourism facilities.
- For mixing minced meat with other additions, such as spices, to obtain stuffing for sausages and other charcuterie products.
- Manual operation using an crank.
- Gear train in model 282687.
- Housing made of AISI 304 stainless steel.
- Very easy to use and clean.

code	liters	mm	€
282670	10	450x230x(H)335	217,00
282687	18	580x250x(H)415	256,00



STICK BLENDER FOR STUFFING WITH TILTING TROUGH

- Device for production of meat products in small quantities
- Made of AISI 304 stainless steel
- Aluminium cast crank handle
- Tilting trough for easier removal of the prepared stuffing
- Double protection against accidental dislodging of the trough
- Manual drive with removable crank handle
- No gear system in the 282168 model, the number of crank revolutions equals the number of rotations of the stirrer in the bowl
- Gear system in the model 282281, 3 revolutions of the crank equal one rotation of the stirrer in the bowl
- The trough and the stirrer can be dismantled
- Cover with handle part of set

 Very easy t 	o use and clea	an	
code	liters	mm	€
282168	11	240x460x(H)410	228,00
282281	20	285x550x(H)385	278,00



SAUSAGE CUTTER - ELECTRIC

- Electric sausage cutter with double blade knife and adjustable thickness.
- Extra long insertion tunnel for many types of sausages.
- Maximum diameter of 48 mm.

code	V	W	mm	€
265109	230	135	230x185x(H)325	250,00



SAUSAGE CUTTER - MANUAL

- Stable footing by suction cups.
- High-quality serrated blades.
- Easy to clean.
- Cuts 11 slices.

code	mm	€
222805	275x170x(H)235	161,00



POTATO PEELERS KITCHEN LINE

- Intended for professional use, ideal for industrial kitchens, institutional kitchens or any kitchen that must peel fast amounts of potatoes and other root vegetables a day.
- Peels the potatoes by means of an abrasive disc and abrasive pads on the inside of the drum.
- Drum, disc and abrasive pads made of high-guality stainless steel, resulting in a very durable, efficient and easy to clean machine.
- Abrasive disc is fitted with aluminum alloy agitators.
- The lid is made of durable polycarbonate; lets you keep an eye on the peeling process.
- Thanks to the powerful engine peeling a single load only takes 2 to 3 minutes.

- Control panel fitted with an 8-minute timer and control lights.
- Very safe to operate, a micro switch stops the peeler when the cover is opened.
- Fitted with a freshwater and drain connection, for rinsing potatoes during peeling.
- With an effective peel collection trap, consists of 2 containers of which one is perforated, prevents the clogging of the sewage system.
- Legs are fitted with plastic feet for stability, two legs have mounting plates for secure mounting to the floor.
- Water resistance class: IP23.





R

(

f

Å

नि

ကြီ



S.S.







- Made entirely of stainless steel.
- Transparent cover.
- Digital timer.
- Peel trap directly below the appliance.
- Abrasive disc.
- Inside walls lined with removable abrasive material.
- Emergency stop switch.
- Conforms to CE requirements.
- Replacement wall abrasive component.
- Output 100 kg/h.
- Weight 40 kg

code	V	W	mm	€
226810	230	550	530x660x(H)850	2 410,00







POTATO PEELER 5

- Made entirely of stainless steel.
- Transparent cover.
- Digital timer.
- Peel trap directly below the appliance.
- Abrasive disc.
- Inside walls lined with removable abrasive material.
- Emergency stop switch.
- Conforms to CE requirements.
- Delivered with power cable but without plug.
- Output 75 kg/h.
- Weight 35 kg.

code	-	V	W	mm	€
226834	5 kg	230	370	530x520x(H)700	2 100,00

R

Ĥ

Ą

ति

ကြိ



POTATO PEELER SERIES PI

- It features a powerful, reliable motor that is perfect for any restaurant.
- A professional appliance for peeling potatoes, beets, carrots, and other tuberous vegetables.
- Housing made of stainless steel.
- Aluminium side door with airtight seal and safety mechanism.
- The side stirrers are coated with silicone carbide abrasive material (NSF certified).
- The aluminium base plate is coated with silicone carbide abrasive material (NSF certified).
- Lifting, transparent polycarbonate lid enables controlling the vegetable peeling process.
- Water-resistant control panel with buttons: START, STOP.
- High resistance to moisture and splashing water due to its tightness factor: IP65.

- Timer with adjustable time range: 0-6 minutes and the possibility of continuous operation.

1000630

- Low energy consumption thanks to motor optimisation.
- A water connection is required.
- Noise level of approx. 70 dB.

€	2 530,00	2 930,00	4 640,00
weight	34 kg	35,8 kg	56,9 kg
power/voltage	370 W/400 V	550 W/400 V	730 W/400 V
batch	10 kg	20 kg	30 kg
performance	200-240 kg/h	400-480 kg/h	600-720 kg/h
dimensions	433x635 x(H)625 mm	433x635 x(H)735 mm	622x760 x(H)950 mm
model	PI-10	PI-20	PI-30
code	1000650	1000660	1000630

code		€
2001417	Bottom abrasive plate for PI-10 and PI-20 peelers	350,00
2009430	bottom abrasive plate PI-30	397,00
2009422	Abrasive side element PI-10	75,00
2009423	Abrasive side element PI-20	122,00
2009415	Abrasive side element PI-30	153,00
2009224	Base for the peeler M-5 and PI-10, PI-20	336,00
2009250	Base with peel separator PI-10 and PI-20	777,00
2009270	Base with peel separator PI-30	1 040,00
2000004	Disc with peeler knives PI-20	486,00

HENDI

ACCESSORIES

SLICERS

- DYNAMIC
- Housing made of coated aluminum, with non-slip feet.
- Hardened stainless steel blade, angled.
- Air-cooled motor with overheating protection.
- Powerful motor for slicing tough meats.
- Equipped with blade guard and built-in sharpener.
- Trolley with safety guard, clamping element and vertical locking device.
- Quick and easy disassembly for effortless cleaning.
- Meets all safety requirements for equipment for professional use, i.e.:



- setting the knob to "0" slicing thickness keeps the blade behind the guard.
- protection against unwanted start-up if the sharpener or the blade guard is removed.
- possibility to lock and remove the trolley only with the blade set in "0" slicing thickness position.
- Not suitable for slicing cheese.
- Cheese slicing possible with a separately available non-stick knife.



SLICER 195

- Blade diameter: 195 mm.
- Steplessly adjustable slicing thickness up to 12 mm.
- Maximum slicing diameter: 120 mm.

code	V	W	mm	€
210031	230	200	400x400x(H)330	445,00



SLICER 220

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 150 mm.

code	٧	W	mm	€	
210048	230	280	440x420x(H)350	472,00	



Acrylic safety shield



Blade protection



Carriage with locking mechanism



Sealed safety on/off switch

HENDI



Built-in sharpener



Air cooled engine protected by metal cover

ß



/ _____

R

00

À



HENDI

SLICER 250

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
 Maximum slicing diameter: 180 mm.

code	V	W	mm	€
210000	230	320	485x420x(H)395	556,00

NON-STICK COATED BLADE

- For slicing cheese.

code	suitable for	mm	€
975800	210031	ø195	111,00
975732	210048	ø220	128,00
975749	210000	ø250	139,00
975756	210017	ø300	195,00



- Blade diameter: 300 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
 Maximum slicing diameter: 200 mm.

code	V	W	mm	€
210017	230	420	600x480x(H)450	834,00









ſ

PROFI LINE SLICERS

S.S Al

- Housing made of coated aluminum, with non-slip feet.
- Hardened stainless steel blade, angled.
- Air-cooled motor with overheating protection.
- Powerful motor for slicing tough meats.
- Equipped with blade guard and built-in sharpener.
- Trolley with safety guard, clamping element and vertical locking device.
- Quick and easy disassembly for effortless cleaning.
- Meets all safety requirements for equipment for professional use, i.e.:
- setting the knob to "O" slicing thickness keeps the blade behind the guard.
- protection against unwanted start-up if the sharpener or the blade quard is removed.
- possibility to lock and remove the trolley only with the blade set in "0" slicing thickness position.
- Not suitable for slicing cheese.
- Cheese slicing possible with a separately available non-stick knife.



SLICER PROFI LINE 220 RED EDITION

- Blade diameter: 220 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 150 mm.
- Finished with a special red coating.

code	V	W	mm	€
970294	230	280	440x420x(H)350	472,00

SLICER PROFI LINE 250 RED EDITION

- Blade diameter: 250 mm.
- Steplessly adjustable cutting thickness up to 15 mm.
- Maximum slicing diameter: 180 mm.

			5						
code	٧	W	mm	€	code	V	W	mm	€
970294	230	280	440x420x(H)350	472,00	210086	230	320	485x420x(H)395	556,00



Built-in sharpener



Heavy product holder



Acrylic safety shield



R

SLICERS

- Housing made of anodised aluminium
- Transparent safety guard for safe operation
- Removable guide for easy extraction of slicing residues
- Easy guard removal for easier cleaning

- Safe blade guard, built-in sharpener



٢

R

ħ

Ř

नि

Ö

- High-quality blade positioned diagonally
- Protection against blade rotation while removing the housing
- 4 plastic anti-slip feet





210215





Air cooled engine

protected by metal cover

210222

Teflon coated for slicing cheese



Watch the video

Sealed safety on/off switch







code

210215

SLICER 250

by a plastic cover. - Blade diameter: 250 mm.

- Anodised aluminium housing. 0,3 hp air-cooled motor, protected by a plastic cover.

mm 494x402x(H)398

- Anodised aluminium housing. 0,2 hp air-cooled motor, protected

- Estimated maximum diameter of the cut product: 180 mm. - Steplessly adjustable cutting thickness up to 11 mm. - Blade secured against rotation during housing removal.

W

150

- Blade diameter: 300 mm.

- Net weight (approx.): 16,4 kg.

٧

230

- Estimated maximum diameter of the cut product: 210 mm.
- Steplessly adjustable cutting thickness up to 14 mm.
- Blade secured against rotation during housing removal.
- Weight · 24 kg

·····					
code	V	W	mm	€	
210246	230	250	615x494x(H)477	856,00	

SLICER 250 TEFLON COATED

- Anodised aluminium housing.
- Blade, blade protection and product plate are coated with Teflon for easy cheese cutting. 0,2 hp air-cooled motor, secured from below with a plastic cover.
- Removable tray for easy cleaning of food leftovers following cutting.
- Blade diameter: 250 mm.
- Estimated maximum diameter of the cut product: 180 mm.
- Stepless adjustment of cutting thickness, from 0 to 11 mm.
- Blade secured against rotation during maintenance.
- Weight: 16,4 kg.

code	٧	W	mm	€
210222	230	150	494x402x(H)398	556,00
			D 11. 1	



Built-in sharpener

€

497.00









BLACKBOLT SUPERPOWER IN YOUR KITCHEN!



SELECTED FUNCTIONS









cake

whipping cream

whipping proteins



BLACKBOLT PLANETARY MIXER HENDI

- For kneading dough and beating egg whites.
- Housing made of aluminium.
- Equipped with a high, lightweight stainless steel bowl for kneading small amounts of dough.
- Uniform mixing.
- The appliance is stable during operation.
- Quiet motor with guaranteed long service life.
- Cooling system allows the appliance to run continuously for 60 minutes.
- 11 possible speed settings.

V-Shape Belt Module Ready for extreme, long-lasting operation

Housing Robust, made of die cast aluminium

SOFT START

11-degree speed smoothy regulated with a knob, adjusted to the chosen program

BOWL - 7 litres Made of AISI 304 stainless steel. Fitted with a convenient handle with anti-slip coating



HOOK FOR HEAVY DOUGHS AISI 304 stainless steel



EGG WHISK AISI 304 stainless steel



002

MIXFR 1 synthetic material POM



M H E N D I



- Capacity: 7 l.

Timer.

standards.

whipping.

code

221570

- 0.2-1.5 kg of flour.

- 0.1-2 l of fresh cream.

- 150-1,500 ml of sweet cream.

Accessories are dishwasher safe.

230

liters

7

- Handle coated with synthetic material in accordance with CE

W V

mm

1500 460x310x(H)379


Gears

cake baking

- 4 programs: Dough, Sponge cake, Cream whipping, Egg

2-20 egg whites.

MIXER 2 AISI 304 stainless steel



€.

709.00

R

f

Å

नि

Ö





219

Prices net of VAT

PROFI LINE PLANETARY MIXERS

- White painted aluminum alloy or cast iron housing (226292).
- Injection-molded plastic or stainless steel (in model 226292) bowl guard.
- Robust bowl made of AISI304 stainless steel.
- Supplied with 3 accessories made of aluminium: a whisk, a mixer and a dough hook.
- Digital or analog control (226292).
- Robust SNCM21 alloy steel drive and gears, other components made of copper.
- Shafts mounted in ball bearings.
- A lever for lowering and raising the bowl.
- Timer: up to 30 min (in the case of model 226292 up to 15 minutes).
- Protection against activation of the mixer with the guard up or the bowl in the wrong position.

226261









226285

226292



code	226261	226278	226285	226292
liters	6,6 l	9,5 l	11,4 L	18,9 L
flour/dough load	1 kg/1,6 kg	1 kg/1,6 kg	1,5 kg/2,4 kg	2,3 kg/3,68 kg
dimensions	336x460x(H)518 mm	336x483x(H)558 mm	398x499x(H)630 mm	460x520x(H)880 mm
bowl dimensions	ø260x(H)195 mm	ø275x(H)225 mm	ø300x(H)255 mm	ø348x(H)290 mm
control	digital	digital	digital	manual
speed	5 – 193-495 rpm	5 – 193-495 rpm	3 - 121, 218, 489 rpm	3 - 142, 264, 482 rpm
timer	up to 30 min	up to 30 min	up to 30 min	up to 15 min
engine	3/4 KM = 552 W	3/4 KM = 552 W	1/2 KM = 368 W	1/2 KM = 368 W
power/voltage	650 W/230 V	600 W/230 V	375 W/230 V	375 W/230 V
weight	18 kg	20 kg	35 kg	100 kg
€	1 370,00	1 820,00	1 950,00	2 770,00





PLANETARY MIXERS KITCHEN LINE

- Aluminium housing (code: 222829) or cast iron housing on four supports (code: 222836, 222843).
- Robust bowl made of AISI201 stainless steel.
- Supplied with 3 accessories made of AISI430 stainless steel: a whisk, a mixer and a dough hook
- 3 speeds.
- Durable worm drive made of chrome-coated steel and bronze gears.
- A lever for lowering and raising the bowl.
- Easy-to-use digital control panel (code: 222829) or analog control (code: 222836, 222843).
- Protection against activation of the mixer with the guard up or the bowl in the wrong position.
- Resettable overheating protection.
- Timer that can be set up to 60 minutes (code: 222829).





Al

E >

R

A

C

Ĥ

À

नि

ကြိ

''

<u>____</u>













222836



code	222829	222836	222843
liters	71	10 l	20 l
flour/dough load	0,8 kg/2 kg	2,5 kg/4 kg	5 kg/8 kg
dimensions	240x420x(H)425 mm	380x470x(H)730 mm	490x580x(H)780 mm
control	digital	manual	manual
speed	128/252/545 rpm	148/244/480 rpm	197/317/462 rpm
power/voltage	650 W/230 V	600 W/230 V	1100 W/230 V
€	811,00	1 020,00	1 170,00

HENDI





DYNAMIC DEVICES

ß

TURBO MIXER TRX-22

- The turbo blender designed for mixing and chopping food in vessels up to 800 litres, i.e. in high-capacity kitchens and even in the food industry.
- Perfect for mixing food directly in the brew kettles.
- The 600 mm long arm mixes equally effectively in any type of vessel, round or rectangular. Made entirely of stainless steel 18/10.
- Easy to use: can move in different directions, adjustable height, cart-mount with 4 non-slip rubber wheels, 2 of them with brakes.
- The perfect balance of the shredding arm prevents the machine from tipping over or tilting backwards, even if the arm or base wheels are not locked.
- Safety lever allows the arm to be locked with one hand.
- Easily accessible, watertight, tilted control panel.

- 2-level speed control: 750 and 1,500 rpm.
- Control panel with built-in timer: possibility to leave the appliance running for up to 60 minutes without checking it.
- Electric cables are hidden in the frame of the cart, so the working area is free from any obstacles restricting the free movement of the mixing arm.
- Easily removable turbine, guard, disc and cap, no tools necessary; dishwasher safe.
- Safety microswitch that controls the position of the appliance: it does not allow the turbine to operate if the arm is too high or too low.
- For use with 3 optional and easily interchangeable mixing sieves.





Sammic 🔁

Ć

R

f

Ą

नि

Ö

STICK BLENDERS KITCHEN LINE

 For professional use like preparation of vegetable soups, sauces, stuffing, mayonnaise, tomato purée, ice-cream mixtures, etc.



- Ventilated durable motor in a polyamide matt black housing.
- With 2,5 m long cord with an earthed plug.



51

STICK BLENDER DRIVE UNIT - VARIABLE SPEED 350W

code	V	W	mm	€
221884	230	350	ø100x416	138,00

STICK BLENDER DRIVE UNIT - VARIABLE SPEED 500W

code	V	W	mm	€
221891	230	500	ø100x416	159,00

BLENDER SHAFT FOR STICK BLENDER

- Stainless steel shaft and blade.
- Fits stick blenders Kitchen Line 221884, 221891.
- Blade removal kit included.

code	mm	€
222232	(L)300	124,00
222225	(L)250	109,00
222249	(L)400	128,00
222256	(L)500	154,00

WHISK ATTACHMENT FOR STICK BLENDER MOTOR 221884 & 221891

- Consists of two stainless steel whisks.
- Safe and easy attachment to the driving unit.

code	mm	€
222263	(L)250	135,00

STICK BLENDER KITCHEN LINE 160 WITH ADJUSTABLE SPEED

- For professional use in ice-cream shops, restaurants, hotel kitchens for preparing ice cream mixes, vegetable soups,
- purees, sauces, stuffing, mayonnaise, tomato paste, pesto, etc. - Ventilated motor.
- Housing with ergonomic handle made of durable plastic material.
- Stainless steel shaft and blade: length 160 mm, Ø 25 mm.
- Speed: Approx. 4,000 20,000 RPM.
- Net weight, including shaft: approx. 1,61 kg.

5	, ,		, 5	
code	V	W	mm	€
222140	230	220	ø75x(H)464	188,00

WHISK ATTACHMENT FOR STICK BLENDER 222140

- Consists of two stainless steel whisks.
- Safe and easy attachment to the driving unit.

code	mm	€
222164	(L)185	124,00







WHISK ATTACHMENT FOR STICK BLENDER

mm

ø120x(H)330

	-
AR	1
61 2	934029

WALL MOUNTED STORAGE RACK

code	mm	€
934029	365x130x(H)70	52,50



300, 400 & 500	
 Consists of two whisks. 	S.S.
 Easy and safe to attach. 	stainless stee

code

224342



€

195,00

Ą

नि

Ö

''



DYNAMIC

R

With whisk attachment and wall mounted storage rack.







STICK BLENDER VARIABLE SPEED WITH WHISK HENDI 400

- For use in ice cream shops, restaurants, hotel kitchens, cafés and catering companies.
- It's perfect for preparing e.g. ice cream mixes, vegetable soups, purees, sauces, stuffings, mayonnaises, tomato paste, pesto, as well as whipped cream, creams, and omelettes – depending on which attachment is used.
- Housing is made of durable blue polyamide.
- Both attachments are made of AISI 304 stainless steel.
- Whisking arm is 350 mm long and can be immersed up to 200 mm.
- Blending shaft is 400 mm long and can be immersed up to 290 mm.
- Capacity up to 60 liters.
- Blending arm speed: 2,500-11,000 rpm.
- Whisking arm speed: 250-1500 rpm.
- The set includes: a motor with variable speed, the mixing arm, the whisking arm, a wall mounted storage rack.

code	V	W	mm	€
224014	230	400	155x120x(H)790	478,00

STICK BLENDER VARIABLE SPEED WITH WHISK AND WALL-MOUNTED RACK

- For professional use in ice cream parlours, restaurants, hotel kitchens to prepare ice cream mixtures, vegetable soups, purées, sauces, stuffing, mayonnaise, tomato purée, pesto, etc.
- Includes variable speed mixer drive, mixing arm, whipping arm, and a wall-mounted hanger.
- Housing made of durable polyamide, matte black.
- Whipping arm, 250 mm long, consists of two stainless steel whisks.
- 400 mm-long mixing arm and blade made of stainless steel.
- For dishes of up to 60 l for mixing and 50 l for whisking.
- Speed: 4.000-16.000 RPM.
- Weight (drive only): 2.35 kg.

5 .	,,	5		
code	V	W	mm	€
222393	230	350	ø100x416	360,00

STICK BLENDER 250VV - WITH ADJUSTABLE SPEED

- Professional version
- Housing made of fiber reinforced nylon
- Stainless steel shaft and blade
- Whisk attachment included (290 mm)
- Easy accessory changing clutch
- Easy to clean
- Ergonomic handle
- Shaft length: 250 mm
- Suitable for dishes up to 20 liters
- Speed control knob
- Speed: 2500 15000 RPM
- Weight 1.9 kg

J ,	5			
code	V	W	mm	€
224373	230	250	ø75x(H)555	389,00

WALL MOUNTED STORAGE RACK FOR STICK BLENDER HENDI 250VV

code	€
934012	36,00



STICK BLENDER PROFI LINE 400 -ADJUSTABLE SPEED SET WITH STORAGE RACK

- Professional version.
- Housing made of fiber reinforced nylon.
- Stainless steel shaft and blade.
- Easy to clean.
- With whisk attachment and wall mounted storage rack.
- Electronic control panel.
- 9 Speed settings between 2000 and 9000 RPM.
- Capacity up to 80 liter.
- Shaft length: 400 mm.
- Weight: 4.75 kg.

	· · · · ·			
code	V	W	mm	€
224380	230	400	ø100x(H)350	656,00

ICE CREAM STICK BLENDER CHEF PLUS VARIABLE SPEED, WITH WHIP AND HOMOGENIZING BLADE

- For professional use in ice-cream shops, restaurants or hotel kitchens for preparing ice-cream mixes, soups or sauces. Includes a variable-speed driving unit, regular blending shaft, homogenizing blending shaft and whisking arm.
- Housing made of fiber reinforced nylon, detachable shafts and whisk made of stainless steel.
- Ventilated motor reduces chance of overheating.
- Lengths: blending and homogenizing shaft: 250 mm, whick attachment: 290 mm.
- Suitable for vessels of up to 20 litres.
- Variable speed: 2500-15000 rpm.
- Weight: 1.3 kg.

code	V	W	mm	€
282298	230	250	ø75x(H)285	697,00

282298

ICE CREAM STICK BLENDER VARIABLE SPEED WITH HOMOGENIZING BLADE

- For professional use in ice-cream shops, restaurants or hotel kitchens for preparing ice-cream mixes, soups or sauces. Includes a variable-speed driving unit, regular blending shaft and homogenizing blending shaft.
- Housing made of fiber reinforced nylon, detachable shafts made of stainless steel.
- Ventilated motor reduces change of overheating.
- Electronic control panel (9 speeds).
- Shafts lengths: 400 mm.
- Suitable for vessels up to 80 liters.
- Variable speed: 2000 9000 RPM.
- Maximum speed: 15.000 RPM
- Weight: 2.4 kg.

 code
 V
 W
 mm
 €

 282311
 230
 400
 ø100x(H)350
 739,00







R

f

Ą

नि

Ö



design by Robert Bronwasser



Speed up. Increase your efficiency. 6 processing programmes with appropriate rotations. YOU DON'T NEED TO BE A PROFESSIONAL TO GET REPEATABLE EFFECTS

ERGONOMIC & LIGHTWEIGHT BODY

Profiled handle for a FIRM and STRONG grip. The right operating angle for COMFORTABLE OPERATION + NATURAL POSITION OF THE INDEX FINGER ON THE SWITCH

QUIET

Silent drive operation for OPEN KITCHENS Popular with CHEFS

ABS	S.S.
plastic	stainless steel

HENDI BLEND STICK BLENDER

- Designed with chefs in mind by Robert Bronwasser.
- ABS plastic housing and a stainless steel shaft.
- Stainless steel cross shaped blade with titanium coating.
- Powerful 250W motor, 6 speeds with LCD display.
- Maximum speed 13500 RPM.
- Suitable for processing 1 to 8 liters.

code	V	W	mm	€
222157	220-240	250	ø71x(H)444	114,00

FOR CONTAINERS WITH A CAPACITY OF 1 TO 4 LITRES

222157

MORE POSSIBILITIES Arm length 20 cm

allows you to work with

larger vessel capacities

TITANIUM-COATED BLADES 3 times more durable and resistant to blunting TITANIC DURABILITY

HD DESIGN

Increased body breakage resistance thanks to ABS TERPOLYMER + SCRATCH RESISTANCE

> IMPRESSIVE SPEED RANGE from 6,600 to 13,500 rpm REDUCTION IN PREP TIME

> > HENDI

Prices net of VAT



ß

SAMMIC HAND BLENDERS

- For mixing various ingredients at the same time, in containers from 10 to 250 litres
- Knife with three blades, made of hardened stainless steel, with durable cutting edges
- Newly designed knife protective cover with a diameter of 65 up to 123 mm

- Sammic 🔁
- Clear marking of the maximum immersion level
- Ergonomic engine housing made of two types of plastic
- Constant speed 12,000 revolutions per minute or easily and comfortably adjustable speed in a range from 1,500 to 12,000 or even up to 15,000 rpm
- The palm part covered with non-slip material



Maximum user convenience

- compact design: convenient and easy to operate
- external housing made of two materials to ensure an ergonomic grip. Non-slip grip and optimal tilt of the handle to minimise fatigue
- intuitive operation: very easy to use. In addition, the light indicator for connecting the device to the network guarantees the operator's safety
 the indicator light turns on as soon as the mixer is connected to the power source

for containers with a capacity of from 1 to 250 liters rotation speed

from 1500 to 15000 rpm

Designed to work with containers with a capacity of 10 to 250 litres

Splash protection

Ê

ති

Designed for durability

- increases efficiency: ensures long-term operation without overheating the housing.
- equipped with a powerful engine that has undergone

the most demanding user tests - thoughtful geometry of the housing

- designed to prevent the device from twisting on the table top and falling
- easy to clean: the arm can be washed under the tap or in the dishwasher

Click-on-arm: removable arm with quick and safe lock

All-in-one - universal devices for professionals

- Professional Y-blade knife with three hardened steel blades - efficient and reliable
- Vario-speed: variable speed for perfect work results
- Ideal for continuous operation

ACCESSORIES

code	suitable to	extra arm	length (mm)	max. immerging [mm]	for vessels with max. capacity (l)	for whisking eggs	speed (rpm)	€
3030613	3030618	mixing	192	155				91,50
3030624	3030618	mixing	223	185	10			109,00
3030638	3030625	mixing	250	200	12			134,00
3030640	3030625	mixing	300	250	15			153,00
3030641	3030625	whipping	300		15	2 to 30	200 to 1800	247,0
3030653	3030672	mixing	306	260	30			156,0
3030655	3030672	mixing	366	320	45			170,0
3030657	3030672	mixing	420	375	60			184,0
3030670	3030672	whipping	300		30	2 to 50	200 to 1800	232,0
3030685	3030684	mixing	419	370	80			184,0
3030687	3030684	mixing	519	470	120			215,0
3030856	3030717	mixing	540	490	200			386,0
3030855	3030717	mixing	630	580	250			450,00

5

DYNAMIC DEVICES

G



code	3030618	3030625	3030634	3030672	
	hand mixer with mixing arm XM-12	hand mixer with mixing arm XM-21	hand mixer with mixing arm	hand mixer with mixing arm	
		mining drim Acr 21	and replaceable whipping arm MB-21	XM-31	
equipment	drive mixing	drive mixing	drive mixing nozzle	drive mixing	
equipment	nozzle	nozzle	whipping nozzle	nozzle	
for vessels with max. capacity	10 L	12 l	12 l or up to 30 eggs	30 L	
total length of the device	448	514	514	614	
	223	250	250	306	
mixing arm length	(max. immerging	(max. immerging	(max. immerging	(max. immerging	
	up to approx 185 mm)	up to approx 200 mm)	up to approx 200 mm)	up to approx 260 mm)	
type and number of	variables	variables	variables	fixed	
revolutions - only for mixing tips	1 500 to 15 000 rpm	1 500 to 15 000 rpm	1 500 to 15 000 rpm	12 000 rpm	
knife sheath Ø (mm)	65	82	82	87	
power/voltage (W/V)	240/230	300/230	300/230	400/230	
weight (kg)	1,4	2,3		3,34	
noise level (dB)	<80	<80	<80	<80	
€	261,00	334,00	567,00	486,00	

S sammic

A

IJ

00

 $|\bigcirc|$

Ē

À

B

Ő

ļļ

		M

3030676	3030684	3030691	3030717	3030718
hand mixer with mixing arm and replaceable whipping arm MB-31	hand mixer with mixing arm XM-51	hand mixer with mixing arm and replaceable whipping arm MB-51	hand mixer with mixing arm XM-71	hand mixer with mixing arm XM-72
drive mixing nozzle whipping nozzle	drive mixing nozzle	drive mixing nozzle whipping nozzle	drive mixing nozzle	drive mixing nozzle
30 l or up to 50 eggs	80 l	80 l or up to 60 eggs	200 l	250 l
614	760	760	880	970
306	420	420	540	630
(max. immerging up to approx 260 mm)	(max. immerging up to approx 370 mm)	(max. immerging up to approx 370 mm)	(max. immerging up to approx 490 mm)	(max. immerging up to approx 580 mm)
variables	fixed	variables	fixed	fixed
1 500 to 12 000 rpm	12 000 rpm	1 500 to 12 000 rpm	12 000 rpm	12 000 rpm
98	98	98	123	123
400/230	570/230	570/230	750/230	750/230
	4,65		4,57	
<80	<80	<80	<80	<80
739,00	567,00	884,00	828,00	884,00



Be Safe Protection

- Overheating protection
- Retractable cutter
- Non-conductive hold-down arm
- Non-slip table stabilisers
- Swing guides with stops
- Overload fuse
- Illuminated switch
- Visible HOT marking

Auto Lift

A system of stays for easier lifting of the heating plate. Increases efficiency.

Robust Design

The frame is made of acid-resistant steel with a thickness of over 2 mm. Solid and robust design.

Non-Stick Titanium Sealing Surface

Prevents all types of film from sticking to the surface. Quick sealing, takes 1-3 seconds (depending on film thickness).

Pressure Absorber

Easy adjustment of the force of pressure of the edge of the packaging to the heating plate. Prevents packaging from breaking. Eliminates micro-qaps and leaks.

Powerful Heater

Powerful heaters reduce heating time. It only takes 8-10 minutes (depending on the set temperature). Uniform temperature across the entire sealing surface. Thermal insulation reduces heat loss.

Cutting off the Film

with an automatically retractable cutter with 133 sharp teeth. Great choice for thick films. Film is cut just behind the sealed container in a special strip based on AIR-CUT technology

> Includes a FREE 805572 die for single-compartment trays 227x178 mm!

Maintenance/Safe Zone

Frame base insulated from high temperature and electrical voltage. High quality materials and seamless design for quick cleaning of the bottom part of the body, without having to turn off the device.



Hot Point Temperature Controller

HENDI

10

Temperature controller with a range of 50-210°C.

For precise adjustment of bond strength for a wide range of packaging and sealing films.



Roller Truck Film Feeder with Tensioner

Versatile device for different roller widths – max. 187 mm. JUMBD rolls up to 170 mm in diameter. The tensioner ensures even positioning of the film, prevents unwinding and excessive feeding.



HENDI

TRAY SEALER

- Seal the most popular tray types on the market with optional dies.
- Robust and stable stainless steel construction.
- Equipped with a lid with spring mechanism for easy and safe opening.
- Welding process is almost effortless; resistance is minimal due to bearings and special sliding material.
- Pressure absorber ensures a tight seal and prevents packages from crushing.
- Insulated handle made of damage-resistant plastic.
- Automatic guillotine with safety knife in specially designed cover; cutting takes place just behind the sealed container in a special strip (air-cut technology).
- Film feeder with a stretcher prevents the film from curling up.
- Sealing surface has titanium coating that prevents film sticking and enables a fast seal in 1-3 seconds (depending on film thickness).
- High power heaters reduce heat-up time.
- Warm-up time after start-up to full operational mode approximately 8-10 minutes.

- Knob with fine adjustment of sealing temperature from 50-210°C.
- Color-coded LEDs for monitoring appliance performance.

Û

00

নি

ကြီး

- Overheat lock, overheat protection, illuminated safety switch.
- Anti-slip feet ensure stability of the unit during operation and protect the tabletop from scratches.
- Sealing of trays up to tray size 235x190x(H)155 mm and cups up to (H)170 mm.
- Maximum film roll size: width 187 mm, ø170 mm film sold separately (970720).
- Equipped with aluminium die for 227x178 mm containers (805572), without divider.
- Detachable power cord, 1.5 m, grounded.

805633

805640

805657

805664

- Power: 700 W
- Power supply: 230 V
- Net weight: 10 kg.

code	V	W	mm	€
976722	230	700	247x637x(H)258	556,00



for two soup containers

ø115 mm

for a colt 227x178 mm

two-compartment tray for a single-compartment

178x113 mm trav

+ ø115 mm container for a single-compartment

187x137 mm tray

TRAY SEALER HENDI 976722 MATRIX

Made of polished aluminium.
 Black silicone seal

shape	code	type	€
	805572	for a single-compartment 227x178 mm tray	99,00
	805589	for two 178x113 mm trays	99,00
	805596	for a 227x178 mm two-compartment tray	99,00
\bigcirc	805619	for large soup container ø165 mm	99,00
	805626	for a three-container 227x178 mm tray	99,00

FILM FOR PET/CPP PEEL 12/40 SEALERS

- Designed for packaging PET 12 / CPP 40 food trays.
- PEEL layer for easy peeling off the sealed film.
- Film dimensions: width: 18.5 cm, length: 250 lm.
- Roll diameter: ø15 cm.
- Film roll weight: approx. 2.9 kg.
- Suitable for the HENDI tray sealer (330005).





€

99.00

99,00

99.00

99.00





TRAY SEALER COMPACT

- Construction made of stainless steel.
- Equipped with a lid with spring mechanism for easy and safe opening.
- Insulated handle made of damage-resistant plastic.
- Automatic guillotine with safety knife in specially designed cover; cutting takes place just behind the sealed container in a special strip (air-cut technology).
- Anti-slip feet protecting the tabletop from scratching.
- Sealing surface has titanium coating that prevents film sticking and enables a fast seal in 1-3 seconds (depending on film thickness).
- Pressure absorber ensures a tight seal and prevents packages from crushing.

- Colour-coded LEDs for monitoring the performance.
- Overheat lock, overheat protection, illuminated safety switch.
- Warm-up time after start-up to full operational mode approximately 8-10 minutes.
- Sealing of trays up to: 235x190x(H)155 mm and cups up to: (H)170 mm.
- Maximum film roll size: width 187 mm, ø170 mm film sold separately (code: 970720).
- Equipped with aluminium die for 227x178 mm containers (code: 805572), without divider.

code	٧	W	mm	€
330005	230	700	610x214x(H)190	542,00



Prices net of VAT



297360

STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Automatic start of packaging cycle by closing the top cover.
- Vibration pump.
- Pump capacity: 10 l/min.
- Net weight: 3.3 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

ŵ	۲	6	8	۲		
			_	_	-	
	_					

201626

ABS

ති

f

नि

ကြီ

STRIP VACUUM PACKAGING MACHINE WITH A ROLL FEEDER

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- 2 bag sealing times and 2 levels of air suction power.
- Bag holder in the housing.
- Vibration pump.
- Pump capacity: 6.5 l/min.
- Net weight: 2 kg
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	۷	W	mm	€
201626	310	230	100	385x205x(H)95	122,00

code	seal strip (mm)	V	W	mm	€
297360	330	230	250	380x180x(H)110	181,00

FRESH STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- Handy retractable knife.
- User-friendly control panel.
- 2 vacuum modes normal and light.
- 2 bag sealing times.
- Marinate function: 3 air extraction and return cycles for a total of 10 minutes; the vacuum allows the marinade to penetrate the product more quickly, thus speeding up the process.
- Built-in bag hopper.
- Automatic start of packaging cycle by closing the top cover.
- Vibration pump.
- Pump capacity: 16 l/min.
- Net weight: 2 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag

code	seal strip (mm)	V	W	mm	€
899977	310	230	180	375x155x(H)80	152,00



AB	S
plastic	Ð

STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Made entirely of durable ABS plastic.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- 2 bag sealing times.
- Vibration pump.
- Pump capacity: 11 l/min.Net weight: 1.74 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	۷	W	mm	€
975350	310	230	100	390x160x(H)92	114,00



975350



STRIP VACUUM PACKAGING MACHINE

- For use in a variety of industries and home kitchens.
- For packaging of food and technical products,
- excluding liquids.
- Stainless steel housing.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- 3 bag sealing times.
- Automatic start of packaging cycle by closing the top cover. Vibration pump.
- Pump capacity: 13 l/min.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.



ති

f

নি

ကြီ

					297384
code	seal strip (mm)	V	W	mm	€
297384	330	230	380	385x300x(H)170	359,00



VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Can be used with bag rolls attachment 970638.
- Stainless steel housing.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Countdown timer adjustment function: 0-6 s
- With marinate function.
- With pulse vacuum generation mode.
- Quick start buttons for vacuum and sealing on the handle.
- Automatic switch off after 10 minutes of idleness.
- Vibration pump.
- Pump capacity: 16 l/min.
- Net weight: 5 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	V	W	mm	€
975374	410	230	550	490x260x(H)145	417,00



BAG ROLLS ATTACHMENT FOR 975374 VACUUM PACKAGING MACHINE

- Can be attached to vacuum packaging machine Kitchen Line 975374 or as a stand-alone attachment for other vacuum packaging machines.
- Equipped with a removable knife to cut exactly the needed bag length.
- Internal dimensions: 412x101x(H)101 mm.
- For rolls with maximum dimensions of Ø 100x400 mm.
- Base made of ABS.
- Transparent polycarbonate cover for easy control of the roll.

code	mm	€
970638	487x122x(H)107	27,50

Prices net of VAT



975336

VACUUM PACKAGING MACHINE

- Made of stainless steel.
- Professional vacuum pump.
- Semi-automatic operation.
- Teflon-coated sealing strip.
- Vacuum pump: 20 L/min.

- For use with embossed bags only.

code	seal strip (mm)	V	W	mm	£
975336	350	230	250	370x260x(H)130	442,00



STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products. excluding liquids.
- Housing made of AISI 304 stainless steel.
- The lid seal guarantees a tight seal during operation.



- User-friendly control panel.
- Pressure gauge with a timer allows you to accurately determine when the required vacuum level is reached in the embossed baq.
- 9 vacuum levels, depending on bag size (no adjustment of vacuum time).
- Bag sealing time countdown.
- Vibration pump.
- Pump capacity: 20 l/min
- Net weight: 8 kg
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag. _

code	seal strip (mm)	V	W	mm	€
970362	350	230	250	370x280x(H)170	528,00

STRIP VACUUM PACKAGING MACHINE

- For packaging of food and non-food products, excluding liquids.
- Housing made of AISI 304 stainless steel.
- The lid seal guarantees a tight seal during operation.
- User-friendly control panel.
- Pressure gauge with a timer allows you to accurately determine when the required vacuum level is reached in the embossed bag.
- Automatic start of packaging cycle by closing the top cover.
- 8 vacuum levels, depending on bag size (no adjustment of vacuum time).
- Vibration pump
- Pump capacity: 19 l/min.
- Net weight: 6.5 kg.
- The vacuum packaging machine is not dedicated for continuous operation.
- To be used with embossed bag.

code	seal strip (mm)	V	W	mm	€
297407	330	230	380	420x290x(H)165	556,00







EMBOSSED VACUUM BAGS - 100 PCS

- 2-ply, inside layer 60 µm food contact approved Polyethylene, outside layer 15µm Polyamide (Nylon).
- Total thickness is 75 µm.
- The used materials act as an UV filter.
- Embossing improves the air flow out of the bag during the vacuum packing process.
- Bags can be used in temperatures from -20° up to 100°C.
- Suitable for chamber and external vacuum packing machines.

code	packed per	mm	€
971406	100	200x300	14,00
971390	100	150x250	9,75
971420	100	150x400	15,00
971437	100	250x350	19,50
971413	100	300x400	27,50
971444	2	200x6000	8,90
971451	2	300x6000	12,50





R

f

Ą

नि

ကြီ

KNURLED BAGS FOR PRODUCT STORAGE - FOR STRIP-TYPE PACKAGING MACHINES

- 100 PCS
- Can be used at a temperature ranging from -40°C to +40°C
- Diamond embossing facilitates air extraction and vacuum production
- Bags made of polyamide and polyethylene
- No Bisphenol A (BPA)

code	packed per	mm	€
297414	100	150x250	11,50
297421	100	150x400	17,00
297438	100	200x300	17,00
297445	100	250x350	24,00
297452	100	300x400	31,00
297469	2	200x6000	10,00
297476	2	300x6000	14,00



VACUUM PACKING BAGS, FOR CHAMBER VACUUM PACKING MACHINES

- 2 layers
- Inner layer made from food grade Polyethylene.
- Outer layer made from Polyamide (Nylon) increases strength and guarantees airtightness
- Total thickness: 65 µm.
- Suitable for chamber vacuum packing machines.
- Not suitable for sous vide cooking.

code	packed per	mm	€
970386	100	230x160	5,00
970607	100	200x140	5,30
970614	100	300x200	9,45
970393	100	350x250	12,00
970621	100	400x300	16,00



VACUUM COOKING BAGS - 100 PCS

- Suitable for sous vide cooking.
- 2-ply, inside layer 60 µm food contact approved Polyethylene, outside layer 15 µm Polyamide (Nylon).
- Total thickness is 75 µm.
- The used materials act as an UV filter.
- Bags can be used in temperatures from -20° up to 110°C.
- Suitable for chamber vacuum packing machines.


code	packed per	mm	€
971369	100	150x200	8,10
971345	100	150x250	9,75
971376	100	200x300	14,00
971352	100	250x350	18,50
971383	100	300x400	25.00

VACUUM CHAMBER PACKAGING MACHINE

- For professional use in the catering industry and other industries
- Durable design high-quality stainless steel casing and chamber
- Transparent lid made of durable high-quality ABS plastic makes it possible to control the – packaging process
- Convex lid makes it possible to pack large portions
- Bag sealing time: 0-6 s
- 6 vacuum levels to choose from
- Sealing only function
- Marinating function: 11 cycles of extracting and letting air into the bag (one cycle takes 9 min); thanks to negative pressure, marinade penetrates into the product faster, which significantly speeds up the whole process
- The packing cycle starts automatically when the upper lid is closed
- Professional and highly efficient rotary pump
- Intended for continuous operation

VACUUM CHAMBER PACKAGING MACHINE

- For professional use in the catering industry and other industries
- For packing food and technical products, including those with a high water content
- Durable design casing and chamber made of high-quality AISI 304 stainless steel
- Transparent lid made of durable high-quality ABS plastic makes it possible to control the packaging process
- Convex lid make it possible to pack large portions
- V-shaped gasket with a low leak rate
- Clear indicators (digital display and dial gauge) make it possible to pinpoint the moment when the required vacuum level is reached in the chamber of the packaging machine
- Adjustable pump operation time makes it possible to obtain an appropriate vacuum level in 0-99 s
- Adjustable sealing time within the range of 0-3.5 s
- Adjustable pump cooling level within the range of 0-9.9 s
- The packing cycle starts automatically when the upper lid is closed
- Oil pump ensures a short and very efficient packing cycle
- To be used with smooth and embossed bags





VACUUM PACKAGING MACHINES

- For professional use in the catering industry and other industries
- For packing food and technical products, including those with a high water content
- Durable design casing and chamber made of high-quality AISI 304 stainless steel
- Transparent lid made of durable high-quality ABS plastic makes it possible to control the packaging process
- Convex lid and concave bottom make it possible to pack large portions
- Gasket in the lid has a low leak rate
- Clear indicators (digital display and dial gauge) make it possible to pinpoint the moment when the required vacuum level is reached in the chamber of the packaging machine
- Adjustable vacuum time 5-90 s
- Adjustable bag sealing time advances every 0.5 s up to 6 s
- Marinating function with adjustable time from 9 to 99 minutes (duration of one cycle: 9 min): the possibility to programme 11 cycles of extracting and letting air into the bag; thanks to negative pressure, marinade penetrates into the product faster, which significantly speeds up the whole process
- The packing cycle starts automatically when the upper lid is closed
- Oil pump ensures a short and very efficient packing cycle
- To be used with smooth and embossed bags



VACUUM COOKING BAGS - 100 PCS

- Suitable for sous vide cooking.
- 2-ply, inside layer 60 μm food contact approved Polyethylene, outside layer 15 μm Polyamide (Nylon).

ති

f

नि

I

- Total thickness is 75 μm.
- The used materials act as an UV filter.
- Bags can be used in temperatures from -20° up to 110°C.
- Suitable for chamber vacuum packing machines.

code	packed per	mm	€
971369	100	150x200	8,10
971345	100	150x250	9,75
971376	100	200x300	14,00
971352	100	250x350	18,50
971383	100	300x400	25,00





Domed cover

201428 High-quality stainless steel casing and chamber

M H E N D I

code	201428	201435	201442
dimensions	330x480x(H)356 mm	359x425x(H)356 mm	505x567x(H)465 mm
chamber dimensions	280x393x(H)80 mm	300x350x(H)80 mm	425x457x(H)100 mm
seal strip	260 mm	300 mm	410 mm
pump performance	8 m³/h - 133,3 l/min	8 m³/h - 133,3 l/min	20 m³/h - 333,3 l/min
power/voltage	1000 W/230 V	950 W/230 V	1000 W/230 V
weight	24 kg	25,2 kg	59 kg
€	1 120,00	1 200,00	1 950,00

Control panel



VACUUM PACKING BAGS, FOR CHAMBER VACUUM PACKING MACHINES

- 2 layers
- Inner layer made from food grade Polyethylene.
- Outer layer made from Polyamide (Nylon) increases strength and guarantees airtightness
- Total thickness: 65 μm.
- Suitable for chamber vacuum packing machines.
- Not suitable for sous vide cooking.

code	packed per	mm	€
970386	100	230x160	5,00
970607	100	200x140	5,30
970614	100	300x200	9,45
970393	100	350x250	12,00
970621	100	400x300	16,00

VACUUM PACKAGING MACHINES - SE 200, 300, 400 AND 500 SERIES

- Vacuum-packed food products stay fresh longer and are perfectly protected against external factors (e.g. dirt, moisture). In addition, air extraction enables reduction of the volume of some products.
- The feature of pouch sealing without sucking air enables delicate products to be sealed without altering their structure or irregular shaped products to be sealed without distortion.
- Gradual vacuum generation used for porous products, processed meat, emulsified mixtures with trapped air bubbles.
- External vacuum packaging [Vac-Norm] the process requires special catering containers. To use the Vac-Norm feature, it will be necessary to purchase the external Vac-Norm vacuum kit consisting of a cord and connector to the chamber of the vacuum packer.
- Dry Oil: Pump drying this feature enables maintaining high oil quality by removing excess moisture allowing the appliance to achieve the highest level of vacuum generation.
- The Marinate mode is designed to repeat the vacuum generation cycle and release air from the pouch which results in perfect marinating of foodstuffs within the shortest time possible.
- The packaging machines are made of the highest quality materials, which makes them durable and resistant to external factors.

- A transparent lid enables observing the entire packaging process.
- The sensor-controlled extraction program is particularly suitable for products with a fine texture.
- The appliance has a double sealing bar to guarantee tightness and durability of the packaging.
- The chamber is made of a single piece of steel which makes it easy to keep the packing machine clean.
- Adequate power, powerful pump, and large chamber ensure fast packaging of products of various sizes.
- A digital control panel with a large colour display enables setting the sealing temperature and cycle time parameters.
- Vacuum packaging machines can seal pouches of marinated products while maintaining their volume as packaging takes place without extracting air.
- 3.9" colour LCD screen.
- The backlit touch keyboard is made of scratch-resistant plastic.
- Max. vacuum pressure: 2 mbar.
- To order:
- Vac-Norm external vacuum kit for packaging in special containers with automatic suction.
- Bluetooth system for wireless connection with a dedicated application..







NSF.

Ć

ß

r

Ř

ස

ů

Ţ,







1140642

1140642

VACUUM PACKING MACHINES SE SERIES 200, 300, 400 AND 500

code	1141080	1140628	1140636	1141142
model	SE-208	SE-310	SE-416	SE-520 CC
external dimensions	337x431x(H)307 mm	384x465x(H)403 mm	484x529x(H)448 mm	634x552x(H)513 mm
chamber dimensions	288x334x(H)111 mm	330x360x(H)155 mm	430x415x(H)180 mm	568x430x(H)215 mm
bar length	280 mm	320 mm	420 mm	420+420 mm
pump capacity BUSCH	8 m³/h	10 m³/h	16 m³/h	20 m³/h
max. vacuum pressure	2 mbar	2 mbar	2 mbar	2 mbar
power/voltage	370 W/230 V	370 W/230 V	550 W/230 V	750 W/230 V
weight	26 kg	34 kg	65 kg	76 kg
€	2 720,00	3 320,00	4 200,00	5 710,00

VACUUM PACKING MACHINES SE SERIES 600

code	1140650	1140651	1140662	1140663
model	SE-604	SE-604 CC	SE-606	SE-606 CC
external dimensions	740x566x(H)997 mm	740x566x(H)997 mm	740x566x(H)997 mm	740x566x(H)997 mm
chamber dimensions	672x481x(H)200 mm	672x481x(H)200 mm	672x481x(H)200 mm	672x481x(H)200 mm
bar length	413+656 mm	465+465 mm	413+656 mm	465+465 mm
pump capacity BUSCH	40 m³/h	40 m³/h	63 m³/h	63 m³/h
max. vacuum pressure	0,5 mbar	0,5 mbar	0,5 mbar	0,5 mbar
power/voltage	1100 W/230 or 400V	1100 W/230 or 400V	1500 W/230 or 400V	1500 W/230 or 400V
weight	145 kg	145 kg	159 kg	159 kg
€	9 200,00	9 240,00	9 670,00	9 670,00

VACUUM PACKING MACHINES SE SERIES 800

code	1140680	1140681	1140682	1140696	1140697	1140698
model	SE-806	SE-806 CC	SE-806 LL	SE-810	SE-810 CC	SE-810 LL
external dimensions	960x757x(H)998 mm					
chamber dimensions	864x603x(H)215 mm					
bar length	530+848 mm	581+581 mm	848+848 mm	530+848 mm	581+581 mm	848+848 mm
pump capacity BUSCH	63 m³/h	63 m³/h	63 m³/h	100 m³/h	100 m³/h	100 m³/h
max. vacuum pressure	0,5 mbar					
power/voltage	1500 W/230 or 400V	1500 W/230 or 400V	1500 W/230 or 400V	2200 W/230 or 400V	2200 W/230 or 400V	2200 W/230 or 400V
weight	232 kg	232 kg	232 kg	250 kg	250 kg	250 kg
€	11 900,00	11 900,00	12 000,00	14 000,00	14 000,00	14 100,00



ULTRA SENSOR FOR VACUUM PACKAGING MACHINES

- Hermetic packaging of various types of products protects them from external factors (e.g. dirt, moisture).
- Air extraction enables reduction of the volume of some products.
- The airless pouch sealing function enables fragile products to be sealed tightly.
- Gradual vacuum generation used for porous products, processed meat, emulsified mixtures with trapped air bubbles.
- External vacuum packaging (Vac-Norm) the process requires special catering containers. To use the Vac-Norm feature, it will be necessary to purchase the external Vac-Norm vacuum kit consisting of a cord and connector to the chamber of the vacuum packer.
- Dry Oil: Pump drying this feature enables maintaining high oil quality by removing excess moisture allowing the appliance to achieve the highest level of vacuum generation.
- The Marinate mode is designed to repeat the vacuum generation cycle and release air from the pouch which results in perfect marinating of foodstuffs within the shortest time possible.
- Safe packaging of liquids and products with high water content
 the safety system automatically stops the suction process, blocking the suction of liquids.
- Packing machines made of top quality materials.
- A transparent lid enables observing the entire packaging process.
- The sensor-controlled extraction program is particularly suitable for products with a fine texture.
- Double sealing line guarantees tightness and durability of packaging.

- The chamber is made of a single piece of steel for easy maintenance.
- Safe packaging of liquids and products with high water content
- A digital control panel with a large colour display enables setting the sealing temperature and cycle time parameters.
- Manual control or by pre-set programs (25 various vacuum programs, gradual vacuum generation).
- Bluetooth wireless connectivity enables connection to the app and managing programs.
- Ability to seal bags of pickled products while preserving their volume.
- 3.9" colour LCD screen.
- The backlit touch keyboard is made of scratch-resistant plastic.
- The set includes: 1 polycarbonate filling plate
- Max. vacuum pressure: 2 mbar

To order:

- label printing system with possibility to connect a printer with freeze resistant self-adhesive labels (text is entered via the application).
- Vac-Norm external vacuum kit for packaging in special containers with automatic suction.
- protective gas injection system enabling vacuum packaging of foodstuffs in an atmosphere free of oxygen and water vapour which enables better protection of the product against external factors.
- Plus system for sealing thicker film pouches and metallised pouches..







Watch the video

вүзсн

All models are equipped with a Busch pump for efficiency and economy

VACUUM PACKING MACHINES SENSOR ULTRA SERIES 300, 400 AND 500

1140790

code	1140742	1140772	1141100
model	SU-316	SU-420	SU-520 CC
external dimensions	384x465x(H)403 mm	484x529x(H)448 mm	634x552x(H)513 mm
chamber dimensions	330x360x(H)155 mm	430x415x(H)180 mm	568x430x(H)215 mm
bar length	320 mm	420 mm	420+420 mm
pump capacity	16 m³/h	20 m³/h	20 m³/h
max. vacuum pressure	2 mbar	2 mbar	2 mbar
power/voltage	370 W/230 V	750 W/230 V	750 W/230 V
weight	34 kg	70 kg	70 kg
€	3 810,00	4 790,00	5 990,00

(Ω) η ε Ν d i





VACUUM PACKING MACHINES SE SENSOR ULTRA SERIES 600

code	1140811	1140817	1140835	1140845
model	SU-604	SU-604CC	SU-606	SU-606CC
external dimensions	740x566x(H)997 mm	740x566x(H)997 mm	740x566x(H)997 mm	740x566x(H)997 mm
chamber dimensions	672x481x(H)200 mm	672x481x(H)200 mm	672x481x(H)200 mm	672x481x(H)200 mm
bar length	413+656 mm	465+465 mm	413+656 mm	465+465 mm
pump capacity	40 m³/h	40 m³/h	63 m³/h	63 m³/h
max. vacuum pressure	0,5 mbar	0,5 mbar	0,5 mbar	0,5 mbar
power/voltage	1100 W/400 V	1100 W/400 V	1500 W/400 V	1500 W/400 V
weight	145 kg	145 kg	159 kg	159 kg
€	9 620,00	9 620,00	10 200,00	10 200,00

VACUUM PACKING MACHINES SE SENSOR ULTRA SERIES 800

code	1140881	1140887	1140893	1140935	1140945	1140955
model	SU-806	SU-806CC	SU-806LL	SU-810	SU-810CC	SU-810LL
external dimensions	960x757x(H)998 mm					
chamber dimensions	864x603x(H)215 mm					
bar length	530+959 mm	581+581 mm	848+848 mm	530+848 mm	581+581 mm	848+848 mm
pump capacity	63 m³/h	63 m³/h	63 m³/h	100 m³/h	100 m³/h	100 m³/h
max. vacuum pressure	0,5 mbar					
power/voltage	1500 W/400 V	1500 W/400 V	1500 W/400 V	2200 W/400 V	2200 W/400 V	2200 W/400 V
weight	232 kg	232 kg	232 kg	250 kg	250 kg	250 kg
€	12 400,00	12 400,00	12 500,00	14 400,00	14 400,00	14 500,00

VACUUM PACKING MACHINES SE SENSOR ULTRA SERIES 6000

code	1141030	1141050
model	SU-6100	SU-6160
external dimensions	1640x874x(H)1370 mm	1640x874x(H)1370 mm
chamber dimensions	2x 662x874x(H)205 mm	2x 662x874x(H)205 mm
bar length	2x (660+660) mm	2x (660+660) mm
pump capacity	100 m³/h	155 m³/h
max. vacuum pressure	0,5 mbar	0,5 mbar
power/voltage	2200 W/400 V	4000 W/400 V
weight	360 kg	360 kg
€	21 800,00	26 300,00

PLATE FOR PACKING LIQUIDS

- Comes with the adjustable pouch stand.
- S.S. - Available for Sensor Ultra chamber vacuum packaging machines of 300/400/500/600/800 series.

code	-	€
2141798	Sensor Ultra seria 800	122,00
2149074	Sensor Ultra seria 600	122,00
2149531	Sensor Ultra seria 300	122,00







S sammic

NSF.



٢

C

Ř

B

Ő

''

HENDI

4-BURNER GAS STOVE WITH A BASE CLOSED ON THREE SIDES, WITH A GAS OR ELECTRIC OVEN



cast iron grates 335,200 mm, separate for each burner gas or electric oven GN 1/1	 Thermocouple and p extinction 	es included nm x 300mm, separate for each burner rotection against gas flow in case of flame AISI 304, housing: AISI 430	 Gas or electric oven GN 1/ Stainless steel chamber 4 tray support sets for GN Tray support spacing: 75 r Chrome-plated tray support for thorough cleaning 1 GN 1/1 grid included Thermostat 	1/1 nm
countertop: AISI 304, housing: AISI 430 adjustable steel feet 100-165 mm adjustable steel feet 100-	335x300 separate for	mm, Orina		—— for ø120-300 mm pots
oven GN 1/1 adjustable steel feet 100-165 mm Oven GN 1/1 Oven GN 227596 Oven MOX700x(H)900 mm <			90 	
100-165 mm 100-165 mm IOD-165 mm IOD-100 mm IOD-1000 mm IOD-10000 mm IOD-1000000000000000000000000000000000000				
Oven BN 1/1 Oven BN 1/1 Oven BN 1/1		J	E	
code 227596 227893 227886 dimensions 800x700x(H)900 mm 800x700x(H)900 mm 800x700x(H)900 mm oven dimensions - 640x370x(H)350 mm 640x370x(H)350 mm burner power 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW type of oven - gas electric oven power - 4 kW 3 kW total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg		00 00 I	oven	oven
dimensions 800x700x[H]900 mm 800x700x[H]900 mm 800x700x[H]900 mm oven dimensions - 640x370x[H]350 mm 640x370x[H]350 mm burner power 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW type of oven - gas electric oven power - 4 kW 3 kW total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg				
oven dimensions - 640x370x(H)350 mm 640x370x(H)350 mm burner power 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW type of oven - gas electric oven power - 4 kW 3 kW total power - 2 2 kW (HS) 22 kW (HS) votage - - 230 V weight 72 kg 85 kg 82 kg	code	227596	227893	227886
burner power 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW 2x 3,5 kW + 2x 6 kW type of oven - gas electric oven power - 4 kW 3 kW total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg	dimensions	800x700x(H)900 mm		
type of oven - gas electric oven power - 4 kW 3 kW total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg		-		
oven power - 4 kW 3 kW total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg		2x 3,5 kW + 2x 6 kW		
total power 19 kW [HS] 23 kW [HS] 22 kW [HS] voltage - - 230 V weight 72 kg 85 kg 82 kg		-		
voltage - - 230 V weight 72 kg 85 kg 82 kg				
weight 72 kg 85 kg 82 kg		-	20 KW [IID]	
		72 kg	85 ka	
€ *227576* 2.270.00 2.200.00	€	*227596*	2 270,00	2 200,00



6-BURNER GAS STOVE WITH A BASE CLOSED ON THREE SIDES, WITH A GAS OR ELECTRIC OVEN

S.S. - Burners: 3 x 3.5 kW + 3 x 6 kW - Gas or electric oven GN 1/1 - Electric igniter - Stainless steel chamber - LPG nozzles included - 4 tray support sets for GN 1/1 - For pots: ø120-300 mm - Tray support spacing: 75 mm - Cast iron grates 335 x 300 mm, separate for each burner - Chrome-plated tray supports, removable - Thermocouple and protection against gas flow in case of flame for thorough cleaning extinction - 1 GN 1/1 grid included **ELECTRIC** - Kitchen countertop: AISI 304, housing: AISI 430 - Thermostat - Adjustable steel legs 100-165 mm **IGNITER** cast iron grates for ø120-300 mm pots 335x300 mm. separate for each hurner 0 00 countertop: AISI 304. housing: AISI 430 gas or electric oven GN 1/1 adjustable steel feet 100-165 mm 2) 0 0.0 oven oven GN 1/1 GN 1/1 3.5 3.5 6 35 6 6 Eøs Eøs Eøg Eøg E¢3 E¢3 E 3,5 6 3,5 6 3,5 3,5 3,5 6 3,5 227909 227923 227916 code 1200x700x(H)900 mm 1200x700x(H)900 mm 1200x700x(H)900 mm dimensions 640x370x(H)350 mm oven dimensions 640x370x(H)350 mm 3x 3.5 kW + 3x 6 kW 3x 3.5 kW + 3x 6 kW 3x 3.5 kW + 3x 6 kW burner power qas electric type of oven _ 4 kW 3 kW oven power 28,5 kW [HS] 32,5 kW [HS] 31,5 kW [HS] total power 230 V voltage 95 ka 108 ka weight 105 ka 2 190,00 2 710,00 2 690,00 €

MHENDI

R

(

Ĥ

Ą

नि

Ö

''

<u>555</u>

GAS COOKER 4-BURNER WITH CONVECTION ELECTRIC OVEN GN 1/1



- Burners: 2 x 3.5 kW + 2 x 6 kW.
- Pots: Ø 120-300 mm.
- Cast iron pan support 335x300 mm, one for each burner.
- Thermocouple.
- Cooker top: AISI 304.
- Housing: AISI 430.
- Adjustable steel feet.
- Weight: 82 kg.

CONVECTION OVEN GN 1/1:

- Electric 3 kW/230 V.
- Stainless steel chamber: 640x370x(H)350 mm 4 rail pairs for GN 1/1.
- Distance between rails: 75 mm.
- 1 GN 1/1 grid included.
- Thermostat.





Prices net of VAT

GAS COOKER 6-BURNER WITH CONVECTION ELECTRIC OVEN GN 1/1

- Burners: 3 x 3.5 kW + 3 x 6 kW
- Pots: Ø 120-300 mm
- Cast iron pan support 335x300 mm, one for each burner
- Thermocouple
- Cooker top: AISI 304
- Casing: AISI 430
- Adjustable steel feet
- Weight: 105 kg



- Electric 3 kW/230 V
- Stainless steel chamber: 640x370x(H)350 mm 4 rail pairs for GN 1/1
- Distance between rails: 75 mm
- 1 GN 1/1 grid included
- Thermostat



S.S.

R

(

Ĥ

Ą

नि

Ö

''

ELECTRIC COOKER KITCHEN LINE 4-PLATE OPEN STAND OR WITH CONVECTION ELECTRIC OVEN GN 1/1



- Worktop made of AISI 304 stainless steel
- Side panel made of AISI 430 stainless steel
- Cabinet closed on 3 sides, internal dimensions: 798x570x(H)470 mm
- Adjustable steel legs 100-165 mm

CONVECTION OVEN GN 1/1:

- Convection, electric, 3 kW
- Capacity: 4x GN 1/1
- Distance between rails: 75 mm
- Chromium rails, removable for proper cleaning 1 non-reversible fan
- Stainless steel chamber: 635x370x(H)350 mm
- 1 GN 1/1 grid included






ELECTRIC COOKER KITCHEN LINE 6-PLATE OPEN STAND OR WITH CONVECTION ELECTRIC OVEN GN 1/1

- Worktop made of AISI 304 stainless steel
- Side panel made of AISI 430 stainless steel
- Cabinet closed on 3 sides, internal dimensions: 1198×570×(H)470 mm
- Cast iron heaters: 6x ø220 mm, 2.6 kW each
- Adjustable steel legs 100-165 mm

CONVECTION OVEN GN 1/1:

- Convection, electric, 3 kW
- Capacity: 4x GN 1/1
- Distance between rails: 75 mm
- Chromium rails, removable for proper cleaning
- 1 non-reversible fan
- Stainless steel chamber: 635x370x(H)350 mm
- 1 GN 1/1 grate included



<u>S.S</u>.

R

(

Ĥ

Ą

ति

ကြိ

<u>555</u>









GAS COOKER - 5 BURNERS WITH ELECTRIC OVEN

- Suitable for natural gas.
- Conversion set for propane gas included.
- 3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- Piezo ignition and thermocouple.
- Three-part cast iron pan support.
- Convection oven 1/1 GN with a capacity of 2.7 kW fitted with two ventilators, thermostat to 275°C and timer.
- Includes 2 grids.
- Additional upper element of 2.5 kW for grilling.
- Stainless steel oven interior and inner door.
- Weight: 78 kg.

code	V	W	kW[HS]	mm	€
225707	230	2900	14.3	900x655x(H)900	1 670,00





GAS COOKER - 5 BURNERS, OPEN FRAME

- Suitable for natural gas.
- 3 burners of 3.0 kW.
- 1 small burner of 1.8 kW.
- 1 wok burner of 3.5 kW.
- With electronic ignition and thermocouples.
- Three-part cast iron pan support.
- Weight: 45 kg.

code	kW[HS]	mm	€
225806	14.3	900x600x(H)850	1 410,00



	RT ADAPTER all pans on large pan supports.	
code	mm	€
839997	255x255x(H)25	6,70

HENDI





18/8

+

3,5 **INDUCTION STOVE WITH 4 HOBS**

- Designed for professional kitchens to prepare several dishes at the same time.

3,5

- Made of durable stainless steel, reinforced with frame.
- 2 separate induction cooktops, 320x560 mm each, made of 5 mm thick tempered glass.
- Equipped with 2 5000 W and 2 3500 W induction burners.
- Up to 60% energy savings when compared to standard electric cookers.
- 4 independent control knobs, 11 power levels to choose from.
- Safe and comfortable working thanks to heat generation only on contact between the hob and the pot or pan.
- Suitable for induction pots and pans with base diameter of ø160 - 260 mm
- Maximum allowable load for cooktops: 100 kg.
- Adjustable feet (±30mm) for perfect leveling of the cooker.
- Rack provides ample storage space for pots, pans or other accessories.
- Unit sis not supplied with a pluq.
- Caution: the unit has to be connected to the power supply by an electrician

code	V	W	mm	€
237687	400	17000	800x700x(H)870	2 780,00

INDUCTION HOKKER HIGH POWER

- Designed for use with woks or extra large induction pots.
- Made of durable stainless steel, reinforced with frame.
- Induction cooktop with 340x340 mm dimensions, made of 5 mm thick tempered glass.
- Up to 60% energy savings when compared to standard electric cookers.
- Convenient control knob, 11 power levels to choose from.
- Safe and comfortable working thanks to heat generation only on contact between the hob and the pot or pan.
- Suitable for induction pots and pans with base diameter of ø160 - 300 mm.
- Maximum allowable load for cooktop: 40 kg.
- Adjustable feet (±30mm) for perfect leveling of the cooker.
- Unit sis not supplied with a plug.
- Caution: the unit has to be connected to the power supply by an electrician.

code	V	W	mm	€
237670	400	5000	400x400x(H)380	834,00

f नि **I**

ති





- Fitted with thermocouple and electronic

- Gas hose and pressure regulator included.

- Fitted with cast iron pan carrier.

- Can be expanded with hokker base

(147306), wok ring (147207) and wok

ignition.

(626504).



natural gas.

ignition.

- Fully stainless steel frame.





- Converter set included to make it also suitable for natural gas.
 - Fitted with an extra large enamelled pan support.
 - Frame completely out of stainless steel.
 - Fitted with thermocouple and electronic ignition.
 - Gas hose and pressure regulator included.

										5	
code	kW[HS]	mm	€	code	kW[HS]	mm	€	code	kW[HS]	mm	€
147108	6.7	425x425 x(H)400	703,00	147801	6	400x440 x(H)390	278,00	147276	10.8	580x650 x(H)400	480,00

- Gas hose and pressure regulator included.

- Fitted with thermocouple and electronic

- Fitted with enamelled pan support.



RING FOR HO - To adapt Hokker	DKKER 147108 to use with wok 626504.	18/0 stainless steel
code	mm	€
147207	ø360x(H)80	89,50

00

THERMAL PROCESSING





GAS GRILL HOB, SMOOTH, ON A CABINET **ENCLOSED ON 3 SIDES**

- Excellent for fat-free grilling
- Hob made of S355J2 soft steel, smooth
- Two heating zones, controlled separately, each with 3 tubular multiramp burners made of stainless steel
- Gas power of one heating zone: 5 kW
- Temperature controlled by a thermocouple with safety valve that cuts off gas supply to the burners in case the flame goes out
- Electric igniter connection to 230 V supply required
- The hob is slightly inclined frontwards to make rendered fat flow down during grilling, includes an opening and a slidable drawer
- Base made as an open cabinet made of AISI 430 steel, 380 mm hiah
- Device fitted as standard with NG50 (G30) gas nozzles
- Nozzles for cylinder LPG included
- Gas connection in the rear left part, at approx. 550 mm

-	Steel feet	adjustable from	100 to 165 mm	
	aada	LW[LIC]	P2 P2	

code	kW[HS]	mm	€
220207	10	800x700x(H)900	2 780,00



MULTIFUNCTIONAL FRYER

- The tank is made of AISI 304 stainless steel
- It has thick bottom (up to 12 mm) that guarantees perfect heat distribution on the whole surface, which results in the high quality of served dishes.
- Hinged lid speeds up cooking and stewing.
- An additional latch secures the lid against accidental opening.
- The appliance is made of high quality stainless steel.
- Temperature controller by a thermostat, it can be set at 80°-300°C.
- Additional safety thermostat protects the unit from overheating.
- Indicator lights show the appliance connection to the power supply and the correct operation of the heaters.
- Adjustable steel feet (150 mm high) allow the appliance to be perfectly levelled.
- The base is equipped with 3 pairs of guides for GN 1/1 or GN 2/1 containers, depending on the model.
- GN containers must be ordered separately.
- 201015 model has two independently controlled heating zones.



_	CHENDI	code
		couc

HENDI

GAS LIGHTER - SET OF 2 PCS.

- Refillable.

198124

- Supplied em	ipty.		
code	packed per	mm	€
198124	2	(L)230	11,00

basin dimensions	355x570x(H)80 mm	755x570x(H)80 mm
power	3,3 kW	6,6 kW
voltage	400 V	400 V
weight	60 kg	100 kg
€	2 230,00	3 030,00

255





ති

C

f

नि

Ö





WE DO MORE FOR EVERY CULINARY VISION

GUARANTEE OF THE HIGHEST QUALITY Przemysław Klima

WWW.GRAFEN.COM

273869

11

273876

273845

Al

Al

RISE AND FALL HEAT LAMP CONICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting the length of the cord.
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	colour	٧	W	mm	€
273845	Black	230	250	ø275x(H)250	92,50
273869	Silver	230	250	ø275x(H)250	100,00
273876	Copper	230	250	ø275x(H)250	97,50

INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Ideal for back of house use, emits warm red light.
- Shatterproof, with normal fitting (E27).

		5		
code	V	W	mm	€
919217	230	250	ø125x(H)170	16,50

INFRARED HEAT BULB

- Infrared replacement bulb for heat lamps.
- Ideal for front of house use, emits bright white light.
- Shatterproof, with normal fitting (E27).



2 LAMP INFRARED FOOD WARMER BRIDGE

- Designed to keep food warm between preparing and serving.
- Height is easily adjustable between 590 and 790 mm.
- Shatterproof lamps included.

code	colour	V	W	mm	€
273906	Silver	230	500	453x360x(H)790	139,00
273913	Black	230	500	453x360x(H)790	150,00





273883

273890

273852 Al <u>ب</u>

R

F

(

f

Ř

नि

ကြိ

RISE AND FALL HEAT LAMP CYLINDRICAL

- Thanks to the adjustable cord this heat lamp is very flexible, the length of the cord is adjustable from 70 to 150 cm.
- The amount of heat provided can be changed by adjusting
- the length of the cord. _
- On/off switch located on top of the lamp.
- The included light bulb is shatterproof, making it suitable for keeping food warm.

code	colour	V	W	mm	€
273883	Silver	230	250	ø175x(H)250	79,00
273890	Copper	230	250	ø175x(H)250	79,50
273852	Black	230	250	ø175x(H)250	73,00



HENDICHEF IPC MULTI-PURPOSE FOOD PROCESSOR



20 functions cooking crushing stirring folding steam cooking sautéing grating sous vide whipping melting caramelisation emulsification kneading shredding chopping grinding slicing mixing blending weighing

- A modern food processor that enables:
 - automatic cooking using preloaded recipes guarantees the preparation of tasty and healthy meals in a flash
 - manual cooking, i.e. setting and changing the parameters on the fly during the cooking process
 - uploading more recipes

Additional features:

- displaying photos of the ingredients of a given dish colour display of functions and parameters: TFT (Thin Film Transistor, i.e. transistor used in liquid crystal displays)
- creating the archive of cooked dishes
- searching for favourite dishes
- creating new steps in the recipes

Technical parameters:

- Temperature control from 37°C to 130°C
- Timer: 0-90 min
- 12 stirrer speed settings
- 2 USB slots to upload recipes (on the bottom of the machine)
- Dimensions: 210×380×(H)320 mm
- Bowl volume: 4.5 l
- Heating power: 1000 W
- Motor power: 1000 W
- Mixing power: 1400 W
- Net/Gross weight: 17.2 kg /18.2 kg

code	٧	W mm		€
221761	230	1400	210x380x(H)320	611,00
517123	Set: bowl	139,00		



INDUCTION COOKERS

- Very clean design suitable for live cooking.







INDUCTION COOKER 2000W

- Touch-sensitive controls, power or temperature adjustable in 11 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

INDUCTION COOKER 3500W

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 20 kg.

code	V	W	mm	€	code	٧	W	mm	€
239391	230	2000	293x373x(H)56	111,00	239421	230	3500	337x417x(H)85	250,00





Sturdy stainless steel frame

High quality ventilation



DOUBLE INDUCTION COOKER

- Touch-sensitive controls, power or temperature adjustable in 9 steps.
- With boost mode which temporarily shifts some power from right hob to the left hob, providing up to 2000W
- The left side hob can output 1800W, or 2000W while the boost function is active
- The right side hob can output 1700W
- Temperature range: 35-240°C
- Suitable for pans with bottom diameter between 120 and 220 mm
- With timer function for 0-180 minutes
- Equipped with electronic protection against overheating
- Maximum load of the induction cooker: 2x15 kg

code	٧	W	mm	€
239414	230	3500	608x370x(H)61	232,00

INDUCTION HOT PLATE

 Unique induction hot plate with a rectangular induction coil which keeps pans warm while providing freedom of placement.

a GN tray up to GN 1/2

Works also with

- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.



239384

800 W

230 V

Touch-sensitive controls

code	V	W	mm	€
239384	230	800	460x315x(H)62	150,00



R

f

ø

Ē

Ř

B

ကြိ



Watch the video







INDUCTION COOKER MODEL 3500 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Height adjustable feet.
- Maximum load of the induction cooker: 20 kg.



INDUCTION COOKER MODEL 3500 D XL

- Digital power, temperature and timer setting via touch-sensitive controls
- Stainless steel housing
- With easily cleanable grease filter and double ventilation
- Suitable for pans with bottom diameter between 160 and 300 mm
- Height adjustable feet
- Maximum load of the induction cooker: 20 kg

code	V	W	mm	€	code	V	W	mm	€
23971	230	3500	340x440x(H)120	286,00	239698	230	3500	390x500x(H)120	345,00



INDUCTION WOK MODEL 3500

- Ideal for preparing nutritious meals.
- Stainless steel housing.
- With easily cleanable grease filter.
- Digital power setting.
- Settings immediately respond to high-low.
- Only suitable for use with wok pan 239773.









INDUCTION COOKER MODEL 5000 D

- Digital power, temperature and timer setting via touch-sensitive controls.
- Stainless steel housing.
- With easily cleanable grease filter and double ventilation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Height adjustable feet.

code

239322

۷

400

 Works on 380 V, supplied without plug, an electrician is required for the installation.

mm

398x515x(H)168

€.

514,00

- Maximum load of the induction cooker: 30 kg.

W

5000



INDUCTION COOKER MODEL 7000

- Stainless steel housing with two hobs.
- Front hob has a maximum power of 5000 W, when the front hob operates at 5000 W the rear hob can only generate 2000 W.
- Rear hob has a maximum power of 3500 W only while the front hob doesn't exceed 3500 W.
- Electronic protection against overheating.
- With adjustable metal feet and removable air filter.
- Works on 380 V, supplied without plug, an electrician is required for the installation.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- Maximum load of the induction cooker: 20+20 kg.

code	V	W	mm	€
239346	400	7000	405x698x(H)145	972,00

S.S. Defect the Corner of	Ctro gas induction	Watch the video	min ø120 mm max ø260 mm <u>3500 W</u> 230 V	Qui nat			239780
WOK - 3-ply material. - With stainless st - With stainless st - Specifically for u		3	 Steplessly Stainless Maximum Suitable for 	v adjustab steel hou load of th or pans w	le power d sing. ne inductio ith bottom	n cooker: 20 kg. diameter between 120) and 260 mm.
code	mm	€	code	V	W	mm	€
239773		106,00	239780	230	3500	327x425x(H)100	259,00

HENDI



R

f

P

Ĥ

Å

ति

Ö



- Touch-sensitive controls, power or temperature adjustable in 11 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

code	٧	W	mm	€
239278	230	2000	293x373x(H)56	134,00

- Touch-sensitive controls, power or temperature adjustable in 17 steps.
- Temperature range: 35-240°C.
- Suitable for pans with bottom diameter between 140 and 280 mm.
- With timer function for 0-180 minutes.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 20 kg.


code	V	W	mm	€
239292	230	3500	337x417x(H)85	245,00



DOUBLE INDUCTION COOKER

- Touch-sensitive controls, power or temperature adjustable in 10 steps.
- With boost mode which temporarily shifts some power from right hob to the left hob, providing up to 2000 W.
- The left side hob can output 1800 W, or 2000 W while the boost function is active.
- The right side hob can output 1700 W, or 1500 W while the boost function is active.
- Temperature range: 35°-240°C.
- Suitable for pans with bottom diameter between 120 and 220 mm.
- Maximum load of the induction cooker: 2x 15 kg.

code	V	W	mm	€
239285	230	3500	608x370x(H)61	240,00







- Digital power, temperature and timer setting.
- Settings immediately respond to high-low.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.
- Ceramic glass surface.
- Touch-sensitive control.
- Maximum load of the induction cooker: 15 kg.
- Suitable for pans with bottom diameter between 120 and 260 mm.

٧	W	mm	€	code	V	W	mm	
230	1800	315x345x(H)70	86,00	239230	230	2000	296x370x(H)46	

INDUCTION HOT PLATE

code 239209

- Unique induction hot plate with a rectangular induction coil which keeps pans warm while providing freedom of placement.
- Power adjustable in 11 steps by means of a knob.
- Temperature range: 40-100°C.
- Equipped with electronic protection against overheating.
- Maximum load of the induction cooker: 15 kg.

code	V	W	mm	€
239384	230	800	460x315x(H)62	150,00



HOT TRAY

- GN 1/1 aluminium.
- On insulated base.
- Automatically heats itself to 95°C.
- Can be used in combination with Thermobox Kitchen Line GN 1/1 and bigger (707906, 707968, 707951, 707944)

00				
code	V	W	mm	€
209509	230	190	530x325x(H)30	209,00





Ĥ

नि

Ö

€

111,00

Αl



00





QUARTZ HEATED COUNTERTOP

- Stainless steel housing, tempered glass sides, curved acrylic glass doors and mirror back panel.
- Access via two curved glass doors at the front.
- The shelves fit up to 4 GN 1/2 containers (GN conta-
- Fitted with 2 guartz heating elements and an electric heating plate at the bottom.
- With mechanical temperature control.
- Light at the top of the chamber.
- Temperature range: 30°-90°C.
- mm € 233962 230 560 650x467x(H)630 653.00



- Made of stainless steel.
- LED light at the top of the chamber.
- With 3 chrome-plated adjustable shelves.
- Temperature control knob and analogue thermometer.
- Temperature range: 30°-90°C.

code	-	٧	W	mm	€
233726	120 Liter	230	1100	678x568x(H)686	639,00
233733	160 Liter	230	1500	857x568x(H)686	695,00







Watch the video

- Water container for air humidification in the heating cabinet.
- Temperature controller and display.
- Temperature range: 30°C up to 90°C.

	5				
code	-	٧	W	mm	€
233740	97 Liter	230	800	460x448x(H)785	625,00



ကြိ



233092



- Ideal for petrol stations, small shops, office kitchens and canteens to display any food that does not require special storage conditions
- Chamber capacity 75 liter
- With LED lighting at the top with on/off switch
- Housing made of stainless steels fitted with hardened safety glass
- Fitted with three adjustable glass shelves, slightly inclined towards the customer, 8 shelf settings available spaced 45 mm apart
- Black-painted steel bottom of the case with glass covering: 390x325 mm
- Bottom glass shelf: 365x250 mm
- Middle glass shelf: 365x230 mm
- Top glass shelf: 360x195 mm
- Black-painted steel top of the display case: 393x325 mm
- 5 mm thick side glass
- Absence of front glass for self-service
- Magnetic, right-hinged rear glass door, opens to one side only
- Practical bottom recess of 260x320x(H)85 mm to store goods
- Supplied with 4 rubber, non-adjustable feet: 15 mm high.
- Power cable: 1650 mm long with 230 V grounded plug.

code	٧	W	mm	€
233092	230	2	415x390x(H)716	361,00



CONFECTIONERY DISPLAY TRAY

code	mm	€
808504	400x300x(H)20	12,50
808467	300x200x(H)20	12,00
808511	600x400x(H)20	14,00



mm	(
240x170	12



CONFECTIONERY DISPLAY TRAY

code	mm	€
808559	300x200x(H)20	17,00
808566	400x300x(H)20	18,50
808573	600x400x(H)20	27,00



code	mm	€
407400	345x245	21,50

00



.50

BAIN-MARIE GASTRONORM 1200 W 1200 W 230 V 230 V Watch the video CHENDI CHENDI 238905 238912 **BAIN-MARIE WITH DRAIN TAP BAIN-MARIE** S.S S.S. - GN 1/1 container. - GN 1/1 container. - Temperature control up to 85 °C. - Temperature control up to 85 °C. - Stainless steel water tank with appropriately contoured inner - Stainless steel water tank with appropriately contoured inner corners for easy cleaning. corners for easy cleaning. - Equipped with an on/off switch, a thermostat and an indicator - Equipped with an on/off switch, a thermostat and an indicator light. light. - Suitable for GN pans up to 150 mm deep. - Suitable for GN pans up to 150 mm deep. - Supplied without GN pans. - Supplied without GN pans. code V W € code V W mm € mm 1200 340x540x(H)250 134,00 238912 1200 340x540x(H)250 150,00 238905 230 230





R

C

Å

ලි

Ρ

00



FOOD DEHYDRATOR

- Double wall polypropylene casing increases thermal efficiency.
- The automatic fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 7 305x330 mm stainless steel grates, each with a max load of 500 g.
- Grates are evenly interspaced at 35 mm, easy to remove and clean.
- Transparent door allows the operator to observe the

dehydration process.

- It comes with a transparent pad to prevent smaller fruit from falling during dehydration process - it can be also placed at the bottom of the dehydration chamber to collect residue.
- Digital display.
- Temperature control: 35°-70°C.
- Timer adjustable up to 24 hours, in 30-minute intervals.

code	-	V	W	mm	€
229064	7 trays	230	500	345x450x(H)315	181,00



HENDI

FOOD DEHYDRATOR

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 6 305x330 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

code	-	V	W	mm	€
229033	6 trays	230	650	340x450x(H)311	258,00

FOOD DEHYDRATOR

- Stainless steel housing.
- Digital control panel.
- Timer adjustable up to 24 hours, in 30-minute intervals.
- Temperature control: 35°-75°C, adjustable in 5°C increments.
- The quiet fan circulates the warm air inside the chamber ensuring an even dehydration without the necessity to turn the trays.
- The set includes 10 395x380 mm stainless steel grates.
- Grates are evenly interspaced, easy to remove and clean.
- Transparent door allows the operator to observe the dehydration process.

code	-	V	W	mm	€
229026	10 trays	230	1000	417x535x(H)430	381,00



Residu pad included



/ ____

R

Ħ

Ê

Ř

ස

ကြိ

.

Š





Easy to operate digital control panel

Drying chamber with space for 10 trays




Prices net of VAT

HENDI

DEEP FRYERS PROFILINE

- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.



fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that guickly

the heater

18/0

THERMAL PROCESSING

liters

209424

DEEP FRYER XL PROFI LINE WITH DRAIN TAP, 10 L, 400 V

- Very powerful 400V deep fryer, allows the heating element to use up to 6600W of power.
- Reduces the temperature recovery time after inserting frozen _ food, resulting in crispier food.
- Supplied without plug, an electrician is required for the installation.

code	liters	٧	W	mm	€
209424	10	400	6600	302x687x(H)375	467,00

MHENDI



- Welded oil tank with equipped with drain tap at the bottom.

- Removable control element with heater, with an additional safety feature that switches off the entire unit when removed.

- Temperature control: 50°-190°C.

- Overheating protection with reset function for better safety.

- "Cold zone" system separates frying residue below the heater level, increasing fat yield and preventing the fries from getting burnt.

- Rubber, non-slip feet.

code	liters	٧	W	mm	€
205914	12	230	3500	630x860x(H)360	528,00



Drain tap

Thanks to the "cold zone"

the quality of the oil.

frying residues are collected

below the heater, increasing

Â

/ ____

ß

f

C

Ê

Ř

ස


B

1

ÿ

DEEP FRYERS PROFI LINE DIGITAL

- The Profi Line range of tabletop deep fryers is made of 18/0 stainless steel.
- Element with switch-off function when removed.
- Oil tank with a V-shaped bottom ensures an optimal cold zone, increases the useful life of the oil.
- Clear digital control panel with temperature and timer function.
- Protected against overheating by means of a re-settable thermal fuse.
- A frying basket with extra long handle turns this model into a fine piece of equipment for intensive use.
- All deep fryers come with frying basket(s) and lid(s).



fried crumbs drop to the bottom where the oil temperature is lower and they do not burn that quickly

-







Watch the video

2x 8 l 2x 3500 W 230 V



207376

DEEP FRYER PROFI LINE WITH DRAIN TAP DIGITAL - 2 X 8 L

-	Clear digital	control	panel with	temperature	and tir	mer function.
---	---------------	---------	------------	-------------	---------	---------------

code	liters	٧	W	mm	€
207376	16	230	7000	605x515x(H)345	695,00



8ι 3500 W 230 V



207369

DEEP FRYER PROFI LINE WITH DRAIN TAP DIGITAL - 8 L

- Clear digital control panel with temperature and timer function.

code	liters	٧	W	mm	€
207369	8	230	3500	300x515x(H)345	362,00



DEEP FRYERS PROFI LINE

- Profi Line deep fryers are made of 18/0 stainless steel.
- Removable control element with an additional safety feature that switches off the fryer heater when it is removed.
- The grease container has a V-shaped bottom with an optimal "cold zone" for increased grease yield.
- Easy to read control panel with temperature control knob and indicator light.
- Overheating protection thanks to a resettable thermal fuse.
- Deep frying basket with extra-long, cool-touch handle for intensive use.
- All deep fryers are equipped with 1 deep frying basket and 1 lid for each chamber.






	TER	rπu		E, OL		
code	liters	V	W	mm	€	
207208	8	230	3500	305x460x(H)350	264,00	



8 L	EP FRYER PROFI LINE WITH DRAIN TAP,	

code	liters	V	W	mm	€	
209202	8	230	3500	305x515x(H)350	320,00	



DEEP FRYER PROFI LINE, 2 × 8 L

code	liters	V	W	mm	€
207307	16	230	7000	605x460x(H)350	528,00



DEEP FRYER PROFI LINE WITH DRAIN TAP. 2 × 8 L

code	liters	V	W	mm	€
209301	16	230	3500	605x515x(H)350	556,00



ħ

Ą

नि

ကြိ






205815

DEEP FRYER

- Housing and oil tank made of stainless steel.
- Removable element with switch-off function when removed.
- Removable oil container, making it easier to clean.
- Heating indication lamp to show if the heating element is operating.
- The temperature can be set up to 190°C.
- A security thermostat ensures the deep fryer does not overheat.
- Overheat protection with reset for extra protection.
- A frying basket with heat insulated and extra long handle.
- Cold zone to protect oil quality.
- Supplied with frying basket and lid.

code	liters	V	W	mm	€
205808	4	230	3000	217x380x(H)300	134,00
205846	4+4	230	3000+3000*	470x420x(H)330	278,00
205815	6	230	3300	265x430x(H)290	139,00
205853	6+6	230	3300+3300*	550x430x(H)290	264,00
205822	8	230	3500	265x430x(H)345	167,00
205839	8+8	230	3500+3500*	550x430x(H)345	334,00





Cold zone to protect oil quality Removable oil container, making it easier to clean

Frying basket with heat insulated and extra long handle





INDUCTION DEEP FRYER WITH DRAIN TAP

- Precise temperature control thanks to induction, the set oil temperature is maintained.
- Timer.
- Efficient heat exchange.
- Stainless steel housing for easy cleaning.
- Overheating protection.
- Control panel with display shows the set oil temperature.
- Supplied with a frying basket, a lid and an oil filter.

INDUCTION DEEP FRYER WITH DRAIN TAP, 8 L

code	liters	V	W	mm	€
215012	8	230	3500	290x485x(H)405	361,00

INDUCTION DEEP FRYER WITH DRAIN TAP -2 X 8 L

code	liters	٧	W	mm	€
215029	16	230	7000	580x485x(H)406	834,00





Ê


Ř

B

ကြိ

Ľ,







HENDI

SMOKE OVEN ELECTRIC

- The smoke oven is ideal for smoking a variety of foods such as fish, beef, ham and vegetables.
- Made of stainless steel, with a magnetically closing double-insulated door.
- Temperature adjustable with a thermostat, thermometer integrated in door.
- Equipped with a hot air vent on the rear.
- Supplied with 3 grids (400x279 mm) and 3 meat hooks.

code	٧	W	mm	€
238486	230	1600	540x380x(H)720	424,00





SMOKING CHIPS

- Made from the best wood or from the best aging barrels.
- Unique aroma.

ood.

- Chips can be placed directly over charcoal or on a smoking tray



code	-	weight (kg)	ŧ
199329	peach	0.7	7,80
199336	red wine	0.7	7,80
199343	whisky	0.7	7,80
199275	beech	0.7	7,80
199350	cognac	0.7	7,80
199282	oak	0.7	7,80
199299	olive	0.7	7,80
199305	citrus	0.7	7,80
199312	almond	0.7	7,80

uninht (kn



- Our offer includes chips made from:
- - wine, whisky, or cognac barrels.
- - oak, beech, olive, citrus, almond, or peach wood.



code	-	weight (kg)	€
199411	peach	0.7	7,80
199398	citrus	0.7	7,80
199404	almond	0.7	7,80
199428	red wine	0.7	7,80
199435	whisky	0.7	7,80
199367	beech	0.7	7,80
199442	cognac	0.7	7,80
199374	oak	0.7	7,80
199381	olive	0.7	7,80











GRIDDLES

- Stainless steel housing.
- The hard chromed surface (9mm plate) facilitates cleaning.
- With removable dripping tray and high backsplashes.
- Stepless thermostat adjustable up to 300°C.
- Overheating protection.
- Suitable for continous use.
- Power switch with integrated indication lamp.
- Non-slip feet.



- Griddle area 330x270 mm, entirely smooth.

code	-	٧	W	mm	€
203125	flat	230	2000	300x420x(H)225	364,00



203156

GRIDDLE - Grill surface: 518x328 mm, left 259 mm smooth and right 259 mm ribbed

code	-	V	W	mm	€
203156	1/2 flat, 1/2 ribbed		2400	550x380x(H)240	492,00



GRIDDLE

_	Griddle	area	518x328	mm.	entirely	smooth.

code	-	V	W	mm	€
203149	flat	230	2400	550x420x(H)240	400,00





GRIDDL	E				203170	
- Griddle ar	rea 518x32	8 mm	, entirely	y ribbed.		
codo		V	14/			£

code	-	V	W	mm	€
203170	entirely ribbed	230	2400	550x420x(H)240	536,00



- 2 independent working areas, 2 heating indication lamps.
- Griddle area 688x410 mm, left 462 mm smooth and right 226 mm ribbed.

code	-	٧	W	mm	€
203163	2/3 flat, 1/3 ribbed	230	3500	720x530x(H)250	642,00

GRIDDLE SCRAPER

GRIDDLE

HENDI

code	mm	€
855201	100x320	17,00

SPARE BLADE FOR 855201

code	€
855218	5,85

279

Ć

R

A

(

f

Å

B

ကြိ

"

CONTACT GRILLS

- Perfect for grilling and heating bread, pieces of meat, sausages, vegetables, etc.
- Enameled cast iron griddles, easy to clean and maintain.
- Housing made from 18/10 stainless steel guarantees durability.
- High power heating elements quickly heat up the grills.
- Temperature can be set continuously, using the thermostat, from 0°C to 300°C
- Ventilation openings protect the grill against overheating.
- Bottom grill fitted with rear and side edges and a removable dripping tray, making cleaning easier.
- Lift the top grill with the heat resistant handle and lock in any position thanks to the spring-loaded mechanism.

S.S

Prices net of VAT

- Fitted with mains switch with integrated indicator light, preheating light and 1.7 m power cable with earthed plug.
- With rubber feet, reducing accidental movement during use.
- Grill cleaning brush is included in the kit.



00





Durable and efficient

Thick stainless-steel structure, polyamide panel and handle (SmartVide 9 made entirely of stainless steel)

Extremely easy to use Simple and intuitive control panel

User-friendly, waterproof 3.5" colour display;

- 4 buttons and TFT colour display
- 3 Timer modes:
- continuous operation,
- operation with timer,
- operation with a pre-set probe temperature

Precision temperature control system measures temperature to the nearest 0.01 °C

Top-class precision extremely important for cooking delicate products such as fish, vegetables, or fruit

SmartVide circulators are equipped with a mixer which puts water into motion, so that the water maintains a constant temperature even in large containers

≯

Bluetooth connection for maximum comfort and convenience – effective HACCP of the cooking process – export or print cooking parameters after each cycle

Save your own cooking programmes and see device status – temperature and remaining working time

Update of factory data provided by the manufacturer

HENDI



IMMERSION CIRCULATOR FOR SOUS-VIDE COOKING 5, 7, 9

S sammic

ති

f

নি

ကြီ

- SmartVide circulators by Sammic are innovative appliances allowing to prepare food using the sous vide method.
- Thanks to their robust stainless steel design, they are used in professional catering.
- Precise temperature control system enables obtaining repeatable cooking results while maintaining the taste, nutritional value, quality, and appropriate texture of the product.
- A special way of cooking food in vacuum pouches without contact of the cooked food with water enhances the flavour, eliminates loss of food's weight, and makes it possible to use the stock produced in the pouch for the preparation of sauces.
- Possibility of flavouring of oil, fat, or other products using the sous vide method.
- User-friendly control panel, intuitive menu
- The waterproof TFT colour display showing the cooking parameters: time, actual temperature, and set temperature.
- Temperature range: 5°-95°C.
- Display precision: 0.01°C.

- Timer: 1 min-99 h, gradation: 1 minute.
- Bluetooth connectivity. - Optional core probe.
- Interchangeable between: °C or °F.
- The appliance can be calibrated.
- Autorestart.
- A minimum water level indicator protecting circulators from damage.
- Working modes with timer continuous operation, continuous operation with timer, operation with set time - for better work organization.
- Possibility to save cooking programs via Bluetooth connectivity.

4.2 1880.00

- Stainless steel body, control panel, and handle
- Bag for safe transport of the appliance included (1180085)
- Insulated GN 2/1 (H)200 mm container for SmartVide X immersion circulator sold separately (1180075)
- Janby Track Mini tags for marking bags and tracking the cooking process included

11	80100	***		1180120	* 1180	7 2	
code	-	٧	kW	max. container capacity	mm	kg	€
1180100	SmartVide 5	230	1,6	30 L or GN 1/1 (H) 200 mm	116x128x(H)330	3,1	1 180,00
1180120	SmartVide 7	230	2	56 l or GN 2/1 (H) 200 mm	124x140x(H)360	3,6	1 490,00



56 L or GN 2/1 (H) 200 mm 124x140x(H)360

230

1180140 SmartVide 9

2





IMMERSION CIRCULATOR SMARTVIDE X FOR SOUS VIDE COOKING

- SmartVide circulators by Sammic are innovative appliances allowing to prepare food using the sous vide method.
- Thanks to their robust stainless steel design, they are used in professional catering.
- Precise temperature control system enables obtaining repeatable cooking results while maintaining the taste, nutritional value, quality, and appropriate texture of the product.
- A special way of cooking food in vacuum pouches without contact of the cooked food with water enhances the flavour, eliminates loss of food's weight, and makes it possible to use the stock produced in the pouch for the preparation of sauces.
- Possibility of flavouring of oil, fat, or other products using the sous vide method.
- User-friendly control panel, intuitive menu.
- The waterproof TFT colour display showing the cooking parameters: time, actual temperature, and set temperature.

- Temperature range: 5°-95°C.
- Display precision: 0.01°C.
- Timer: 1 min-99 h, gradation: 1 minute.
- Bluetooth connectivity.
- Optional core probe.
- Interchangeable between: °C or °F.
- The appliance can be calibrated.
- Autorestart.
- A minimum water level indicator protecting circulators from damage.
- Working modes with timer continuous operation, continuous operation with timer, operation with set time – for better work organization.
- Possibility to save cooking programs via Bluetooth connectivity.
- Stainless steel body, control panel, and handle
- Suitable for dishes of max. capacity of 56 l.
- Powerful 2,000 W motor.
- Net weight: 4.4 kg.
- Bag for safe transport of the appliance included (1180085)
- Insulated GN 2/1 (H)200 mm container for SmartVide X immersion circulator sold separately (1180075)
- Janby Track Mini tags for marking bags and tracking the cooking process included





code		V	kW	max. container capacity	mm	kg	€
1180160	SmartVide X	230	2	56 l or GN 2/1	125x148x(H)385	4,4	2 350,00







SPACER BASE FOR CONTAINERS FOR INSULATED TANKS

- Made entirely of stainless steel.
- Model 1180190 for GN 1/1 tanks (1180060).
- Model 1180191 for GN 2/1 tanks (1180065).

code	GN	€
1180190	GN 1/1	61,00
1180191	GN 2/1	109,00

GN 1/1 AND 2/1 CONTAINERS FOR SAMMIC SMARTVIDE X CIRCULATOR

- Innovative container with its own heating system that helps achieve the set temperature faster
- An ideal solution for cooking heavily chilled or frozen goods
- Made of stainless steel
- Drainer included

Branner in	otaaoa				
code	liters	V	W		€
1180070	28	230	800	GN 1/1	1 280,00
1180075	56	230	1600	GN 2/1	1 670,00





ති

00

h

R

ကိ



INSULATED GN 1/1 AND 2/1 CONTAINER FOR SMARTVIDE CIRCULATORS

Lid sold separately (1180062 or 1180063)

code	liters	mm	€	
1180060	28	335x600x(H)288	509,00	



GN 1/1 AND 2/1 LIDS FOR SMARTVIDE CIRCULATOR CONTAINERS

- Made of stainless steel.
- Suitable for standard GN 1/1 tanks and dedicated GN 1/1 insulated tanks by Sammic for SmartVide 7. 9. X circulators

code	mm	€
1180062	GN 1/1 lid for SmartVide 5	77,50
1180063	GN 2/1 lid for SmartVide 4 and 6	77,50
1180067	GN 2/1 lid for SmartVide 6, 7, 8 and 9	117,00

SOUS-VIDE KIT BAG FOR SMARTVIDE 5, 7, 9 AND X MODELS

- The bag is equipped with a strap for convenient and safe transportation of the appliance.
- Model 1180085 suitable for SmartVide 5, 7, 9, X (1180100, 1180120, 1180140, 1180160) – sold separately.

code	
1180085	

€ 83,50



POLYPROPYLENE BALLS FOR SMARTVIDE CIRCULATORS 1000 PIECE SET

- Made of polypropylene.
- Used to reduce evaporation and splashing of water during cooking.
- Reduce heat loss.
- They help keep the vacuum pouch and cooked product below the surface of the water.
- Can be used in temperatures up to 110°C.
- Ball diameter: ø20 mm.
- Packaging: 1,000 pcs.

c	n	d	۵

1180080



NEEDLE PROBE FOR SMARTVIDE 5, 7, 9, X

- Enables monitoring the internal temperature of the product being cooked.
- Made of high quality materials.
- Measurement range: 5°-95°C.
- Temperature measurement accuracy: 0.1°C.
- Probe length: 80 mm.

code	mm	€
1180090	(L)80	245,00

FOAM SEAL FOR NEEDLE PROBE

- Used to maintain vacuum in the pouch while using the needle probe.
- Dimensions: 4 mx10 mm.

code	mm	€
5170060	4000x10x(H)	47.00

5170060



€.

122,00

SOUS-VIDE SYSTEM

- Culinary system in which vacuum-sealed food is cooked at a precisely controlled temperature.
- Ideal for à la carte restaurants.
- Exceptionally suitable for preparation outside peak times.
- Consistently high quality results.

 High precision thermostat adjustable (0,1°C) from 35° to 90°C. S.S. stainless steel

> ٢

R

A

C

Ĥ

Ř

B

ကြိ

"

- Housing made entirely of stainless steel.
- Can be sealed air- and watertight due to the lid with silicone rim.



SOUS VIDE SYSTEM GN 1/1

- Equipped with handles and drain tap.
- Stainless steel spacer with 6 compartments included.

code	liters	V	W	mm	€
225448	20	230	600	540x335x(H)310	509,00

225264

SOUS-VIDE SYSTEM GN 2/3

- With handles.
- Supplied with a spacer with 4 stainless steel compartments. code liters V W mm €

225264	13	230	400	363x335x(H)290	386,00



HENDI



VACUUM COOKING BAGS - 100 PCS

code	packed per	mm	€
971369	100	150x200	8,10
971345	100	150x250	9,75
971376	100	200x300	14,00
971352	100	250x350	18,50
971383	100	300x400	25,00



971376







IVIDE CIRCULATOR STICK FOR SOUS-VIDE 2.0 COOKING

- For safety the sous vide stick turns off when removed from the water bath.
- WiFi control possible, app available for iOS and.
- Android devices.
- The app helps users calculate the perfect time and temperature, pre-loaded with over 600 recipes.
- Temperature can be set between 5°C and 90°C in 0,1°C increments.
- Can heat and circulate up to 30 liters of water.
- Can circulate 12 liters of water per minute.
- Bright screen shows the working temperature and time, easy to operate.
- The whole body is IPX7 (submersion) water resistant.

code	V	W	mm	€
222645	230	1200	63x97x(H)344	210,00



LID FOR GN CONTAINERS WITH SOUS VIDE STICK RECESS

- With recess for sous vide stick 222645.
- Also suitable for stainless steel Profi Line Gastronorm containers.

code	GN	mm	€
864210	GN 1/2	265x325	16,50
864203	GN 1/1	530x325	19,50





IVIDE PLUS SOUS VIDE THERMAL CIRCULATOR

- High precision sous vide thermal circulator with temperature control.
- 4 inch Touch Screen interface.
- Designed to fit to any round or flat cooking vessel with a minimum depth of 16.5 cm by means of a clamp.
- Best performances up to 80 litres.
- Working temperature 5°C to 99°C, accuracy 0.07°C.
- Timer can be set between 1 minute and 99 hours.
- Multiple Machines can be managed from the app.
- Offers exceptional temperature stability.
- Low level water protection device switches off the sous vide in case of accidental use without water.
- Circulating pump to eliminate cold and hot spots.
- Temperature sensor to prevent overload and overheating.
- Carry Case as Standard.
- IPX7, can withstand splashes and accidental submersion.

App:

- Precise temperature control from anywhere.
- A collection of over 600 recipes.
- Our Sous Vide Calculator: We've done all the testing and research for you, which means no more scouring the internet for information.

222997

- Recipe Memory: Store your own times and temperatures.
- Cook history: For greater HACCP control store your last cook
- 10 times and temperatures.
- Multi device cooking: Control Several cookers form one app.
 Notifications to confirm when the water is at temperature, and
- the food is cooked. - Cook time complete, don't worry the app will keep the food at

the optimu	um tempe	erature for	holding.	
code	V	W	mm	€
222997	230	2200	130x145x(H)330	725.00



LID FOR GN CONTAINERS WITH SOUS VIDE STICK RECESS

- With recess for sous vide stick 222997.
- Also suitable for stainless steel Profi Line Gastronorm containers.

code	GN	mm	€
864234	GN 1/2	265x325	16,50
864227	GN 1/1	530x325	20,00



289

f

Ą

नि

Ö









IVIDE PLUS JUNIOR

- High precision sous vide thermal circulator with temperature control.
- 4 Inch high resolution touch screen interface.
- Designed to fit to any round or flat cooking vessel with a minimum depth of 16.5 cm by means of a clamp.
- Best performances up to 45 litres.
- Working temperature 5°C to 99°C, accuracy 0.07°C.
- Timer can be set between 1 minute and 99 hours.
- WiFi enabled, can be controlled by the sousvidetools app.
- Multiple Machines can be managed from the App.
- Low level water protection device switches off the sous vide in case of accidental use without water.
- Circulating pump to eliminate cold and hot spots.
- IPX7, can withstand splashes and accidental submersion.

code	V	W	mm	€	
222638	230	1500	159x121x(H)285	455,00	





LOW TEMPERATURE OVEN

- Designed for slowly preparing or regenerating food, by means of a very accurately set and controlled process.
- With core temperature probe, separately adjustable.
- Recessed handles in the sides.
- Easy to clean door seal.
- Oven chamber is heated on 4 sides, uniformly distributing the heat throughout the chamber.
- Energy efficient due to extra insulation.
- Seamless oven chamber with rounded corners, easy to clean.
- Temperature adjustable by 1 degree increments oven chamber up to 120°C, core temperature and keep warm up to 100°C.
- Door hinges left or right, easy to convert.
- Digital setting and readout of time, set temperature, and current core/chamber temperatures.
- Stainless steel pan and tray holder, suitable for GN 1/1 containers, grids and trays as well as 600x400 mm bakery trays, on 3 levels.

code	V	W	mm	€
225479	230	1200	495x690x(H)415	1 530,00





Ê

ß



SMOKING GUN RECHARGEABLE – 3 SPEEDS OF SMOKE INFUSION

- Smoking is a very flavourful addition to your meat, fish and vegetable dishes, but can also create a wow-factor when serving.
- The cold smoke is gentle for delicate fruits and vegetables, smoke without changing the texture or temperature.
- One button operation, the smoking gun has 3 speeds
- The aluminium fan chamber functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking
- Can also be used with tea or spices.
- Removable smoking chamber with integrated mesh filter.
- Flexible silicone hose (50 cm long) for easy injection of smoke into resealable bags and containers.
- Lightweight with a comfortable handle making it easy to use with one hand.
- Powered by a rechargeable Lithium battery of 1000mAh.
- Very complete, comes with 3 spare filter meshes, a tweezer and USB charging cable.
- Wood or herbs for smoking not included.

OHENDI

code	mm	E F
199640	215x70x(H)160	118,00



199640

OHEND

THERMAL PROCESSING

ίΠ

Prices net of VAT



SMOKE INFUSER

- The aluminium body functions as a heat sink, cooling the smoke before expelling it.
- Wood requires no pre-soaking prior to smoking.
- Can also be used with tea or spices.
- Removable smoking chamber with removable filter.
- Large woodchip holder.
- Flexible rubber hose (30 cm long) for easy injection of smoke into resealable bags and containers.
- Compact and lightweight enough to use with one hand.
- Gentle enough for use on delicate fruits and vegetables without changing their texture of temperature.
- Powered by 2 AA batteries, not included.
- Wood or herbs for smoking not included.

code	mm	€
199992	90x54x(H)122	32,00





GLASS DOME

- Ideal to use in combination with the smoking gun.

code	mm	€
199978	ø275x(H)140	35,00

GLASS DOME WITH VENT

- Made from borosilicate glass, fitted with silicone vent to hold the tube of a smoking gun.
- Ideal to use in combination with a smoking gun.

-	mm	€
Plate dome	ø260x(H)174	86,50
Cocktail dome	ø130x(H)282	37,00
	Plate dome	Plate dome ø260x(H)174



GAS LIGHTER - SET OF 2 PCS.

Renn	able	2.
C	11.4.4	

ipiy.		
packed per	mm	€
2	(L)230	11,00
		packed per mm

(

Ĥ

Ř

B

ကြိ

''

Ľ,





RICE COOKER WITH STEAMER FUNCTION PROFILINE

- The housing is made of stainless steel.
- Removable inner pot made from aluminium with a non-stick coating, easy to clean.
- The hinged polypropylene lid is fitted with a convenient handle, airtight gasket, and vent valve.
- The lid is closed tightly thanks to the integrated latch.
- With integrated condensation collector prevents the workplace from getting wet.
- 2 operating modes cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Can also be used to steam vegetables with the included steam basket.
- Capacity: 10 scoops of dry rice (15-20 servings of cooked rice).
- Included: steamer basket, rice measuring cup and spoon.

code	liters	٧	W	mm	€
240410	1.8	230	700	ø280x(H)285	69,50



PROFI LINE RICE COOKER & WARMER 5.4 L

- Housing made of stainless steel.
- Internal aluminum container with non-stick coating, removable, easy to clean.
- Stainless steel hinged lid with a seal and vent valve.
- Snap fastener for an easy and tight closing of the cooker.
- A special container for collecting condensation that is dripping from the lid protects the work area from getting wet.
- 2 operating modes cooking and temperature maintenance mode; when the cooking is finished, the device switches to temperature maintenance mode.
- Capacity: Suitable for 30 cups of dry rice (45-60 servings of cooked rice).
- Measuring cup, rice spoon and silicone non-stick pad included.

code	liters	٧	W	mm	€
240403	5.4	230	1950	455x455x(H)380	250,00





RICE COOKER 4.2 L KITCHEN LINE

- Housing is made of rolled steel painted white, easy to clean.
- Inner pot made from aluminium with a non-stick coating, easy to clean
- The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid holder, store a hot lid safely and always keep the lid at hand.
- Handles and legs are made of non-heating, durable polypropylene.
- Two operating modes cooking and keeping warm; after cooking, the appliance goes into keep warm mode.
- Capacity: 23 scoops of dry rice (±46 servings of cooked rice).
- Included: rice measuring cup and spoon.
- Net weight: 4.8 kg.

code	liters	V	W	mm	€
240441	4.2	230	1550	420x380x(H)240	134,00

240458

RICE COOKER 10 L KITCHEN LINE

- Housing is made of rolled steel painted white, easy to clean.
- Inner pot made from aluminium with a non-stick coating, easy to clean.
- The twist lock, stainless steel lid is fitted with a stay cool handle.
- The handles have a special design allowing them to act as a lid
- holder, store a hot lid safely and always keep the lid at hand. - Handles and legs are made of non-heating, durable
- polypropylene. - Two operating modes - cooking and keeping warm; after
- cooking, the appliance goes into keep warm mode. _
- Capacity: 50 scoops of dry rice (±100 servings of cooked rice).
- Included: rice measuring cup and spoon.
- Net weight: 10.35 kg.

code	liters	V	W	mm	€
240458	10	230	2900	555x495x(H)365	220,00

(

Ĥ

Ř

नि

ကြိ





Watch the video



2000 W

230 V











9 grzałek kwarcowych dla szybszego podgrzewania, rozgrzewa się w 10 sekund

SALAMANDER WALL MOUNTABLE

- Conforms to the IPX4 norm full protection against dampness.
- Can be installed against the wall without requiring additional brackets, saves space in the kitchen.
- Perfect for grilling or heating up dishes or casseroles.
- Continuous temperature regulation: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and an indicator lamp.
- 4 possible grid heights.
- Supplied with: grid handles fitted with heat shield, crumb tray.
- Internal dimensions: 460x265x(H)165 mm.
- Cable length: 1.3 m.
- Made of stainless steel.

code	V	W	mm	€
264119	230	2000	610x310x(H)280	302,00

SALAMANDER

- Ideal for casseroles, grilling and heating up dishes.
- Temperature control: 50°-300°C.
- With top heating element.
- Fitted with thermostat, 30 min. timer and indicator lamp.
- 4 possible grid heights.
- Supplied with: grid with handles and crumb tray.
- Internal dimensions: 646x408x(H)337 mm.
- Made of stainless steel.

code	V	W	mm	€
264300	230	3600	800x472x(H)456	445,00

QUARTZ SALAMANDER MAXI GN 1/1

- Salamander grill with 9 quartz heaters for faster heating, grilling and gratinating food.
- Steel guard of heaters protecting against damage.
- Stainless steel housing.
- Two chrome-plated grates with dimensions of 530x340 mm and two removable handles.
- Two levels for vertical position of each grate with distance of 70 and 45 mm.
- Stainless steel crumbs tray Quartz heaters 3 heaters on three independent levels.
- Heater timer turns on for up to 15 min or continuous operation 1.3 m power cable without plug.

code	V	W	mm	€
264331	400	4500	685x396x(H)452	639,00





- With top & bottom Quartz infrared heating element.
- Fitted with thermostat. 15 min.
- timer and indicator lamp.

 code
 V
 mm

 264409
 230
 3645
 689x397x(H)318



LIFT SALAMANDER 450

- Type 450 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 440x320 mm grid.

code	V	W	mm	€
264607	230	2800	480x520x(H)530	584,00

LIFT SALAMANDER 600

- Type 600 stainless steel frame.
- Ideal for grilling or keeping dishes/sandwiches warm and crisp.
- Thermostat continuously adjustable up to a maximum of 300°C, with indicator lights.
- 2 independent heating areas.
- Adjustable height by means of smoothly running lifting system.
- Removable dripping/crumb tray with 590x350 mm grid.

code	٧	W	mm	€
264706	230	3600	600x520x(H)530	722,00

480,00

f

Å

ਫ

ကြိ

Ľ,

230 V OHINOI 268506 W € code V mm 9 rollers 940 520x400x(H)175 361,00 268605 230 7 rollers 230 740 520x325x(H)175 268506 284,00

7 rollers 740 W





Watch the video



SAUSAGE ROLLING GRILL - ONE ZONE

- Stainless steel housing.
- Quick heating and heat recovery.
- Non-stick coated rollers.
- Removable, easy-to-clean drip tray.
- Roller width: 42 cm.
- Temperature control up to 150 °C.





Watch the video

14 rollers 1480 W 230 V



code	-	V	W	mm	€
268704	11 rollers	230	1180	520x477x(H)175	411,00
268735	14 rollers	230	1480	520x591x(H)175	434,00

GLASS COVER FOR SAUSAGE ROLLER GRILLS

- Allows up to 20% reduction in consumed electricity
- Reduces the time to grill sausages up to 15% thanks to heat accumulation under the glass cover
- Maximum entry height 250 mm
- Constructed from three glass elements, each 4 mm thick
- Stainless steel structure supports the glass elements
- 4 elements made of high temperature resistant plastic for mounting the cover to the grill
- Warning: Glass cover fits only the new sausage roller grills with holes in frames.

code	for sausage rolling grill	mm	€
268551	7 (268506)	470x325x(H)240	77,50
268612	9 (268605)	470x401x(H)250	86,00
268711	11 (268704)	470x477x(H)250	96,00
268742	14 (268735)	470x591x(H)250	111,00

PIZZA OVEN

- Suitable for heating up frozen products.
 Tray grid suitable for pizzas up to ø 30 cm.
- Timer adjustable up to 15 minutes.
- With 2 heating elements (top and bottom) and crumbs tray.

	5			,
code	V	W	mm	€
220306	230	1450	480x420x(H)195	167,00



S.S.

SAUSAGE WARMER







240502

SAUSAGE WARMER

- Stepless thermostat temperature control up to 85°C.
- With handles for easy transport.
- Sausage container capacity: 10 l.
- Lid with insulated, cool-touch handle.

code	V	W	mm	€
240502	230	1000	330x280x(H)250	175,00



1 ┥

A B

R

f

(

Ê

Å


B

ကြိ

SAUSAGE WARMER

- Heats hotdog sausages and keeps them warm.
- Stainless steel housing, sausage container made of anodized aluminum and glass.
- With adjustable power. _

code	V	W	mm	€
265000	220-240	450	240x322x(H)466	306,00





HENDI

CONVEYOR TOASTER



S.S.	
stainless steel	indoor

SANDWICH TOASTER

- Stainless steel housing.

- Tongs fitted with insulated handles made of PF resin.
- Left and right slot separately operable.
- Timer with alarm adjustable to a maximum of 8 minutes.

- Removable crumb tray.

code	V	W	mm	€
261163	230	1200	200x300x(H)223	236,00





Watch the video

CONVEYOR TOASTER SINGLE

- One row of bread slices fit on the conveyor.
- Two separate heating elements, one bellow and one above the conveyor.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Conveyor speed is adjustable, toasting time between 0:45 and 3:15 minutes.

code	V	W	mm	€
261200	220-240	1340	288x418x(H)387	556,00



CONVEYOR TOASTER DOUBLE

- Two rows of bread slices fit next to eachother on the conveyor.
- Two separate heating elements.
- Suitable for continuous toasting of sliced bread.
- Supplied with front and back trays.
- Adjustable toasting time up to 3 minutes.

code	colour	٧	W	mm	€
261309	Steel	230	2240	418x368x(H)387	347,00
261347	Red	230	2240	418x368x(H)387	695,00
261354	Black	230	2240	418x368x(H)387	611,00



TEPAN-YAKI GRIDDLE

- Non-stick coated surface, easy to clean.
- Robust cool-touch handles for safe transport.
- Maximum temperature: 220-250°C.
- Detachable power cord with thermostat.

1800 W 230 V



1800 W 230 V

238301

Ô

ß

\$

B

00

C

Ř

B

B

1

<u>\$\$\$</u>

30

238608



TEPPANYAKI GRIDDLE

-	Griddle	surface	dim	ensions:	440x230	mm.
---	---------	---------	-----	----------	---------	-----

code	e V	W	mm	€
2388	608 230	1800	526x230x(H)120	55,00

PARTY PAN

- Aluminium with non-stick coating.
- Removable thermostat.
- Suitable for frying, roasting and keeping hot.
- Including lid with clear glass and two insulated handles.

code	V	W	mm	€
239605	230	1600	ø620x(H)190	122,00
239506	230	1400	ø500x(H)190	64,00

TEPPANYAKI GRIDDLE

AL

HEND

- Griddle surface dimensions: 892x220 mm.

code	V	W	mm	€
238301	230	1800	1023x220x(H)112	111,00



239506

Prices net of VAT











MICROWAVE WITH GRILL HENDI 1050 W, 20 L 281710

- Stainless steel housing and front panel.
- Easy to read control panel.
- Electromechanical control with two knobs adjusting time and power - 9 levels.
- Top magnetron antenna with rotating shaft ensures uniform distribution of energy.
- Built-in air filter to protect against external factors and dust.
- Airtight door with a glass pane for observing processes in the illuminated microwave interior.
- Push-button opening for easy operation.
- Chamber interior:
 - dimensions 304x306x(H)206, capacity 20 l.
 - painted white.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.

- Multifunctional use:
 - defrostina.
 - 4 levels of microwave power: Low, Medium, Medium High, High.
 - function of combining standard and grill mode: Combi (3 levels).
 - grill (power 1000 W).
 - the end of the cooking cycle is signalled by an acoustic alarm.
 - 4 power levels.
- Microwave power: 700 W.
- Includes 255 mm glass turntable plate and grill stand.
- Suitable for round (up to ø280 mm) plates.
- Maximum single operating time: 35 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 11.1 kg.



code	liters	٧	W	mm	€
281710	20	230	1050	440x330x(H)259	189,00



HENDI

R

(

Ĥ

Å

ति

Ö



- Multifunctional use:

dishes/beverages.

- Microwave power: 1000 W.

- 4 power levels.

- Weight: 15.1 kg.

- 6 suggested time programs for preparation of selected

- the end of the cooking cycle is signalled by an acoustic

- Suitable for round (up to ø320 mm) and rectangular plates.

- Maximum single operating time: 6 minutes.

- Equipped with a cable with a grounding plug.

defrostina.

alarm.



281352

MICROWAVE HENDI 1000 W, 23 L 281352

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.
- Electromechanical control with one knob adjusting time from 15 s to 6 min.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
 - dimensions 327x346x(H)200, capacity 25 l.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic bottom.

	
11/	

code	liters	٧	W	mm	€	
281352	25	230	1550	511x432x(H)311	445,00	

HENDI









MICROWAVE PROGRAMMABLE 1000W HENDI 1550 W, 23 L 281444

- Housing and interior of the chamber with ceramic bottom made of stainless steel.
- Easy to read control panel.

25 L 1550 W

- Electronic control.
- Lower rotating magnetron antenna for uniform energy distribution, no rotating disk.
- Built-in air filter to protect against external factors and dust.
- You can select the desired program on the touch panel.
- Door with large glass pane for observing processes in the illuminated microwave interior.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
 - dimensions 327x346x(H)200, capacity 23 l.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edges.
 - ceramic bottom.

- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - possibility to save up to 100 programs (up to 3 stages in one program).
 - automatic time conversion for double portions.
 - the end of the cooking cycle is signalled by an acoustic alarm.
 - 4 power levels.
- Microwave power: 1000 W.
- Suitable for round (up to ø320 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Equipped with a cable with a grounding plug.
- Weight: 15.5 kg.









MICROWAVE PROGRAMMABLE HENDI 3000 W, 34 L

281369

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air filter protects against dust and dirt.
- Easy to read control panel, select the desired program on the touch panel.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
 - dimensions 360x409x(H)225 mm, capacity 34 l.
 - easy to clean.
- no breaking of plates thanks to appropriately rounded edges.
- ceramic bottom.

- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - possibility to save up to 100 programs (up to 3 stages per program).
 - automatic time conversion for double portions.
 - the end of the cooking cycle is signalled by an acoustic alarm.
- Microwave power: 1800 W.
- Suitable for round (up to ø355 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Weight: 32.3 kg.

HENDI

code	V	W	mm	€
281369	230	3000	574x528x(H)368	1 100,00

R

ø

Ĥ

Ą

ति

Ö

sii S



281376

MICROWAVE PROGRAMMABLE. WITH USB PORT HENDI 3000 W, 18 L 281376

- Housing and interior of the chamber made of stainless steel.
- Chamber fitted with a ceramic floor.
- Easy to read touch control panel with push buttons and digital display that shows time and power.
- Lower and upper rotating microwave antennas for uniform energy distribution, no rotating parts in the chamber.
- Built-in air and grease filter to protect against external factors.
- A special system that reminds you to clean the filter.
- Door with large window for observing processes in the illuminated microwave chamber.
- Tight latch closure; easy opening no locking mechanism.
- Chamber interior:
 - dimensions 330x310x(H)175, capacity 18 l.
 - easy to clean.
 - no breaking of plates thanks to appropriately rounded edaes.
 - ceramic floor.

- Multifunctional use:
 - defrosting.
 - 10 default programs.
 - 10 power levels.
 - upload programs via the USB port,
 - possibility to save up to 100 programs, including up to 20 custom, multistage programs.
 - automatic time conversion for double or triple portions.
 - the end of the program is signalled by an alarm. Possibility to change the sound or turn it off completely.
- Microwave power: 1800 W.
- Suitable for round (up to ø300 mm) and rectangular plates.
- Maximum single operating time: 60 minutes.
- Fitted with a grounded plug.
- Comes with a USB card, software included.
- Weight: 31.8 kg.

code	V	W	mm	€
281376	230	3000	563x420x(H)340	1 100,00

HENDI

Ĥ

/ ____

B

Ē

Ř

B

ා



code	281710	281352	281444	281369	281376
COOKING AND P	ROGRAMMING				
Control	electromechanical	electromechanical	electronic	electronic	electronic
Number of programs / stages	9/1	1/1	100/3	100/3	100/3
Number of power levels	9	1	4	4	10
Maximum time	35 min	6 min	60 min	60 min	60 min
STANDARD EQU	IPMENT				
Microwave source	top magnetron antenna	lower rotating magnetron antenna	lower rotating magnetron antenna	lower and upper rotating magnetron antenna	lower and upper rotating magnetron antenna
Number of magnetrons	1	1	1	2	2
Air filter	YES	YES	YES	YES	YES
USB port		-	-	YES	YES
Additional accessories	YES – grid	-		-	-
DIMENSIONS					
External dimensions	440x330x(H)259 mm	511x432x(H)311 mm	511x432x(H)311 mm	574x528x(H)368 mm	563x420x(H)340 mm
Chamber dimensions	304x306x(H)206 mm	327x346x(H)200 mm	327x346x(H)200 mm	360x409x(H)225 mm	330x310x(H)175 mm
Chamber capacity	20 l	23 l	23 l	34 l	18 l
Maximum plates diameter	280 mm	320 mm	320 mm	355 mm	300 mm
TECHNICAL PAR	AMETERS				
Power	1050 W	1550 W	1550 W	3000 W	3000 W
Voltage	230 V	230 V	230 V	230 V	230 V
Weight	11,1 kg	15,1 kg	15,5 kg	32,3 kg	31,8 kg
€	189,00	445,00	472,00	1 100,00	1 100,00

COOKING TIMES vs APPLIANCE POWER

Power	700	1000	1100	1400	1800
_	0:35	0:25	0:22	0:18	0:12
E .	1:05	0:52	0:48	0:37	0:27
(S)	1:35	1:14	1:06	0:57	0:39
Cooking time	2:05	1:39	1:29	1:10	0:52
, s	5:00	4:03	3:34	2:50	2:10
	10:00	8:15	7:23	5:40	4:00





R

f

Å

नि

ကြိ



225929

COMBI STEAM MULTIPURPOSE OVEN 4X 2/3 - GAS

- Electromechanical controls
- Hot air convection and direct moisture through spraying water heater
- Single, no auto-reverse fan
- Grill heater with power of 1.8 kW/230 V
- Stainless steel guides for 4 GN 2/3 trays
- Distance between guides 70 mm
- 1x GN 2/3 grid included
- Oven door condensate drip tray
- Vent feeding hot air from the gas combustion process
- Swing, left-hinged doors
- Housing and interior of the baking chamber made of high-quality stainless steel
- Water connection: 3/4" with external thread
- Connection to drains: ø25 mm
- Adjustable feet: from 55 mm to 75 mm
- Weight: 46.5 kg.

code	٧	W	mm	€
227954	230	2000	620x645x(H)615	2 010,00
224823	stand	for oven	580x390x(H)750	324,00

CONVECTION STEAM OVEN WITH GRILL 4X GN 2/3

- High-quality stainless-steel body and chamber.
- Manual control panel with knobs for function, temperature, time and amount of steam.
- Has functions for defrost, pre-heat, convection, grill, steam or a combination of those functions.
- Temperature can be set up to 280°C.
- Timer can be set up to 120 minutes.
- Convection by means of two heating elements and one fan.
- With top grill elements.
- Oven fits 4 GN 2/3 trays, distance between the trays is 70 mm.
- Supplied with 1 grid GN 2/3.
- Convection 3 kW, grill: 1.8 kW.
- Chamber heaters: bottom 1.6 kW, top 0.7 kW.
- Adjustable feet from 55 to 75 mm.

,				
code	V	W	mm	€
225929	230	3000	620x555x(H)585	1 560,00
224823	stand	for oven	580x390x(H)750	324,00



CONVECTION STEAM OVENS



227060

Two highly efficient fans, distributing hot air evenly



CONVECTION OVEN H90

- Housing Made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.

Watch

the video

- Timer: 0-120 min.
- Fits 4 438x315 mm trays.
- Guides interspaced at: 70 mm.
- Supplied with 4 trays.

kod	V	W	mm	€
227060	230	2670	595x595x(H)570	562,00
223468	stand f	or oven	595x425x(H)700	322,00
801970	gr	id	433x338	25,00
943380	tr	ау	435x315x(H)8	16,50

Fits four aluminium trays



Fitted with interior lighting












CONVECTION OVEN WITH HUMIDIFICATION H90S

- Housing Made of stainless steel.
- Cool touch door with double glazing, which can be removed for easy cleaning.
- Partially enamelled chamber with interior lighting.
- Heating by means of 2 heating elements and 2 fans.
- Temperature adjustable from 50°C to 300°C.
- Direct humidification, manually operated with a button.
- Water inlet, which can be connected to water supply, at the back
- Timer: 0-120 min.
- Fits 4 436x315 mm trays. Supplied with 4 trays.
- Guides interspaced at: 70 mm.

code	V	W	mm	€
227077	230	2670	595x595x(H)570	645,00
223468	stand for oven		595x425x(H)700	322,00
801970	grid		433x338	25,00
943380	tray		435x315x(H)8	16,50

Removable door eases cleaning







With clamp to remove hot trays







Õ

S.S.

00

C

Ř

ස

ကြိ

Direct humidification

CONVECTION SNACK OVENS

- Ideal solution for businesses wishing to add fresh and tasty baked goods to their product range.
- Compact size and cost-effective energy consumption make it fit for installation practically anywhere.



S.S.

- Glass door with gravity ventilation. - Cooling system for controls.









PROOFER 8X 600X400

- Manual control Suitable for ovens 225516, 225523, 225059, EKF464N, EKF464NUD, EKF464NTUD
- Distance between rails 70 mm
- Electromechanical thermostat +30°C to +60°C

code	225967
capacity	8 trays x 600x400 mm
tray support spacing	70 mm
external size	795x655x(H)835 mm
electromechanical thermostat	30°C do 60°C
voltage	230 V
power	2,4 kW
weight	43,6 kg
€	1 540,00

CONVECTION OVENS 429X345 MM

- Body and baking chamber made of AISI 304 stainless steel.
- Glass door, 2-layered, with gravity ventilation, opened from the top.
- 1 non-reversible fan / the model with the touchscreen control panel is equipped with 1 fan with auto-reverse function with 2 speeds (main and reduced).
- Available models with indirect or direct (10-degree) steam.
- Cooling of controls.
- Overheating protection.
- LED light.

 Models with touchscreen control panels are fitted with LED light, USB port for downloading HACCP data, programmable for 99 programs and optionally with wi-fi connection for software updates.

Ć

R

F

Ĥ

Å

ति

ကြိ

''

Ľ,

- Chamber capacity: 4 trays measuring 429x345x(H)9 mm (included in the set, made of aluminium).
- Waterproof rating: IPX 3.
- Temperature range: from 30 or 100°C (depending on the model) to 260°C.
- Tray support spacing: 74 mm.



EKF423NU



4x 429x345

code	EKF423NP	EKF423NU	EKF423NTUD	EKF423NM
type	convection	with humidity	with humidity	multifunctional
control	electromechanical	electromechanical	touch control panel	electromechanical
	-	indirect steam, manual, controlled with a button, without spraying on the heaters (container placed behind the deflector)	direct steam - water spraying directly on the fan, electroni- cally controlled, programmable: 99 programmes, touchscreen control panel with coloured icons	heater, lower heater, both
thermostat	100°C up to 260°C	100°C up to 260°C	30°C up to 260°C	100°C up to 260°C
tray support spacing	74 mm	74 mm	74 mm	74 mm
external size	590x709x(H)589 mm	590x709x(H)589 mm	590x709x(H)589 mm	590x709x(H)589 mm
number of fans	1 non-reversible fan	1 non-reversible fan	1 fan with auto-reverse function, with 2 speeds	1 non-reversible fan
power/voltage	3,1 kW/230 V	3,1 kW/230 V	3,15 kW/230 V	2,6 kW/230 V
weight	33 kg	34 kg	38 kg	36,4 kg
€	620,00	1 100,00	1 750,00	1 030,00

CONVECTION STEAM OVENS GN 1/1

- Body and baking chamber made of AISI 304 stainless steel.
- Robust L-shaped tray runners.
- Glass door, 2-layered, with gravity ventilation, opened from the top.
- 2 fans with auto-reverse function.
- Direct steam, 5 or 10 degrees.
- Cooling of controls.
- Overheating protection.
- LED light.

- Models with touchscreen control panels are fitted with LED light, USB port for downloading HACCP data, programmable for 99 programs and optionally with wi-fi connection for software updates.
- Chamber capacity: 4 trays GN 1/1 (not included in the set).
- Waterproof rating: IPX 3.
- Temperature range: from 30°C to 100°C (depending on the model) to 260°C.
- Pre-heat function up to 180°C.
- Tray support spacing: 73 mm.



NEW GN		EKF411NUD
code	EKF411NUD	EKF411NTUD
type	with humidity	with humidity
control	electromechanical	touch control panel
	direct steam, 5 degrees, regulated with a knob.	direct steam, 10 degrees, electronically controlled programmable: 99 programs, 4 steps each, Touchscreen control panel with coloured icons
thermostat	100°C up to 260°C	30°C up to 260°C
tray support spacing		73 mm
external size	73 mm	
	73 mm 784x752x(H)634 mm	784x752x(H)634 mm
number of fans		
number of fans power/voltage	784x752x(H)634 mm	784x752x(H)634 mm 2 fans with auto-reverse function,
	784x752x(H)634 mm 2 fans with auto-reverse function	784x752x(H)634 mm 2 fans with auto-reverse function, with 2 speeds (main and reduced)



CONVECTION BAKERY OVENS WITH HUMIDITY 600X400 MM

- Body and baking chamber made of AISI 304 stainless steel.
- Robust L-shaped tray runners.
- Glass door, 2-layered, with gravity ventilation, opened from the top.
- 2 non-reversible fans or with auto-reverse function depending on the model.
- Available models with indirect or direct (5- or 10-degree) steam.
- Cooling of controls.
- Overheating protection.

NEW

- LED light.
- Models with touchscreen control panels are fitted with LED

light, USB port for downloading HACCP data, programmable for 99 programs and optionally with wi-fi connection for software updates. B

٩

R

f

C

Ĥ

Ř

ति

ကြိ

''

<u>555</u>

- Chamber capacity: 4 trays measuring 600x400 mm (not included in the set).
- Temperature range: from 30 or 100°C (depending on the model) to 260°C.
- The EKF464NTUD model is fitted with the pre-heat function up to 180°C.
- Tray support spacing: 83 mm, EKF464N model 73 mm.





4x 600x400

€	1 700,00	2 250,00	2 460,00
weight	58 kg	58 kg	58 kg
power/voltage	3,4 kW/230 V	6,4 kW/400 V	6,4 kW/400 V
number of fans	2 non-reversible fans	2 fans with auto-reverse function	2 fans with auto-reverse function, with 2 speeds
external size	783x755x(H)634 mm	783x755x(H)634 mm	783x755x(H)634 mm
tray support spacing	73 mm	83 mm	83 mm
thermostat	100°C up to 260°C	100°C up to 260°C	30°C up to 260°C
	Indirect steam, manual, controlled with a button, without spraying on the heaters (container placed behind the deflector)	Direct steam - water spraying directly on the fan, 5 degrees, regulated with a knob	direct steam, 10 degrees, electronically controlled, programmable: 99 programs, touchscreen control panel with coloured icons
control	electromechanical	electromechanical	touch control panel
type	with humidity	with humidity	with humidity
code	EKF464N	EKF464NUD	EKF464NTUD



CONVECTION STEAM OVEN - EVOLUTION NEXT 5 X GN 2/3, ELECTRIC, WITH DIRECT SPRAY, ELECTROMECHANICALLY CONTROLLED







→ 55 ←

	5x
	GN 2/3
code	EKF523NUD
tray support spacing	80 mm
external size	550x754x(H)662 mm
number of fans with auto-reverse	1
thermostat	100-270°C
power/voltage	3,2 kW/230 V
weight	40 kg
€	1 880,00
FLOOR STAND	
code	MKTS623C
dimensions	500x556x(H)770 mm
€	775.00

- Recommended for use in professional catering establishment, especially in open kitchens, cafeterias, bars, canteens.
- Elegant, Italian design.
- The small width (55 cm) allows the appliance to be placed also in small spaces, e.g. in a store or at a gas station.
- Chamber made entirely of high-quality, AISI 304 stainless steel.
- Removable slide guides for GN containers.
- Double, heat-resistant glass with gasket
- Steam is generated directly by spraying water on the fan.
- Easy cleaning.
- Door with right-hand hinges.
- Internal, energy-efficient LED lighting.

- Water connection: 3/4".
- Sewer outlet: ø30 mm.
- Internal drain.
- Semi-automatic washing as an option.
- The product is also available in a marine version with altered voltage and safety features.
- Dimensions: 550x754x662(H) mm.
- Weight: 40 kg.
- Guides interspaced at: 80 mm.
- Capacity: 5 GN 2/3 trays.
- 1 fan with auto-reversing.
- Waterproof class: IPX4

CONVECTION STEAM OVEN - EVOLUTION NEXT 5 X GN 2/3, ELECTRIC, WITH DIRECT SPRAY AND A TOUCHSCREEN CONTROL PANEL



5x

GN 2/3 EKF523NTUD

80 mm

550x754x(H)662 mm

1

30-270°C

3,2 kW/230 V

40 ka

2 390,00

MKTS623C 500x556x(H)770 mm

775.00

ති

f

नि

ကြီ



- Recommended for use in professional catering establishment, especially in open kitchens, cafeterias, bars, canteens.
- Elegant, Italian design.
- The small width (55 cm) allows the appliance to be placed also in small spaces, e.g. in a store or at a gas station.
- Chamber made entirely of high-quality, AISI 304 stainless steel.
- Removable slide guides for GN containers.
- Double, heat-resistant glass with gasket
- Steam is generated directly by spraying water on the fan.
- Easy cleaning.
- Door with right-hand hinges.
- Internal, energy-efficient LED lighting.
- Water connection: 3/4".

- Sewer outlet: ø30 mm.

code

tray support spacing

external size

thermostat power/voltage

FLOOR STAND code

dimensions €

weight

€

number of fans

with auto-reverse

- Internal drain.
- Semi-automatic washing as an option.

 $\rightarrow 55 \leftarrow$

- The product is also available in a marine version with altered voltage and safety features.
- Dimensions: 550x754x662(H) mm.
- Weight: 40 kg.
- Guides interspaced at: 80 mm.
- Power: 3.2 kW.
- Voltage 220/230 V.
- Capacity: 5 GN 2/3 trays.
- 1 fan with auto-reversing.
- Waterproof class: IPX4.

HENDI

OVEN MITTS

- Hendi protective gloves are certified personal protective equipment and comply with the requirements of REGULATION [EU] 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC. The regulation defines hazard categories I through III, and for each category, methods, and certification requirements are specified. Hendi protective gloves are a category II protective equipment.
- They are CE marked as certified personal protective equipment.
- All our gloves meet the requirements of the general standard EN 420 Protective gloves – General requirements and test methods.



Protection against mechanical hazards. Gloves that protect against mechanical hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

 The first digit indicates the abrasion resistance, the second the disc cut resistance, the third the tear resistance, and the fourth the puncture resistance.
 An additional letter at the end (from A to F) indicates the degree of cut protection depending on the force applied (from 2 N to 30 N). - They provide

 - thermal protection according to EN 407 Protective gloves and other hand protection against thermal risks (heat and/or fire) and

 protection against mechanical risks according to EN 388
 Protective gloves for mechanical protection, specifying levels of mechanical protection performance, and according to EN 13997
 Protective clothing - mechanical properties - determination of resistance

to cutting by sharp objects.

T



Protection against thermal hazards Gloves that protect against thermal hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

- The first digit indicates the burning behaviour, the second resistance to contact heat, the third resistance to convection heat, and the fourth resistance to radiation heat, the fifth resistance to small splashes of molten metal, the sixth resistance to large splash of molten metal.

CE



mm

(L)350

€

11,00





€

23,00

Ć

R

A

C

Å

B

ကြိ

''

	G HENDI
	Hand BV Steenawn 21, 2011 To Rhanes, The Sixtherlands www.handi.eu
and the second s	Size 11 Item 556634
	100% Aramid/ Aramide/ Aramide/ Aramide/ Aramide/ Aramide/ De aramid/ Apawag/ Apspilso
	EN 388: 2016 + AD: 2018 EN 407: 2004 H42X H42X + 121X
556634	CE
	64/2019

OVEN MITTS, COTTON - 2 PCS

packed per

2

OVEN GLOVE HEAT RESISTANT - 2 PCS

- Heat resistant up to 250°C.
- Comfortable fit.

code

556603

code	packed per	mm	€
556634	2	(L)300	24,00

code packed per mm 556627 2 [L]360

OVEN MITTS, FIBERGLASS - 2 PCS



OVEN MITTS, FLAME RETARDANT COTTON - 2 PCS

- Extra long to protect the forearm.

code	packed per	mm	€
556610	2	(L)380	14,50



OVEN GLOVES LEATHER - 2 PCS

- Heat resistant up to 250 °C.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm	€
556689	2	(L)460	42,00

OVEN MITTS LEATHER - 2 PCS


- Heat resistant up to 250°C.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm	€
556658	2	(L)460	27,50





EKa[®] MILLENNIAL MODERN CONVECTION-STEAM OVEN SERIES





Airflowlogic™

An innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. Airflowlogic[™] guarantees excellent quality of food processing in ovens. A Millennial oven with the Airflowlogic[™] patent delivers the ultimate in kitchen performance.



Drylogic™

An innovative drying system for the oven's chamber. By constantly verifying the parameters, Millennial TS ovens have full control over maintaining the correct level of humidity in the cooking chamber. A special valve controlled by a computer controls air exchange in the chamber and removes excessive humidity.





Humilogic™

New humidification system that feeds water directly from the fan. It provides high humidity levels and much less water consumption. In this system, ste am reaches all the way into the cooked food, which enhances its natural taste and aroma. Humilogic[™] is the solution for top chefs who expect best results.

Automatic washing system

Each oven comes standard with 4 washing programmes: ECO, NORMAL, INTENSE, RINSING, adapted to the different levels of soiling of the chamber. Up to 30% water savings with the new washing head – you not only save money, but also help to protect the environment.





HENDI

3 control versions: Millennial Smart – electromechanical with 3 knobs Millennial Black Mask – 7-inch monochrome, touch screen

- Millennial Touch Screen
- 7-inch colour TFT touch control panel

Ć

R

A

Ĥ

Ř

B

ကြိ

.

ÿ

CONVECTION-STEAM OVENS MILLENNIAL SMART GASTRO FOR GASTRONOMY AND MILLENNIAL SMART BAKERY FOR CONFECTIONERY AND BAKERY, ELECTROMECHANICAL CONTROL, ELECTRIC AND GAS



CONTROL PANEL: Time adjustment from 10 to 120 minutes or NON STOP operation Temperature regulation in the range of 100°C+270°C in the electric version and 100°C+260°C in the gas version 5-step steam level control

- A series of extremely easy to use, new convection steam ovens Millennial Smart.
- Group of Smart Gastro ovens for gastronomy a smaller cooking chamber with guide rails for GN 1/1 containers.
- Group of Smart Bakery ovens for confectioneries and bakeries
 a larger cooking chamber with guides rails for 600×400 mm trays.
- Both groups feature ovens in four sizes. This wide range allows you to choose an ideal oven to prepare from 72 to 480 meals per day.
- Ovens of each group are available in electric and gas versions.
- 3-knob electromechanical control. Easy setting of the most important parameters, requiring no special training. Food can be prepared in dry, hot air or using the 5-step steam level control. All the options are also available in the convection function.

CONTROL PANEL:

- 1 - Time adjustment from 10 to 120 minutes or NON STOP operation

2 – Temperature regulation in the range of 100°C+270°C in the electric version and 100°C+260°C in the gas version

- 3 5-step steam level control
- Steam generated by direct water spray with 5-step steam level control
- Safety door opening lock at 60°, 90°, 120° and 180° prevents burns to the operator due to uncontrolled door movement after opening
- Double-glazed chamber door and LED lighting facilitate observation of the processes in the oven
- Gravity-cooled outer glass for increased personnel safety
- Door with right-hand hinge







- An easy-to-open inner door glass for easy cleaning
- Door seal made of thick and heat resistant silicone, mounted in the oven housing, easy to replace without calling for service Insulated oven housing not only saves electricity, but also increases the safety of kitchen staff
- A trough under the door prevents condensed steam from dripping, especially in the mixed cycle and steaming. A dry floor underneath and in front of the oven guarantees safe working conditions for the staff
- Oven chamber made of high quality AISI 304 stainless steel
- Pressed cooking chamber with rounded corners for easy cleaning of the oven
- All stainless steel housing
- Water protection rating: IPX4 electric versions, and IPX3 gas versions

- Adjustable feet ensure perfect leveling of the oven, with direct effects on its operation
- Connection to electricity, treated water, sewerage system required

GAS OVENS:

- factory-adapted for natural gas GZ50 (Polish designation), or G20 (European designation)
- supplied with additional nozzles for propane-butane gas connection: 1/2"

Š

Ć

R

A

CONVECTION-STEAM OVENS MILLENNIAL SMART GASTRO FOR GASTRONOMY

TRAV GN 1/1				
Electric	5x GN 1/1	7x GN 1/1	11x GN 1/1	20x trolley – GN 1/1
code	MKF511S	MKF711S	MKF1111S	MKF2011S
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×971×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg
€	2 800,00	3 420,00	4 980,00	11 200,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229521	229521	229521	EKCR20TC
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)770 mm	660x560x(H)1704
	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	20 pairs of guides for GN 1/1 containers
€	385,00	385.00	385.00	2 500,00

GN 1/1			
Gas	5x GN 1/1	7x GN 1/1	11x GN 1/1
code	MKF511GS	MKF711GS	MKF1111GS
tray support spacing	68 mm	68 mm	68 mm
external size	730×855×(H)801 mm	730×855×(H)951 mm	730×855×(H)1231 mm
number of fans with reverse	1	2	3
heating gas power	9,3 kW	13,5 kW	17,5 kW
power/voltage	300 W/230 V	500 W/230 V	700 W/230 V
weight	89 kg	108,5 kg	141 kg
€	5 590,00	6 520,00	8 070,00
FLOOR STAND			
code	229521	229521	229521
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)770 mm
	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers
€	385,00	385,00	385,00



THE OWNER OF

	TEAM OVENS MILL DNFECTIONERY AN			-
TRAY 600x400		100.0		
Electric	4x 600x400	6x 600x400	10x 600x400	16x trolley – 600x400
code	MKF464S	MKF664S	MKF1064S	MKF1664S
tray support spacing	80 mm	80 mm	80 mm	80 mm
external size	850×1044×(H)700 mm	850×1035×(H)850 mm	850×1035×(H)1130 mm	930×1041×(H)1900 mm
number of fans with reverse	1	2	3	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,5 kW/400 V	31 kW/400 V
weight	92,4 kg	108,2 kg	140,4 kg	247,2 kg
€	3 000,00	3 690,00	5 230,00	11 500,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229538	229538	229538	EKCR16TC
dimensions	710×640×(H)770 mm	710×640×(H)770 mm	710×640×(H)770 mm	740x560x(H)1704
	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	20 pairs of guides for trays 600x400 mm
€	401,00	401,00	401,00	2 450,00



code	MKF464GS	MKF664GS	MKF1064GS	
tray support spacing	80 mm	80 mm	80 mm	
external size	850×1041×(H)801 mm	850×1041×(H)951 mm	850×1041×(H1231 mm	
number of fans with reverse	1	2	3	
heating gas power	9,3 kW	13,5 kW	17,5 kW	
power/voltage	300 W/230 V	500 W/230 V	700 W/230 V	
weight	102 kg	123 kg	158 kg	
€	5 590,00	6 840,00	8 070,00	
FLOOR STAND				
code	229538	229538	229538	
dimensions	710×640×(H)770 mm	710×640×(H)770 mm	710×640×(H)770 mm	
	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	
€	401,00	401,00	401,00	



Gas



Ê

T

E

 $|\bigcirc|$

Ř

B

ů

CONVECTION-STEAM OVENS MILLENNIAL BLACK MASK GASTRO FOR GASTRONOMY AND MILLENNIAL BLACK MASK BAKERY FOR CONFECTIONERY AND BAKERY, ELECTRONIC CONTROL, ELECTRIC AND GAS



ELECTRONIC 7-INCH TOUCH CONTROL PANEL - the electronic control allows very precise setting of required cooking parameters. All parameters and functions are indicated

either numerically or by icons.

 A series of modern convection steam ovens Millennial Black Mask.

- The name is no accident the black 7-inch touch control panel completely disappears into the background of the black frame of the door when the oven is turned off.
- Group of Black Mask Gastro ovens for gastronomy a smaller cooking chamber with guide rails for GN 1/1 containers.
- Group of Black Mask Bakery ovens for confectioneries and bakeries – a larger cooking chamber with guides rails for 600×400 mm trays.
- Both groups feature ovens in four sizes. This wide range allows you to choose an ideal oven to prepare from 72 to 480 meals per day.
- Ovens of each group are available in electric and gas versions.
- Millennial Black Mask ovens have two patented features: 1-POINT PROBE

A one-point probe for determining and measuring the temperature inside the cooked product.

The control panel of Millennial Black Mask ovens allows you to use many very interesting and innovative features:

AUTOMATIC WASHING SYSTEM [OPTION – factory fitted only] Installed as standard in Gastro and Compact electric ovens. 4 washing programmes: ECO, NORMAL, INTENSE, RINSING, adapted to the different levels of soiling of the chamber. Up to



Airflowlogic™ – an innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. A Millennial oven with the Airflowlogic™ patent delivers the ultimate in kitchen performance.



Humilogic™ – new humidification system that feeds water directly from the fan. It provides high humidity levels and much less water consumption. In this system, steam reaches all the way into the cooked food, which enhances its natural taste and aroma. Humilogic™ is the solution for top chefs who expect best results.

30% water savings with the new washing head – you not only save money, but also help to protect the environment.

Optional in gas ovens.

PRE-HEATING – pre-heating of the cooking chamber to the temperature 30 degrees higher than the set temperature **HOLDING** – keeping food at a suitably high temperature directly after the cooking cycle is completed

COOLDOWN – rapid cooling of the cooking chamber in order to start another cooking process that requires a much lower temperature

USB port for quick and easy download and upload of cooking recipes and HACCP data

PROOFER – the oven serves as a proofing chamber – a useful function in bakery and confectionery versions

HOLDING CABINET - the oven serves as a holding cabinet, it maintains the correct temperature and proper moisture level of dishes until they are served.

- Delayed oven start up to 24 hours a useful function to prepare the oven or the dish before the staff arrives at work.
- A 100 recipe cookbook, each with 10 possible steps to be defined one after another
- 3 fan speeds: maximum 2800 rpm, minimum 1500 rpm
- Fan power: normal, semi-static, 1/2 power
- DELTA T cooking





- 10-step steam level control
- Temperature regulation in the range of 30°C÷270°C for electric ovens and 30°C÷260°C for gas ovens
- Adjustable operating time up to 11 h, 59 min or continuous NON STOP operation
- Possibility of storing the date and current time

OTHER FEATURES OF MILLENNIAL BLACK MASK OVENS:

- Safety door opening lock at 60°, 90°, 120° and 180° prevents burns to the operator due to uncontrolled door movement after opening
- Double-glazed chamber door and LED lighting facilitate observation of the processes in the oven
- Gravity-cooled outer glass for increased personnel safety
- Door with right-hand hinge. It is possible to order the oven with left-hand hinge – option at extra charge. Option only available from the factory. No subsequent modification of the door is possible.
- An easy-to-open inner door glass for easy cleaning
- Door seal made of thick and heat resistant silicone, mounted in the oven housing, easy to replace without calling for service
- Insulated oven housing not only saves electricity, but also increases the safety of kitchen staff
- A trough under the door prevents condensed steam from

dripping, especially in the mixed cycle and steaming. A dry floor underneath and in front of the oven guarantees safe working conditions for the staff

- Oven chamber made of high guality AISI 304 stainless steel
- Pressed cooking chamber with rounded corners for easy cleaning of the oven
- All stainless steel housing
- Water protection rating: IPX4 electric versions, and IPX3 gas versions
- Adjustable feet ensure perfect leveling of the oven, with direct effects on its operation
- Connection to electricity, treated water, sewerage system required

GAS OVENS:

- factory-adapted for natural gas GZ50 (Polish designation), or G20 (European designation)
- supplied with additional nozzles for propane-butane gas connection: 1/2"



f

नि

Ö

CONVECTION-STEAM OVENS MILLENNIAL BLACK MASK GASTRO FOR GASTRONOMY

tray GN 1/1	CLEANING SYSTEM			00
4 4				
Electric	5x GN 1/1	7x GN 1/1	11x GN 1/1	20x trolley – GN 1/1
code	MKF511BM	MKF711BM	MKF1111BM	MKF2011BM
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×971×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg
€	4 030,00	4 500,00	6 050,00	12 500,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229521	229521	229521	EKCR20TC
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)770 mm	660x560x(H)1704
	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	20 pairs of guides for GN 1/1 containers
€	385,00	385,00	385,00	2 500,00

GN 1/1	5x GN 1/1	7x GN 1/1	11x GN 1/1	20x trolley - GN 1/1
code	MKF511GBM	MKF711GBM	MKF1111GBM	MKF2011GBM
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×849×(H)801 mm	730×849×(H)951 mm	730×849×(H)1231 mm	930×971×(H)1900 mm
number of fans with reverse	1	2	3	4
heating gas power	9,3 kW	13,5 kW	17,5 kW	30 kW
power/voltage	300 W/230 V	500 W/230 V	700 W/230 V	1450 W/230 V
weight	89 kg	108,5 kg	141 kg	247,2 kg
€	6 840,00	8 080,00	10 300,00	18 700,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229521	229521	229521	EKCR20TC
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)770 mm	660x560x(H)1704
	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	20 pairs of guides for GN 1/1 containers
€	385,00	385,00	385,00	2 500,00



-

CONVECTION-STEAM OVENS MILLENNIAL BLACK MASK BAKERY FOR CONFECTIONERY AND BAKERY

TRAY 600x400				
<u> </u>	4x	6x	10x	16x
Electric	600x400	600x400	600x400	trolley – 600x400
code	MKF464BM	MKF664BM	MKF1064BM	MKF1664BM
tray support spacing	80 mm	80 mm	80 mm	80 mm
external size	850×970×(H)700 mm	850×970×(H)850 mm	850×970×(H)1130 mm	930×977×(H)1900 mm
number of fans with reverse	1	2	3	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	15,5 kW/400 V	31 kW/400 V
weight	92,4 kg	108,2 kg	140,4 kg	247,2 kg
€	4 350,00	4 660,00	6 210,00	12 500,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229538	229538	229538	EKCR16TC
dimensions	710×640×(H)770 mm	710×640×(H)770 mm	710×640×(H)770 mm	740x560x(H)1704
	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	20 pairs of guides for trays 600x400 mm
€	401,00	401,00	401,00	2 450,00



€	401,00	401,00	401,00	2 450,00
	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	20 pairs of guides for trays 600x400 mm
dimensions	710×640×(H)770 mm	710×640×(H)770 mm	710×640×(H)770 mm	740x560x(H)1704
code	229538	229538	229538	EKCR16TC
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
€	7 140,00	8 080,00	10 300,00	18 700,00
weight	102 kg	123 kg	158 kg	277,2 kg
power/voltage	3UU W/23U V	500 W/230 V	/UU W/23U V	1450 W/230 V

MHENDI

R

f

À

नि

ကြိ

''

Ľ,

CONVECTION-STEAM OVENS MILLENNIAL TOUCH SCREEN GASTRO FOR GASTRONOMY AND MILLENNIAL TOUCH SCREEN BAKERY FOR CONFECTIONERY AND BAKERY, ELECTRONIC CONTROL, ELECTRIC AND GAS



ELECTRONIC 7-INCH (480×(H)800 mm) FULL-COLOUR TFT TOUCH – The electronic control allows very precise setting of required cooking parameters. The user can save new and update old recipes. The control menu is available in as many as 42 languages.

- A series of modern convection steam ovens Millennial Touch Screen.
- Group of Touch Screen Gastro ovens for gastronomy a smaller cooking chamber with guide rails for GN 1/1 containers.
- Group of Touch Screen Bakery ovens for confectioneries and bakeries – a larger cooking chamber with guides rails for 600×400 mm trays.
- Both groups feature ovens in 4 sizes. This wide range allows you to choose an ideal oven to prepare from 72 to 480 meals per day. Ovens of each group are available in electric and gas versions. Millennial Touch Screen ovens have three patented features:
- MULTILEVEL COOKING

This function allows for simultaneous preparation of different dishes that require the same conditions but different cooking times. The process can be started at the same time. The oven indicates when the dish should be removed from the cooking chamber.

- MULTI-POINT PROBE

A multi-point probe with 3 temperature control points for determining and measuring the temperature inside the cooked product.

- AUTOMATIC WASHING SYSTEM

Each oven comes standard with 4 washing programmes: ECO, NORMAL, INTENSE, RINSING, adapted to the different levels of



Airflowlogic™ – an innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. Airflowlogic™ guarantees excellent quality of food processing in ovens. A Millennial oven with the Airflowlogic™ patent delivers the ultimate in kitchen performance.



Humilogic™ – new humidification system that feeds water directly from the fan. It provides high humidity levels and much less water consumption. In this system, steam reaches all the way into the cooked food, which enhances its natural taste and aroma. Humilogic™ is the solution for top chefs who expect best results.



Drylogic™ – an innovative drying system for the oven's chamber.

By constantly verifying the parameters, Millennial TS ovens have full control over maintaining the correct level of humidity in the cooking chamber. A special value controlled by a computer controls air exchange in the chamber and removes excessive humidity.

soiling of the chamber. Up to 30% water savings with the new washing head – you not only save money, but also help to protect the environment.

 ELECTRONIC 7-INCH (480×(H)800 mm) FULL-COLOUR TFT TOUCH CONTROL PANEL

The electronic control allows very precise setting of required cooking parameters. The user can save new and update old recipes. The control menu is available in as many as 42 languages, including Polish and English.

KEY FEATURES:

- **PRE-HEATING** pre-heating of the cooking chamber to the temperature 30 degrees higher than the set temperature
- HOLDING keeping food at a suitably high temperature directly after the cooking cycle is completed
- COOLDOWN rapid cooling of the cooking chamber in order to start another cooking process that requires a much lower temperature
- HACCP the possibility to download the oven operating parameters in order to control the correct course of the cooking processes
- PROOFER the oven serves as a proofing chamber a useful function in bakery and confectionery versions
- HOLDING CABINET the oven serves as a holding cabinet,





it maintains the correct temperature and proper moisture level of dishes until they are served

- Delayed oven start up to 24 hours a useful function to prepare the oven or the dish before the staff arrives at work
- A 500 recipe cookbook
- 5 fan speeds, full or intermittent operation
- DELTA T cooking
- 10-step steam level control
- Temperature regulation in the range of 30°C÷270°C for electric ovens and 30°C÷260°C for gas ovens
- USB port for quick and easy download and upload of cooking recipes and HACCP data
- Wi-Fi connection for software updates
- Timer setting
- Possibility of storing the date and current time

OTHER FEATURES OF MILLENNIAL TOUCH SCREEN OVENS:

- Safety door opening lock at 60°, 90°, 120° and 180° prevents burns to the operator due to uncontrolled door movement after opening
- Double-glazed chamber door and LED lighting facilitate observation of the processes in the oven
- Gravity-cooled outer glass for increased personnel safety
- Door with right-hand hinge



- An easy-to-open inner door glass for easy cleaning
- Door seal made of thick and heat resistant silicone, mounted in the oven housing, easy to replace without calling for service Insulated oven housing not only saves electricity, but also increases the safety of kitchen staff
- A trough under the door prevents condensed steam from dripping, especially in the mixed cycle and steaming
- Oven chamber made of high quality AISI 304 stainless steel
- Pressed cooking chamber with rounded corners for easy cleaning of the oven
- All stainless steel housing
- Water protection rating: IPX5 electric versions, and IPX3 gas versions
- Adjustable feet ensure perfect leveling of the oven, with direct effects on its operation
- Connection to electricity, treated water, sewerage system required

Gas ovens:

M H E N D I

- factory-adapted for natural gas GZ50 (Polish designation), or G20 (European designation)
- supplied with additional nozzles for propane-butane gas connection: ½"



-T

R

f

Ř

ਫ

Ö

CONVECTION-STEAM OVENS MILLENNIAL TOUCH SCREEN GASTRO FOR GASTRONOMY

FOR DASTRONG				
GN 1/1	CLEANING SYSTEM		0	0
4 4				
	5x	7x	11x	20x
Electric	GN 1/1	GN 1/1	GN 1/1	trolley – GN 1/1
code	MKF511TS	MKF711TS	MKF1111TS	MKF2011TS
tray support spacing	68 mm	68 mm	68 mm	66 mm
external size	730×784×(H)700 mm	730×784×(H)850 mm	730×785×(H)1130 mm	930×970×(H)1900 mm
number of fans with reverse	1	2	2	4
power/voltage	7,8 kW/400 V	11,4 kW/400 V	15,4 kW/400 V	31 kW/400 V
weight	78,4 kg	96 kg	113,8 kg	247,2 kg
€	5 590,00	6 520,00	7 760,00	15 600,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229521	229521	229521	EKCR20TC
dimensions	610×560×(H)770 mm	610×560×(H)770 mm	610×560×(H)770 mm	660x560x(H)1704
	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	5 pairs of guides for GN 1/1 containers	20 pairs of guides for GN 1/1 containers
€	385,00	385,00	385,00	2 500,00





332



CONVECTION-STEAM OVENS MILLENNIAL TOUCH SCREEN BAKERY FOR CONFECTIONERY AND BAKERY

tray 600x400	CLEANING SYSTEM			
4 4				
Electric	4x	<u>6x</u>	10x	16x
	600x400	600x400	600x400	trolley – 600x400
code	MKF464TS	MKF664TS	MKF1064TS	MKF1664TS
tray support spacing	80 mm	80 mm	80 mm	80 mm
external size	850×970×(H)700 mm	850×970×(H)850 mm	850×970×(H)1130 mm	930×970×(H)1900 mm
number of fans with reverse	1	2	3	4
power/voltage	7,8 kW/400 V	10,4 kW/400 V	17 kW/400 V	31 kW/400 V
weight	92,4 kg	108,2 kg	140,4 kg	247,2 kg
€	6 210,00	6 840,00	7 740,00	15 200,00
FLOOR STAND				ADDITIONAL DRIVE-IN TROLLEY
code	229538	229538	229538	EKCR16TC
dimensions	710×640×(H)770 mm	710×640×(H)770 mm	710×640×(H)770 mm	740x560x(H)1704
	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	5 pairs of guides for trays 600x400 mm	20 pairs of guides for trays 600x400 mm
€	401,00	401,00	401,00	2 450,00



-

ති

ØD

Ĥ

Å

नि

ကြိ

Y

CONVECTION STEAM OVEN WITH BOILER MILLENIAL TOUCH SCREEN GASTRO GN 1/1, ELECTRIC, WITH AUTOMATIC CLEANING SYSTEM



ELECTRONIC 7-INCH (480×(H)800 mm) FULL-COLOUR TFT TOUCH - The electronic control allows very precise setting of required cooking parameters. The user can save new and update old recipes. The control menu is available in as many as 42 languages.

- Body and baking chamber made of AISI 304 stainless steel; embossed chamber with rounded corners for easy cleaning.
- Glass door, 2-layered, with gravity ventilation, hinges on the right-hand side, with a blockade when opened to 60°, 90°, 120°, 180° for safe operation; possibility to order the oven with hinges on the other side.
- Drip tray for condensation with a drain in the door.
- 2 fans with auto-reverse function, with 3 speeds.
- Steam production in the efficient boiler an unlimited access to steam.
- Touchscreen control panel TFT (Thin Film Transistor) coloured touch screen with a resolution 800x480 mm.
- Knob for approving and scrolling through options on the control panel.
- Multipoint core probe 3 points of temperature measurements.
- Regulated feet for ideal oven levelling.
- Cooking/baking in 3 modes: convection, steam, convectionsteam (combi).
- Possibility to control the condensation hood and growth chamber from the level of the control panel.
- Automatic cleaning system in 4 programs: eco, standard, intensive, rinsing.



Airflowlogic[™] – an innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. Airflowlogic[™] guarantees excellent quality of food processing in ovens. A Millennial oven with the Airflowlogic[™] patent delivers the ultimate in kitchen performance.



Drylogic™ – an innovative drying system for the oven's chamber.

By constantly verifying the parameters, Millennial TS ovens have full control over maintaining the correct level of humidity in the cooking chamber. A special valve controlled by a computer controls air exchange in the chamber and removes excessive humidity.

ADDITIONAL FUNCTIONS:

- Pre-heating: chamber preheating by +30°C more than the set temperature.
- Multilevel: possibility to cook various dishes in the same conditions, at different heat processing times.
- Holding Cabinet: keeping the dishes at the serving temperature.
- Cool Down: fast cooling down of the chamber to enable quick change of the currently cooked product,
- Proofer: oven can serve as a growth chamber.
- Fitted with an USB port for downloading HACCP data.
- Wi-Fi connection for software updates.
- Programmable: 500 programmes, with up to 10 steps each.
- Possibility to choose favourite recipes and setting them as quick start recipes.
- Menu in 42 languages.
- Programming of delayed start by up to 24h.
- Overheating protection.
- Higher power of heaters comparing to the MKF711TS model: 15 kW allow you to discover full potential of the boiler.
- Chamber capacity: 7 trays GN 1/1 (not included in the set).
- Waterproof rating: IPX 5.
- Temperature range: from 30°C to 270°C.
- Tray support spacing: 73 mm.

🚯 H E N D I



BOILER - thanks to creating steam in a highly efficient boiler, you get an access to unlimited amount of steam. This helps you prepare dishes optimally, in order to eliminate the risk of losses and ensure the perfect consistency. Steamed vegetables, fish, meat, and more you will prepare fast, effortless and without losing their nutritional value.

_____ ____

ELECTRIC CONVECTION-STEAM OVEN MILLENNIAL BLACK MASK GASTRO COMPACT, ELECTRONIC CONTROL



→ 50 cm ←



Airflowlogic™ – an innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. Airflowlogic™ guarantees excellent quality of food processing in ovens. A Millennial oven with the Airflowlogic™ patent delivers the ultimate in kitchen performance.



Humilogic™ – new humidification system that feeds water directly from the fan. It provides high humidity levels and much less water consumption. In this system, steam reaches all the way into the cooked food, which enhances its natural taste and aroma. Humilogic™ is the solution for top chefs who expect best results.


- The MILLENNIALBLACK MASK COMPACT series of modern convection-steam ovens will perfectly serve its purpose wherever every inch of working surface is extremely important. Only 500 mm wide oven fits even in the smallest kitchen. It is also a good solution to fit the second or even the third oven in the kitchen
- MILLENNIAL ovens have full control over the management of the humidity level in the cooking chamber

KEY FEATURES:

- Multi Level this function is useful when cooking several dishes that require the same temperatures and steam level, but different cooking times. Multi Level allows you to cook all the dishes at the same time, and the oven will tell you which one you need to take out of the oven chamber when it is ready
- 1-point probe thermometer thanks to the probe, the oven can constantly monitor and maintain the set temperature inside the dish. It constantly and automatically adjusts the parameters, ensuring perfect baking and cooking results.
- Automatic cleaning system factory fitted only. 4 washing programs: Eco, Normal, Intensive, Rinse. Adapted to different dirt levels in the chamber. The new washing head design saves up to 30% of water
- **Pre-Heating** heating the oven chamber by +30 °C more than the set temperature to prepare the oven for inserting the dish

- Holding keeps the dish at a sufficiently high temperature, immediately after the cooking cycle is finished
- Cool Down quick temperature reduction in the chamber, in order to adapt it for the requirements of the next dish that requires a lower temperature
- HACCP possibility to read the operating parameters of the oven to control the correct course of cooking processes
- Proofer the function turns the oven into a proofer chamber
- Holding Cabinet the oven can be used as a banquet cabinet
 it keeps the dishes at a sufficiently high temperature and humidification until the meals are served
- Possibility to save 500 programs, 10 steps each
- Just select one of the 500 programs and press START. The oven will start working, precisely maintaining previously saved parameters such as temperature in the chamber, temperature inside of the food, cooking time, humidity level at each step of the entire cycle. These parameters can be modified, saved and deleted from memory
- Three fan speeds
- Three-stage fan speed control ensures the adjustment of ventilation force to the requirements of cooking process and uniform temperature throughout the cooking chamber
 Cooking with probe thermometer
- Thanks to the probe thermometer the oven can constantly





control and maintain the indicated temperature inside the dish. It adjusts parameters constantly and automatically, ensuring perfect baking and cooking results

- Cooking using the Delta T function
 This is an improved cooking method with probe thermometer.
 Particularly useful for cooking larger pieces of meat, such as ham. The system automatically maintains a slight difference between the temperature in the chamber and inside the dish. As a result, the dish is evenly cooked
- USB port
- This solution is especially recommended for chain kitchens. Only one oven needs to be programmed. You can upload the program on other ovens via USB port

OTHER FEATURES OF MILLENNIAL TOUCH SCREEN GASTRO COMPACT OVENS:

- Temperature adjustment within the range of 30-270 °C
- Automatic turn-on delay of the oven up to 24 hours useful to prepare the oven or a dish before the staff arrives
- Possibility to save the day and current time
- Alarm triggered by the condensation hood (works only in the oven with connected hood)
- Steam generated by direct spraying of water on the heating elements, with 10-step adjustment of steam level

- Double-glazed chamber door and LED lighting
- Safe door opening lock at 60 °C, 90 °C, 120 °C and 180 °C prevent staff burns due to uncontrolled door movement after opening
- Outer oven glass with gravity cooling
- Door with hinges on the right
- Easy opening of the inner door glass
- Door seal made of thick and heat-resistant silicone, mounted in the oven housing, easy to replace
- The insulated oven casing is not only energy-saving, but also increases the safety of kitchen staff
- Collection pan under the door prevents dripping of condensed steam, especially after mixed cooking and steam cooking
- Oven chamber made of high-quality AISI 304 stainless steel
- Pressed oven chamber with rounded corners for easy oven cleaning
- Oven housing made of stainless steel Leakage rate: IPX 5
- Adjustable feet ensure perfect levelling of the oven Required power, treated water and sewage connection



f

R

ကြီး

ELECTRIC CONVECTION-STEAM OVENS MILLENNIAL TOUCH SCREEN GASTRO COMPACT, WITH CLEANING SYSTEM AND ELECTRONIC CONTROL

→ 50 cm ←





Airflowlogic™ – an innovative solution consisting in a complete redesign of the deflector (fan cowl). The effect is an improved air circulation which ensures the best results in even cooking on every level and in every place of a GN container or a 600×400 mm tray. Airflowlogic™ guarantees excellent quality of food processing in ovens. A Millennial oven with the Airflowlogic™ patent delivers the ultimate in kitchen performance.



Humilogic™ – new humidification system that feeds water directly from the fan. It provides high humidity levels and much less water consumption. In this system, steam reaches all the way into the cooked food, which enhances its natural taste and aroma. Humilogic™ is the solution for top chefs who expect best results.



Drylogic™ – an innovative drying system for the oven's chamber.

By constantly verifying the parameters, Millennial TS ovens have full control over maintaining the correct level of humidity in the cooking chamber. A special value controlled by a computer controls air exchange in the chamber and removes excessive humidity.

- The MILLENNIALBLACK MASK COMPACT series of modern convection-steam ovens will perfectly serve its purpose wherever every inch of working surface is extremely important.
- Only 500 mm wide oven fits even in the smallest kitchen. It is also a good solution to fit the second or even the third oven in the kitchen

KEY FEATURES:

- Multi Level This function is useful when cooking several dishes that require the same temperatures and steam level, but different cooking times. Multi Level allows you to cook all the dishes at the same time, and the oven will tell you which one you need to take out of the oven chamber when it is ready
- 1-point probe thermometer thanks to the probe, the oven can constantly monitor and maintain the set temperature inside the dish. It constantly and automatically adjusts the parameters, ensuring perfect baking and cooking results.
- Automatic cleaning system factory fitted only. 4 washing programs: Eco, Normal, Intensive, Rinse. Adapted to different dirt levels in the chamber. The new washing head design saves up to 30% of water
- $\mbox{Pre-Heating}$ heating the oven chamber by +30 °C more than the set temperature to prepare the oven for inserting the dish Holding

Keeps the dish at a sufficiently high temperature, immediately after the cooking cycle is finished

- Cool Down quick temperature reduction in the chamber, in order to adapt it for the requirements of the next dish that requires a lower temperature
- HACCP possibility to read the operating parameters of the oven to control the correct course of cooking processes
- Proofer the function turns the oven into a proofer chamber
- Holding Cabinet the oven can be used as a banquet cabinet
 it keeps the dishes at a sufficiently high temperature and humidification until the meals are served
- Possibility to save 500 programs, 10 steps each
- Just select one of the 500 programs and press START. The oven will start working, precisely maintaining previously saved parameters such as temperature in the chamber, temperature inside of the food, cooking time, humidity level at each step of the entire cycle. These parameters can be modified, saved and deleted from memory
- Three fan speeds three-stage fan speed control ensures the adjustment of ventilation force to the requirements of cooking process and uniform temperature throughout the cooking chamber
- Cooking with probe thermometer thanks to the probe



Richte Eta	ELECTRONIC 7-INCH (480× FULL-COLOUR TFT TOUCH control allows very precise = required cooking parameter can save new and update olu The control menu is availabl as 42 languages.	- The electronic setting of rs. The user d recipes.	TRA RROW Y 50 CM	
Somphani Ronturni		*	*	
()				
CLEANING SYSTEM INCLUDED	6x GN 2/3	6x GN 1/1	10x GN 1/1	
ode	MKF623CTS	MKF611CTS	MKF1011CTS	
erformance	54-72 dishes/day	90-120 dishes/day	150-200 dishes/day	
ay support spacing	68 mm	68 mm	68 mm	
ternal size	500x750x(H)700 mm	500x930x(H)700 mm	500x930x(H)970 mm	
umber of fans rith reverse	1	1	1	
ower/voltage	5,2 kW/400 V	7,8 kW/400 V	15,4 kW/400 V	
reight	61,6 kg	70,8 kg	95,2 kg	
	5 280,00	5 730,00	7 450,00	
LOOR STAND				
ode	MKTS623C	MKTS11C	MKTS11C	
imensions	500x556x(H)770 mm	500x736x(H)770 mm	500x736x(H)770 mm	
£	775,00	775,00	775,00	

thermometer the oven can constantly control and maintain the indicated temperature inside the dish. It adjusts parameters constantly and automatically, ensuring perfect baking and cooking results

- Cooking using the Delta T function this is an improved cooking method with probe thermometer. Particularly useful for cooking larger pieces of meat, such as ham. The system automatically maintains a slight difference between the temperature in the chamber and inside the dish. As a result, the dish is evenly cooked
- USB port This solution is especially recommended for chain kitchens. Only one oven needs to be programmed. You can upload the program on other ovens via USB port

OTHER FEATURES OF MILLENNIAL TOUCH SCREEN GASTRO COMPACT OVENS:

- Temperature adjustment within the range of 30-270 °C
- Automatic turn-on delay of the oven up to 24 hours useful to prepare the oven or a dish before the staff arrives
- Possibility to save the day and current time
- Alarm triggered by the condensation hood (works only in the oven with connected hood)
- Steam generated by direct spraying of water on the heating

elements, with 10-step adjustment of steam level

- Double-glazed chamber door and LED lighting
- Safe door opening lock at 60 °C, 90 °C, 120 °C and 180 °C prevent staff burns due to uncontrolled door movement after opening
- Outer oven glass with gravity cooling
- Door with hinges on the right
- Easy opening of the inner door glass
- Door seal made of thick and heat-resistant silicone, mounted in the oven housing, easy to replace
- The insulated oven casing is not only energy-saving, but also increases the safety of kitchen staff
- Collection pan under the door prevents dripping of condensed steam, especially after mixed cooking and steam cooking
- Oven chamber made of high-quality AISI 304 stainless steel
- Pressed oven chamber with rounded corners for easy oven cleaning
- Oven housing made of stainless steel
- Leakage rate: IPX 5
- Adjustable feet ensure perfect levelling of the oven
- Required power, treated water and sewage connection



ਬਿ

ကိ

HOSE WITH RINSE HEAD FOR APPLIANCES


- Ideal for any chef to keep their appliances spotless.
- Suitable for cleaning any number of waterproof appliance parts and surfaces.
- A 2 meter long hose brings many objects into range.
- Ergonomic handle with valve lever is comfortable to hold.
- Supplied with a dedicated holder that can be placed on oven housing (as indicated by technician) or on the wall using 3 screws.
- Jet is divided into a number of smaller ones using a strainer which increases the cleaning area covered.
- Water temperatures from 5°C to 85°C are ideal.
- Maximum water flow rate up to 11 L/m at pressure of 3 bar.
- Recommended supply water pressure: 3 bar.
- Operating pressure of supply water: 0.5 to 7 bar. PA66 nylon housing, metal parts made of chrome-plated steel.
- Water supply connection: 1/2" inner diameter.

code	mm	€
810323	56x42x(H)2000	61,00



- It is used to keep the cooked dishes at a sufficiently high temperature, up to 85 °C
- Electronically controlled temperature
- PRE-HEATING function allows quick chamber heating
- Chamber made of highest quality AISI 430 steel
- Device on 4 wheels, including 2 wheels with brakes for safe positioning of the column oven + chamber
- NOTE: additional connecting elements required for the connection with proofer – ask your dealer for details







	10x 600x400	12x GN 1/1	10x 600x400
code	MKL1064S	MKM1211	MKLM1064
suitable for	oven Millennial Smart Bakery 4x 600x400mm 6x 600x400mm 10x 600x400mm	oven Millennial Touch Screen 5x GN 1/1 7x GN 1/1 11x GN 1/1	oven Millennial Touch Screen Bakery 4x 600x400 mm 6x 600x400 mm 10x 600x400 mm
tray support spacing	85 mm	75 mm	85 mm
external size	850x1030x(H)770 mm	730x875x(H)770 mm	850x1030x(H)770 mm
humidification	indirectly by means of a button on the panel of the proofer	-	8-step adjustment using the panel on the oven
proofing temp.	25-65 °C	-	20-40 °C
PRE-HEATING temp. for proofing	-	-	20 °C
PRE-HEATING temp. for keeping warm	-	65 °C	65 °C
heat retention temp.	-	30-60 °C	30-60 °C
power/voltage	2,4 kW/230 V	1,8 kW/230 V	1,8 kW/230 V
weight	91 kg	70,8 kg	91 kg
£	2 490,00	3 070,00	3 400,00

ELECTRIC STATIC OVENS FOR BAKING INDUSTRY AND CONFECTIONERY 600X400 MM WITH STEAMER AND ELECTRONIC CONTROL

- Ideal solution for gastronomic establishments such as pizzerias, restaurants, canteens, bakeries or restaurant kitchens that value high-quality preparation of confectionery, baked goods and pizza with great accuracy of the production process
- Programmable possibility to save 50 recipes in the oven's memory
- Chamber with tray capacity of 600x400 (model MKF D1T) or with a capacity for two 600x400 trays placed on one level (model MKF D2T)
- User-friendly and intuitive touch control panel
- Adjustment of heating elements and thermostats using the dedicated buttons on the control panel

 ٢

R

A

C

f

Ř

B

ကြိ

_____ ____

- Timer
- Maximum temperature: 350 °C
- Installed steamer system makes the oven suitable for even a large number of sophisticated pastries
- Chamber made of AISI 430 stainless steel
- Leakage factor IPX3



(D) HEND

CONDENSE HOODS

- Single-phase engine with one rotation direction
- Maximum air flow: from 400 m³/h to 600 m³/h
- Housing made of highest quality AISI 430 steel
- Connection to fresh water ¾" with water pressure 100-200 kPa (1.0-2.0 bar)
- No connection to permanent duct or ventilation chimney required

Included:

- water connection hose with 3/4" thread, 1.5 m long
- 1 labyrinth filter
- electric cable 1.6 m long
- sewer drain Ø 30 mm

	exa exa				eĸ	
code		V	W	mm	kg	e
MKKC4S	Condensation hood for 4-tray Millenial Smart ovens	230	600	850x1045x(H)308	26	1 700,00
MKKC4	Condensation hood for 4-tray Millenial Touch Screen and Black Mask ovens	230	600	850x1045x(H)308		1 840,00
MKKC5S	Condensation hood for 5-tray Miillenial ovens	230	600	730x860x(H)308		1 700,00
MKKC5	Condensate hood for Millennial TS ovens with 5 shelves	230	600	730x860x(H)308	26	1 650,00
MKKC610S	Condensation hood for 6- and 10-tray Millenial Smart ovens	230	600	850x1045x(H)308		1 550,00
MKKC610	Condensation hood for 6- and 10-tray Millenial Touch Screen and Black Mask ovens	230	600	850x1045x(H)308		1 870,00
MKKC610C	Condensate hood for Millennial TS ovens with 6 and 10 shelves	230	600	500x942x(H)308	19	1 520,00
MKKC623C	Condensation hood for 6-tray Millenial Touch Screen and Black Mask ovens	230	600	500x762x(H)308		1 430,00
MKKC711S	Hood for 7-tray Millenial Smart ovens	230	600	730x860x(H)308		1 550,00
MKKC711	Condensate hood for Millennial TS ovens with 7 shelves	230	600	730x860x(H)308	26	1 650,00
MKKC1620S	Fume hood for 16- and 20-tray Millenial ovens	230	600	930x1045x(H)308		2 020,00
MKKC1620	Condensate hood for Millennial TS ovens with 16 and 20 shelves	230	600	930x1045x(H)308	31,4	2 120,00
MKKC1620	Condensate nood for Millenmal 15 ovens with 16 and 20 shelves	230	000	730X1043X(H)300	31,4	2 1 2 0

OVEN STACKING KIT

- A must have assembly kit for safe and aesthetically pleasing connection of furnace stacks.
- The cover is made of AISI 430 stainless steel.
- The required fixtures are included in the kit.
- The kits are different, adapted to the models of connected furnaces.

code	mm	€
MKS11		620,00
MKS11C		586,00
MKS23C		586,00
MKS64		586,00

AUTOMATIC WASHING SYSTEM FOR MILLENIAL BLACK MASK OVENS

- 4 cleaning programs: Eco, Normal, Intensive, Rinsing, adapted to various levels of chamber contamination.
- The new cleaning head allows water savings up to 30%.

code	€
MKWT	714,00

INSTALLATION SET FOR MILLENIAL OVENS

- The kit includes: a special U-shaped PVC siphon, discharge hose.
- The stainless steel siphon housing maintains a safe distance between the stove and the installation and the wall.

code	€
MKKPIC	278,00
MKKPI	311,00

INTERNAL TEMPERATURE PROBE WITH A HANDLE EKA

- Intended for temperature measurements and monitoring inside a thermally prepared product.
- Cooperates with the furnace software to maintain the pre-set temperature. 1-point.
- For furnaces with GN containers and 600x400 mm plates, Millennial Black Mask series, only as optional equipment.

code	ŧ
EKSCS	311,00

SMOKING DEVICE FOR MILLENIAL OVENS

- Intended for smoking of all kinds of meat, vegetables and fruit, directly in chambers of the Millenial series convection-steam ovens.
- The cutting container is made of high quality AISI 430 stainless steel
- Electromechanically controlled electric heater.
- Temperature adjustable within the 20°C 80°C range.
- Electric, single phase variant. 1.6 m long power cable.
- Net weight: 2,6 kg.
- A wide range of aromatic wood chips available in the HENDI portfolio.

code	V	W	mm	€
MKAF	230	200	173x432x(H)39	370,00



MILLENNIAL OVEN ACCESSORIES

			automatic washing system		floor stand	hood		proofing chamber warming cabine
		MKF511S	-	-	229521	MKKC5S	MKS11	
		MKF511BM	YES	YES	229521	MKKC5	MKS11	MKM1211
		MKF511TS	YES	YES	229521	MKKC5	MKS11	MKM1211
		MKF711S	-	-	229521	MKKC711S	MKS11	
		MKF711BM	YES	YES	229521	MKKC711	MKS11	MKM1211
	El catalia	MKF711TS	YES	YES	229521	MKKC711	MKS11	MKM1211
	Electric	MKF1111S	-	-	229521	MKKC711S	MKS11	
		MKF1111BM	YES	YES	229521	MKKC711	MKS11	MKM1211
		MKF1111TS	YES	YES	229521	MKKC711	MKS11	MKM1211
		MKF2011S	-	-		MKKC1620S		
		MKF2011BM	YES	YES		MKKC1620		
		MKF2011TS	YES	YES		MKKC1620		
		MKF623CBM	YES	YES	MKTS623C		MKS23C	
		MKF623CTS	YES	YES	MKTS623C	MKKC623C		
		MKF611CBM	YES	YES	MKTS11C	MKKC610C		
ASTRO	Electric/Compact		YES	YES	MKTS11C MKTS11C			
		MKF611CTS				MKKC610C	MINSTIC	
		MKF1011CBM	YES	YES	MKTS11C	MKKC610C		
-		MKF1011CTS	YES	YES	MKTS11C	MKKC610C	MUCAA	
		MKF511GS	-	-	229521	MKKC5S		
		MKF511GBM	MKWT	EKSC / EKSCS	229521	MKKC5		
		MKF511GTS	YES	YES	229521	MKKC5		MKM1211
		MKF711GS	-	-	229521	MKKC711S		
		MKF711GBM	MKWT	EKSC / EKSCS	229521	MKKC711		
	Gas	MKF711GTS	YES	YES	229521	MKKC711		MKM1211
		MKF1111GS	-	-	229521	MKKC711S	MKS11	
		MKF1111GBM	MKWT	EKSC / EKSCS	229521	MKKC711	MKS11	MKM1211
		MKF1111GTS	YES	YES	229521	MKKC711	MKS11	MKM1211
		MKF2011GBM	MKWT	EKSC / EKSCS		MKKC1620		
		MKF2011GTS	YES	YES		MKKC1620		
		MKF464S	-	-	229538	MKKC4S	MKS64	MKL1064S
		MKF464BM	MKWT	EKSC / EKSCS	229538	MKKC4	MKS64	MKLM1064
		MKF464TS	YES	YES	229538	MKKC4	MKS64	MKLM1064
		MKF664S	-	-	229538	MKKC610S	MKS64	
		MKF664BM	MKWT	EKSC / EKSCS	229538	MKKC610		
		MKF664TS	YES	YES	229538	MKKC610		S23C S11C S11C S11C S11C S11 S11 S11 S11 S11 S11 S11 S11 S11 MKM1211 S11 S11 MKL1211 S11 S11 MKL1211 S11 S11 MKL1064S S64 MKL1064S S64 S64 S64 S64 S64 S64 S64 S64 S64
	Electric	MKF10645	-	-	229538	MKKC610S		
		MKF1064BM	MKWT	EKSC / EKSCS	229538	MKKC610		
		MKF1064TS	YES	YES	229538	MKKC610		
		MKF1664S	-	-	22,000	MKKC1620S	1111304	11112111004
		MKF1664BM	MKWT	EKSC / EKSCS		MKKC1620		
		MKF1664TS	YES	YES		MKKC1620	warming cabinet MKS11 MKM1211 MKS11C MKS11 MKS11 MKM1211 MKS64 MKL064S MK564 MKL064S MK564 MKL1064S MK564 MKL1064S MK564 MKL1064S MK564 MKL1064S MK564 MKL1064S MK564 MKL1064S MK564	
AKERY		MKF464GS	ILJ	ILJ	229538	MKKC4S	MKC1/	MKI 104/C
MAERI		MKF464GS MKF464GBM	MKWT	- EKSC / EKSCS				
					229538	MKKC4		
		MKF464GTS	YES	YES	229538	MKKC4		
		MKF664GS	-	-	229538	MKKC610S		
	0	MKF664GBM	MKWT	EKSC / EKSCS	229538	MKKC610		
	Gas	MKF664GTS	YES	YES	229538	MKKC610		
		MKF1064GS	-	-	229538	MKKC610S		
		MKF1064GBM	MKWT	EKSC / EKSCS	229538	MKKC610		
		MKF1064GTS	YES	YES	229538	MKKC610	MKS64	MKLM1064
		MKF1664GBM	MKWT	EKSC / EKSCS		MKKC1620		
		MKF1664GTS	YES	YES		MKKC1620		
		229491	-	-	MKTS64		MKS64	MKL1064S
	Electric / DECK OVEN	229507	-	_	MKTSD2T			141/1 10/70

HENDI

343

ß

00

Ħ

101

Ē

Ì

B

Ő

ŢŢ,

CONVECTOMAT TRAYS®

20 mm outer rim around all four sides

 allows placing the tray in point of sale displays – promotion and sale of products "directly form the tray"

Fit&non stick layer

 the marble effect coating prevents sticking; baking with 90% fat reduction

Safe coating – no toxins are released when baking foodstuffs in high temperatures Made of odourless enamelled steel – no odour emissions at high temperature ranges. Heat resistance up to 300°C



۲

prevents undesirable deformation. The tray is positioned securely in the oven chamber's guides and is deformation-resistant

Bottom and outer walls with increased thickness of 1 mm guarantee temperature

stability on the entire surface, without uneven heat distribution



The tray has right angles allowing for maximum use of the finished product and easier food cost estimation, which translates into profit enabling exact portion sizes and higher return on investment





GASTRONORM CONTAINER ENAMELLED GN 2/3

code	mm	€
890356	345x325x(H)20	47,00
890349	345x325x(H)40	52,50



GASTRONORM CONTAINER ENAMELLED GN 1/1

code	mm	€
890257	530x325x(H)20	52,50
890240	530x325x(H)40	55,00
890233	530x325x(H)60	58,50



TRAY CONVECTOMAT 600X400

code	mm	€
890387	600x400x(H)20	55,50



	1	
<		
808429		AL atuminium

TRAY GN 1/1 - WITH 4 RIMS

 With Teflon[™] non-stick coating. 			
	code	mm	€
	808429	325x530x(H)10	31,50
	808429	323X33UX(H)10	31,50



TRAY - With 3 rims

	•	
code	mm	€
808207	600x400x(H)20	24,00



TRAY PERFORATED GN 1/1 - WITH 4 RIMS

With Teflon[™] non-stick coating.

code	mm	€
808405	530x325x(H)10	41,00



code mm 808306 530x325x(H)10 19,00



808221 TRAY PERFOR	ATED	alumin
 With Teflon[™] non- With 3 rims. 		
code	mm	
808221	600x400	
		-
		-



808214



€

52,00

Ć

R

A

C

Ř

नि

Ő

1

TRAY PERFORATED

code	mm	€
808214	600x400x(H)20	27,00



TRAY PERFORATED GN 2/3 - WITH 4 RIMS

With Teflon[™] non-stick coating.

code	mm	€
808412	354x325x(H)10	31,50



code	mm	€
808313	354x325x(H)10	23,50



€.





617229

ALUMINUM BAKING TRAY WITH NON-STICK COATING code mm 6

808801	600x400x(H)30	76,50



mm

460x340

€

28.50

PERFORATED SHEET, 3 EDGES

code

617229

TRAY FOR FRENCH BREAD

- With Teflon[™] non-stick coating.
- Perforated.

6

€

60,50

- Fits 5 loaves of french bread.

	, et it etter bi edat	
code	mm	€
808245	600x400	71,00



mm

600x400

BAKING ALUMINIUM PAN - CLOSED

code	mm	€
689851	580x100x(H)50	16,50
689868	580x200x(H)50	18,50



BASE FOR CLOSED BAKING ALUMINIUM PAN

code	-	mm	€
689875	suitable for 689851	580x100x(H)50	31,50
689882	suitable for 689868	580x200x(H)50	32,00







E

808238

- Perforated.

code

808238

TRAY FOR FRENCH BREAD

- Fits 5 loaves of french bread.



ش

R

f

00

Ř

B

ා

1

_____ ____

GN CONTAINER 1/1 ENAMELLED STEEL

- Rounded edges

805558

805541 805534

Al

€

37,00

40,00

43,00

- Sheet thickness 1 mm

-	For use in	preheated oven up to 250-300°C	

code	mm	€
800164	530x325x(H)20	27,50

S.S.



CONTAINER WITH NON-STICK COATING

mm

530x325x(H)20

530x325x(H)40

530x325x(H)65

GN

GN 1/1

GN 1/1

GN 1/1

code

805558

805541

805534

GN 1/1 CONTAINER - FOR OVENS

code	mm	€
816004	530x325x(H)20	18,50
816011	530x325x(H)40	22,00
816028	530x325x(H)65	24,00
816035	530x325x(H)100	31,00
816042	530x325x(H)150	41,50
816059	530x325x(H)200	51,50



GN 1/2 CONTAINER - FOR OVENS

code	mm	€
816066	325x265x(H)20	10,00
816073	325x265x(H)40	12,50
816080	325x265x(H)65	15,00
816097	325x265x(H)100	19,00
816165	325x265x(H)150	25,00
816172	325x265x(H)200	35,00



808627

Al

€

HENDI



FRYING PAN GN 1/1

code	mm	€
808689	530x325x(H)40	93,50

CONTAINER GN 1/1, ALUMINUM		
code	mm	

808634	530x325x(H)65	30,00
808627	530x325x(H)40	25,50



347

S.S.



CONVECTION STEAM OVENS

348

HENDI

Prices net of VAT



PROFESSIONAL GRILL AND OVEN CLEANER - Ready-to-use, strongly alkaline product for daily removal of oily

- and tarry deposits, burnt grease and organic discolourations.
- Cleans and degreases.
- Recommended for daily washing of grill, ovens, hoods.
- Helps keep the natural shine of surface.
- Fragrance free.
- pH 14.

HENDI

code	liters	€
975039	1	6,95
976807	5	27,50





MHENDI

EXTREME PROFESSIONAL



976814

- EXTREME NATURAL GRILL CLEANER PROFESSIONAL GRILL AND SAUSAGE **ROLLING GRILL CLEANER**
- For professional use in gastronomy and food industry.
- Ideal for: fast food restaurants, gas stations, food trucks, grocery stores, bistros,
- Easy and fast removal of organic and non-organic impurities, including oils.
- For removing greasy stains, but not burnt stains.
- Non-invasive cleaning and degreasing without any risk of damaging or discolouring the non-stick coating on rolling grills.
- Odourless, non-toxic safe to use in small rooms.
- 100% natural composition.
- It doesn't contain VOC (volatile organic compounds) and hydrocarbon solvents.
- Certified by NSF N8 attesting safety of use on food processing equipment.
- Easy to use: just spray the surface and wipe with a cloth.
- Rinse with water after use.
- Allowing the stains to soak is not required it quickly penetrates dirt

code	liters	€
976814	1	25,00



NEW

٢

N

A

Watch the video

f

Ř

ति

ကြိ


PIZZA OVENS PRISMAFOOD

- Stainless steel front panel and painted steel body
- Insulation made of rock wool
- Refractory bricks in the cooking chamber
- Heating elements in the chamber (top and bottom)



- Separate thermostat for each heating element - Temperature range: 50°C to 320°C.
- Inside dimensions of the chamber: 410x360x(H)90 mm.
- * Oven dimension without protruding elements, e.g. handles and doors







PIZZA OVEN BASIC PRISMAFOOD

- Steel housing with a stainless steel front, insulated with rock wool.
- Analog control panel with individual controls for each heating element, two elements per oven chamber.
- Each oven chamber is fitted with refractory bricks,

prismafood >>> solutions

ති

(

Ĥ

Ą

नि

I

- a thermometer and a light.
- Models with 2 chambers have full separate control panels for each oven chamber.
- Temperature range: 50°C up to 500°C.
- * Oven dimension without protruding elements, e.g. handles and doors





£

€

PIZZA OVEN BASIC XL

- Stainless steel front
- Steel casing
- Insulation made of rock wool
- Mechanical controls
- With internal lighting
- Refractory bricks in the cooking chamber



- Heaters in each chamber (top and bottom)
- Heater regulated with independent thermostats
- Separate thermometer for each chamber
- Temperature range: 50°C to 500°C.
- * Oven dimension without protruding elements, e.g. handles and doors



226957









	🎯 4 (ø35 cm)	🎯 4+4 (ø35 cm)	
name	BASIC XL 4	BASIC XL 44	
code	226940	226957	
number of chambers	1	2	
dimensions ext.	1000x844x(H)413* mm	1000x844x(H)745* mm	
dimensions int.	720x720x(H)140 mm	2x 720x720x(H)140 mm	
temperature range	45°C up to 455°C	45°C up to 455°C	
power/voltage	6 kW/400 V	12 kW/400 V	
weight	77 kg	139 kg	
€	1 160,00	1 890,00	
FLOOR STAND	227152	227169	
dimensions	1000x844x(H)960 mm	1000x844x(H)860 mm	
€	254,00	254,00	



C



PIZZA OVEN BASIC SLIM LINE

- Stainless steel front
- Steel casing
- Insulation made of rock wool
- Mechanical controls
- With internal lighting
- Refractory bricks in the cooking chamber
- Heaters in each chamber (top and bottom)
- Heater regulated with independent thermostats
- Separate thermometer for each chamber
- * Oven dimension without protruding elements, e.g. handles and doors



prismafood

name	BASIC SLIM LINE 33
code	226933
number of chambers	2
dimensions ext.	1305x489x(H)745* mm
dimensions int.	2x 1080x410x(H)140 mm
temperature range	50°C up to 455°C
power/voltage	12 kW/400 V
weight	124,9 kg
€	2 000,00
FLOOR STAND	227145
dimensions	1305x489x(H)860 mm

264,00



€







/ _____

ß

A

00

C

PIZZA OVENS PLUS XL

- Stainless steel front panel
- Black-painted steel housing
- Mineral wool insulation
- Electromechanical controls
- 6 armoured heaters in each chamber (upper and bottom)
- Heater adjustment using independent thermostats
- Separate thermometer for each chamber

- Chamber light
- Ceramic (chamotte) slab chamber bottom
- Removable door with a window
- Oven top finished with a characteristic roof
- * Oven dimension without protruding elements, e.g. handles and doors







🍪 **4+4** (ø35 cm)

name	PLUS XL 44	
code	226759	
number of chambers	2	
dimensions ext.	1000x844x(H)745* mm	
dimensions int.	2x 720x720x(H)140 mm	
temperature range	45°C up to 455°C	
power/voltage	12 kW/400 V	
weight	162 kg	
€	2 140,00	
FLOOR STAND	227169	
dimensions	1000x844x(H)860 mm	
€	254,00	

354





PIZZA OVENS TRAYS GLASS

- High flexibility owing to an exceptionally large chamber makes it useful not only in typical pizzerias but also in cake shops and bakeries, as it allows baking various products directly on 600x400 mm pans
- Stainless steel front panel
- Black-painted steel housing
- Door with a large window making it easier to follow the baking process
- Two grips for each door

prismafood >>> solutions

ති

f

नि

ကြီ

- Mineral wool insulation
- Separate lighting for each chamber
- 1.15 kW or 1.7 kW heaters, in sets of 3 for the upper and bottom part of each chamber
- Heater adjustment using independent thermostats in each chamber
- Electromechanical controls
- * Oven dimension without protruding elements, e.g. handles and doors



€

€



TUNNEL C CONTINUOUS PIZZA OVEN - ELECTRIC






- The best solution for continuous production.
- Automatic convection baking process consisting in moving the conveyor belt with the products and subjecting them to thermal treatment in the oven chamber.
- Made of stainless steel.
- Mineral wool insulation prevents the outer housing of the oven from heating up above 40°C.
- Electronic control panel.
- 6 cooking programs with settings adapted to different dishes.
- Maximum temperature: 350°C.
- Setting the day of the week and the time when the oven is switched on so that it can heat up before the staff arrives.

- Setting the desired speed and direction in which the conveyor belt moves.
- Independent setting of top and bottom heating parameters allows for individual adjustment of the cooking parameters to specific products.
- Large glass front door with convenient handle enables you to monitor the baking process and ensures easy access to the cooking chamber during cleaning or servicing.
- Vertical adjustment of steel oven curtains at the entry and exit of the chamber allows for quick heating of the oven and minimum heat loss during operation, as well as enables adjustment to the height of the baked product.







TITAN WOOD-FIRED PIZZA OVEN WITH BASE

- For use in professional catering, both indoors and outdoors.
- Wood-fired.
- It is possible to bake 4 ø35 cm pizzas at the same time.
- The front is made of stainless steel, the rest of the housing is made of black painted steel
- Chamber bottom lined with chamotte.
- Additional layer of cellular concrete below the bottom of the chamber
- Ceramic fiber insulation
- Chimney with standard wind and rain proofing system.
- Long-term maintenance of high temperature in the oven.
- Thermometer included in the delivery.
- Baking temperature: 500 ° C
- Oven dimensions without base: 1100x1080x1680 mm.
- Inside chamber dimensions: 720x720x175 mm.
- Stainless steel base with 4 wheels included.

1 P-Real Property lies

code	mm	€
1F100506	1100x1080x(H)2500	5 280,00

stainless steel	

1F100506

PRIMAFOOD GENIUS 44 CHAMBER CONVECTION PIZZA OVEN WITH CONDENSATION HOOD AND A GROWTH CHAMBER, DIGITALLY CONTROLLED

- For professional use.
- 2 stainless steel oven chambers
- Bake 4 pizzas with a diameter of 35 cm in one chamber at the same time
- Chamber bottom lined with chamotte with heating elements inside
- Digital control via a touch panel
- An innovative control system that allows quick heating to the set temperature with significant energy savings
- Heaters: upper (6 x 750 W) and lower (6 x 550 W)
- Heater control with independent thermostats possibility to set two different temperatures
- Air circulation in the chamber for even baking
- No need to turn the food during cooking
- Illumination inside the chamber
- Easy to clean
- Possibility to buy a steam generator ideal for preparing bread and cakes
- Internal oven cavity dimensions: 720x720x(H)180 mm

- Rising chamber made of stainless steel
- Working temperature: 0-60 °C
- Chamber capacity: 6 trays 600x400 (distance between trays 90 mm)
- Voltage: 230 V. power: 2000 W
- Dimensions: 1160x1110x900 mm
- Condensation hood mad of stainless steel
- Flow rate 230 m³/h
- Dimensions: 1160x1290x450 mm

code	V	W	mm	€
1F201500	230	2000	1290x1160x(H)2110	19 500,00



1F201500

PIZZA OVENS COMPACT

- Ideal for baking pizzas, bread, lasagnas, etc.
- The compact dimensions make it perfect for small kitchens or even food trucks.
- The use of high-quality materials guarantees a long service life.
- Housing made of high-quality stainless steel AISI 430, easy to clean and maintain.
- Oven chamber measures 415×400×(H)120 mm for pizzas or other dishes.
- Chamber floor lined with chamotte stone; these accumulate the heat which results in crispy pizza bottoms.
- Each heating element is 1000 W and can be set independently from 50°C to 350°C.
- The door is fitted with a window and the chamber has a light, this allows to follow the cooking process.
- The door can be opened without stopping the heating process.

Ć

R

f

Ĥ

Ą

ति

I

- Can operate in continuous mode or with a timer.
- Timer can be set up to 120 minutes and when the times is finished the oven stops heating.
- Fitted with $\pm\,1.7$ m long power cable with earthed plug.

one below and one in between the two chambers



- Chamber is heated by 2 efficient heating elements; one above and one below the chamber.

and one b	0.0110				OTIC DCIOW	unu one i	in between	r the two chambers.	
code	V	W	mm	€	code	V	W	mm	€
220290	230	2000	580x560x(H)275	364,00	220283	230	3000	580x560x(H)435	490,00
		tom lined tte stone		Doors open fo	rwards			er can be set p to 120 min	
		•		-					



PIZZA DOUGH BOX

- Made of food-grade polypropylene, harmless to human health.
- It maintains freshness of dough and continuity of proofing process.
- Stackable with or without lids.
- Dishwasher safe.

WHAT SHOULD AN IDEAL PIZZA DOUGH PROOFING BOX BE?

Airtight

One of the most key features to look out for is whether your dough proofing box is airtight. This prevents the dough from drying out during prolonged fermentation and makes the dough easier to form.

Environmentally friendly

The use of airtight, resealable boxes reduces the use of foil, traditionally used to cover the dough during proofing. Plastic boxes are durable and can last for many years.

Made of suitable material

Traditional Italian dough proofing boxes were made of wood, but modern plastic boxes provide several benefits. They are airtight and they improve the shape and structure of the dough balls. The right amount of time for the dough to proof creates the right structure which translates into comfortable work - the dough is easier and quicker to stretch. This is not possible with metal containers that interfere with the dough proofing process.

The plastic surface is also smooth, which prevents the dough balls from sticking and makes it easy to remove them from the box after proofing.

No rounded edges

Special pizza dough boxes make it easy to cut and pull the dough without misshaping it. GN containers, which are used in kitchens, have rounded edges,

thus making it impossible to remove the dough balls without destroying their shape.

Stackable

During proofing and fermentation, we keep multiple balls of dough at the same time. Stackable boxes take up less space in the kitchen. Stacked boxes are also easier to handle due to their stability.

HENDI



PROFI LINE PIZZA DOUGH BOX

- Made of food-grade polypropylene, harmless to human health.
- It maintains freshness of dough and continuity of proofing process.
- Stackable with or without lids.
- Lid sold separately (700174).
- Dishwasher safe

code	liters	mm int.	mm	€
700129	14,5	560x360x(H)75	600x400x(H)80	12,50
700143	19,5	560x360x(H)100	600x400x(H)105	13,50
700174		lid	600x400x(H)20	9,20



KITCHEN LINE PIZZA DOUGH BOX

- Made of food-grade polyethylene, harmless to human health.
- It maintains freshness of dough and continuity of proofing process.
- Stackable with or without lids.
- Lid sold separately (880968).
- Dishwasher safe

code	liters	mm int.	mm	€
880906	14	565x365x(H)70	600x400x(H)75	15,00
880913	18	565x365x(H)90	600x400x(H)95	15,50
880920	24	565x365x(H)125	600x400x(H)130	17,50
880968		lid	600x400	10,50



BUDGET LINE PIZZA DOUGH BOX

- Made of food-grade polyethylene, harmless to human health.
- It maintains freshness of dough and continuity of proofing process.
- Stackable with or without lids.
- Lid sold separately (700068).
- Dishwasher safe

code	liters	mm int.	mm	€
700020	14,5	560x360x(H)100	600x400x(H)105	12,50
700013	19,5	560x360x(H)75	600x400x(H)80	11,50
700068		lid	600x400x(H)20	8,10

700129

700174

ß

Ê

R

f

Ĥ

Å

B

ကြိ

''



880906



HENDI



ELECTRIC DOUGH ROLLERS PRISMAFOOD



- Perfect for rolling cold pizza dough, pasta dough and dumpling/ravioli dough.
- Two sets of adjustable rollers shape the dough into a disc of consistent thickness.
- Can operate continuously or can be started with the supplied foot pedal.
- Separate roller guards ensure easy and safe operation.





Electric



ELECTRIC DOUGH ROLLERS

- Ideal for rolling out cold dough.
- Do not heat the dough during rolling.
- Made of stainless steel.
- Patented "touch and go" model the dough roller switches on automatically after inserting a portion of dough.
- Timer setting: 10-35 s.
- Two pairs of adjustable rollers allow for setting dough thickness from 0 to 5 mm and rounding the dough.
- Separate roller guards for easy and safe operation.
- Time-saving.

model	PRISMAFOOD "TOUCH AND GO" 400	
cod	226605	
number of pairs of rollers	2	
weight of the dough portion	0,21-0,70 kg	
rolled dough disc diameter	ø260-400 mm	
dimentions	585x435x(H)790 mm	
power	250 W	
voltage	230 V	
weight	37 kg	
€	1 310,00	



			\bigcirc
		prismafood →→ solutions HDPE Networking S.S.	ß
Watch the	rideo	astyrethytere) stantess steel	Ĝ
			ß
	8		
		Electric foot pedal included	00
PRISMAFOOD 400	PRISMAFOOD 500		
1D010028	226643		
2	2		
0,21-0,70 kg	0,22-1,00 kg		
ø260-400 mm	ø260-450 mm		
585x435x(H)790 mm	665x435x(H)715 mm		
250 W	250 W		
230 V	230 V		
37 kg	41 kg		
1 160,00	1 390,00		



PRISMAFOOD "TOUCH AND GO" 400
220368
2
0,22-0,90 kg
ø260-400 mm
585x435x(H)715 mm
250 W
230 V
38 kg
1 380,00





目

 $|\bigcirc|$

Ē

Ì

B

))

Ţ,

SPIRAL MIXERS PRISMAFOOD

- For professional use.
- Ideal for pizzerias, bakeries, patisseries, dumplings bars, doughnut shops to mix heavy dough.
- Sturdy and robust housing made of white lacquered steel.
- The bowl, protection grid and spiral are made of AISI 304 stainless steel.
- Safety guard with a grid makes it easy to add ingredients during operation.
- With microswitch, operation stops when safety guard is lifted.
- Chain drive ensures efficient operation.
- Quiet work guaranteed thanks to oil bath gearmotor.
- The spiral design ensures perfect homogeneity and aeration of the dough.
- The mixer doesn't heat up the dough during operation.
- With built-in 30 minute timer.
- Fitted with 4 wheels of which 2 have brakes ensuring comfortable transport and easy use in the kitchen.
- 2 options to choose from: with fixed head and bowl or with rising head and removable bowl.





SPIRAL MIXER WITH FIXED HEAD AND BOWL PRISMAFOOD

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	٧	W	hp	€
11010003	290x590x(H)580	10	8	35	ø260x(H)200	40	230	370	0,5	1 030,00
11053010	385x670x(H)725	22	17	56	ø360x(H)210	59	400	750	1,0	1 200,00
11054010	435x750x(H)810	32	25	88	ø400x(H)260	82	400	1100	1,5	1 440,00
226322	480x820x(H)850	41	35	112	ø450x(H)260	92	400	1100	1,5	2 030,00

SPIRAL MIXER WITH RISING HEAD AND REMOVABLE BOWL PRISMAFOOD

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	kg	V	W	hp	€
11051025	380x600x(H)645	10	8	35	ø260x(H)200	56	230	370	0,5	1 500,00
11053035	390x670x(H)735	22	17	56	ø360x(H)210	81	400	750	1,0	1 570,00
11054035	435x750x(H)810	32	25	88	ø400x(H)260	95	400	1100	1,5	2 000,00









SPIRAL MIXERS WITH 2 SPEEDS PRISMAFOOD

- For professional use.
- Ideal for pizzerias, bakeries, patisseries, dumplings bars, doughnut shops to mix heavy dough.
- Sturdy and robust housing made of white lacquered steel.
- The bowl, protection grid and spiral are made of AISI 304 stainless steel.
- Safety guard with a grid makes it easy to add ingredients during operation.
- With microswitch, operation stops when safety guard is lifted.
- Chain drive ensures efficient operation.
- 2-gear knob for changing the mixing speed the 2nd gear enables achieving higher dough hydration and even better kneaded dough.
- Quiet work guaranteed thanks to oil bath gearmotor.
- The spiral design ensures perfect homogeneity and aeration of the dough.
- The mixer doesn't heat up the dough during operation.
- With built-in 30 minute timer.
- Fitted with 4 wheels of which 2 have brakes ensuring comfortable transport and easy use in the kitchen.
- 2 options to choose from: with fixed head and bowl or with rising head and removable bowl.



SPIRAL MIXER WITH FIXED BOWL AND 2 SPEEDS PRISMAFOOD

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	W	hp	٧	kg	€
222867	385x670x(H)725	22	17	56	360	750/1100*	1,0/1,5*	400	62	1 520,00
222874	435x750x(H)810	32	25	88	400	1100/1700*	1,5/1,70*	400	82	1 750,00
222881	480x820x(H)850	41	35	112	450	1100/1700*	1,5/2,3*	400	92	2 120,00
222898	480x805x(H)850	48	42	128	450	1500/2200*	2	400	98	2 420,00

SPIRAL MIXER WITH REMOVABLE BOWL AND 2 SPEEDS PRISMAFOOD

code	mm	liter	weight (kg)	output (kg/h)	bowl (mm)	W	hp	V	kg	€
222911	390x670x(H)735	22	17	56	360	750/1100*	1,0/1,5*	400	81	2 000,00
222928	435x750x(H)810	32	25	88	400	1100/1300*	1,5/1,75*	400	95	2 230,00
222935	480x815x(H)850	41	35	112	450	1100/1700*	1,5/2,3*	400	114	2 300,00

MHENDI

* w zależności od wybranej prędkości

Ê

R

ħ

Ą

नि

ကြီ



1 SPEED DOUGH MIXER WITH FIXED BOWL

- Perfect for pizzerias, confectioneries, bakeries, for making pizza dough and other baked goods.
- Aesthetic housing made of red coated steel.
- Bowl, safety cover, 18/10 stainless steel spiral.
- Fixed head and bowl.
- 1 speed of dough kneading: 22 rotations of bowl and 178 rotations of hook per minute.
- Safety lid microswitch.
- Quiet operation of oil gear.
- Built-in timer.
- 4 wheels, including 2 braked.
- Models 221839 and 221846 have casters and additional feet.
- Model 201815 is equipped only with feet.

code	٧	W	mm	€
221839	230	1500	840x420x(H)720	942,00
221846	230	1500	870x450x(H)840	1 230,00



Adjustable feet



PIZZA PRESSES

- Professional equipment for forming raw pizza bases.
- The press is designed for preparation of large number of pizza bases without much effort.
- Housing and plates made of stainless steel.
- Chrome-plated plates.
- Plate spacing: max. 110-115 mm.
- Independent operating temperature settings for upper and lower plates with separate digital displays and indicator lights.
- Easy adjustment of the pizza base thickness with a use of a lever.

prismafood

>>> solutions

- Movable guard for safe processing of dough.
- Illumination on 2 sides of the plates for easy control over the pressing process.
- Dough pressing time adjustment.
- Max. heating temperature for plates: 170°C.
- Capacity: approx. 360 pizza bases/hour.



PIZZA PRESS 33

- For forming raw pizza bases with a maximum diameter of ø33 cm.
- Max weight of dough before pinning out: 250-270 g.
- Net weight: 121 kg.

code	mm	€	
1P010005	470x660x(H)825	4 780,00	

PIZZA PRESS 45

- For forming raw pizza bases with a maximum diameter of ø45 cm.
- Max weight of dough before pinning out: 600-650 g.
- Net weight: 163 kg.

code	mm	€
1P010015	655x750x(H)855	5 710,00

PIZZA PRESS 50

- For forming raw pizza bases with a maximum diameter of ø50 cm.
- Max weight of dough before pinning out: 700-750 g.
- Net weight: 172 kg.

code	mm	€
1P010025	655x750x(H)855	6 640,00



/ _____ R

f

Ą

नि

Ö

	emperature of up to 17				ALC: NO		TAP:
	sure used during produ			1	1 Tel	1	The second
	onger than regular wo			1.10	AN C		La Sta
	free (no need for oil or	bleachJ.			100	And	
	ole to hang the board.	معاديهما المعاد			CT S		AND SPA
- Darkens durn code	ng use which gives it a r	naturat took. €			6		
505526	mm ø254x(H)6	17,50	505526	6	-		
	Ø254X(H)6 Ø305x(H)6			100	the second	1	
505533	Ø3U3X(H)6	21,50		- /	-		/
			0	/			
						10	
						6	
			12-1				
PP							
polypropylene		1			-		1.
						and the second se	A CONTRACTOR OF THE OWNER OWNER OF THE OWNER
LID SPACE	R FOR PIZZA'S -			IL			
LID SPACE 500 PCS	R FOR PIZZA'S -			F	1	1	n -
500 PCS				K	1		
500 PCS - Height of the	lid spacer: 35 mm.			K	1		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the	lid spacer: 35 mm.			K	709900	A SALE	
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€	L.	K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€	11	K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900		
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900	617731	
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900	617731	
500 PCS - Height of the code	lid spacer: 35 mm. _{packed per}	€		K	709900	617731	
500 PCS - Height of the code 709900	lid spacer: 35 mm. _{packed per}	€			709900	617731	
500 PCS - Height of the code	lid spacer: 35 mm. packed per 500	€		AL	709900	617731	4.0
500 PCS - Height of the code 709900	lid spacer: 35 mm. packed per 500	€			709900	617731	3.0
500 PCS - Height of the code 709900	lid spacer: 35 mm. packed per 500 617700	€		aluminium	c	617731	4.0
500 PCS - Height of the code 709900 S.S. PAN GRIPF	lid spacer: 35 mm. packed per 500 617700	€		PAN GRI	C	~	4.0
500 PCS - Height of the code 709900 S.S. PAN GRIPF - Suitable for a	lid spacer: 35 mm. packed per 500 617700 PER Il types of pizza pans.	€		PAN GRI - Suitable fo	c	pizza pans.	4.0
500 PCS - Height of the code 709900 S.S. PAN GRIPF	lid spacer: 35 mm. packed per 500 617700	€	ε 9.45	PAN GRI	C	~	¢



PIZZA SLICER

- Stainless steel knife blade, polypropylene handle.
 With HACCP color coding system, coloured clips are not removable after placing.

	·····		
code	ø	length (mm)	€
617014	ø100	(L)230	8,35




PIZZA SLICER

- Stainless steel knife blade, polypropylene handle.

code	ø	length (mm)	€
617007	ø100	(L)230	5,00







PIZZA SCOOP

PIZZA SCOOP, SQUARED

SQUARED PERFORATED PIZZA SCOOP

code	ø	length (mm)	€	code	mm	€	code	mm	€
617250	ø200	(L)1720	58,50	617328	1530x330	75,00	617366	1530x330	97,00
617267	ø350	(L)1870	66,50	617342	1650x450	111,00	617373	1830x330	97,00
				617335	1830x330	77,50	617380	1650x450	128,00
				617359	1950x450	111,00	617397	1950x450	131,00



Prices net of VAT

M HENDI

Ć

ß


A

00

Ř

ස

Ö





PIZZA SCOOP

- Lightweight and durable, made of anodized aluminium.
- Handle with slide grip for easy removal of pizzas from the oven.

code	-	mm	€
617151		230x1200	46,50
617168	perforated	230x1200	51,50



PIZZA SCOOP, ROUND, PERFORATED

- Made from hard anodised aluminium, making it more wearresistant, abrasion-resistant and corrosion resistant.

-	With sliding	grip,	which	doubles	as heat	insulation.	
---	--------------	-------	-------	---------	---------	-------------	--

code	-	mm	€
618103	perforated	230x1200	55,00



PIZZA SCOOP ROUND

- Handle with slide grip for easy removal of pizzas from the oven.

code	-	mm	€
617182		230x1200	58,50
617199	perforated	230x1200	51,50



PIZZA SCOOP SQUARED

- Light and robust, made of anodised aluminium.

code	-	mm	€
617113		305x1320	51,50
617137	perforated	305x1320	65,00
617120		405x1320	61,50
617144	perforated	405x1320	81,00



	101
7.14	Carles .
aluminium	wash J

PIZZA SCOOP, SQUARED

- For use in pizzerias and regular restaurants
- Long wooden handle
- Aluminium head
- Heat resistant

code	mm	€
couc		0
617816	305x1320	29,50
618028	355x1320	26,00
617861	405x1320	44,50

PIZZA OVEN CLEANING BRUSH

- Brush made of brass wire.
- Steel scraper.
- Removable wooden handle with a screw.

code	mm	€
525630	930x260	44,50

Prices net of VAT

Ř

B

ကြိ

-<u>55</u>



- PERFORATED - Ideal for use in small spaces
- Made of anodised aluminum
- Lightweight and durable
- Perforation to drain excess flour
- Short handle

PIZZA. PASTA & KEBAB

- Non-heating silicone handle

PERFORATED

- Made from hard anodised aluminium, making it more wear-resistant, abrasionresistant and corrosion resistant.
- Fitted with a short handle, ideal for compact spaces.
- The silicone handle remains cool during
- Ideal for small spaces
- Short wooden handle
- Aluminium head
- High Thermal Resistance

			use and pro	tects against hea	t.	code	mm	€
code	mm	€	code	mm	€	618035	305x660	19,50
618073	300x660	36,50	618080	350x710	46,00	618042	355x710	21,50
618066	350x710	39,00	618097	300x660	42,50	618059	405x760	26,00



PIZZA SCOOP, WOODEN

- Can be used when removing pizza from the oven and for serving.
- Made of durable wood, resistant to high temperatures.

code	mm	€
617724	535x305x(H)10	29,50



SERVING BOARD, WOODEN

- Can be used when removing pizza from the oven and for serving.
- Made of durable wood, resistant to high temperatures.

code	mm	€
616994	600x400	79,00

* Dimensions may vary slightly, as the product is hand-made.

PIZZA SCOOP, WOODEN

- Made of glued beech wood.
- Sharp edges for easy dough scooping.
- A hole at the end of the handle for easy hanging of the scoop.
- Due to the technology used during the production of the scoop, it should not be exposed to excessive moisture.

code	mm	€
617212	1100x300	29,50
617236	1130x350	40,50

WOODEN STIRRER

- For mixing large quantities of soups and other liquid and semiliquid dishes in pots, coppers, pans
- Made of a single piece of raw beech wood, which prevents layer separation common in glued wooden products
- Exceptionally durable and hard

code	mm	€
520604	700x95	25,00
520611	1000x95	26,50
520628	1250x95	32,00





CAKE SERVER

-	With	polypropy	lene ha	andle.

code	mm	€
523902	260x55	5,85





Ć

R

A

(

Ĥ

Å

B

ကြိ

1

CAKE SCOOP/CUTTER

- Black polypropylene handle.

- Thanks to its sharpened edges it can be used as a knife.

code	mm	€
523957	300x75	9,75



PAVEMENT BLACKBOARD

- Black, with wooden frame.

code	mm	€
664001	500x450x(H)850	98,50
664018	700x600x(H)1200	200,00



PIZZA SCOOP

- Made of stainless steel., plastic handles.
- For turning and scooping pizzas.
- Movable handle.

code	-	mm	€
617779		ø200x1700	96,00
617786	perforated	ø220x1700	110,00

PIZZA SCOOP VENEZIA

-	Made	of	stainless	steel,	plastic	handles
---	------	----	-----------	--------	---------	---------

code	ø	length (mm)	€
617793	ø260	(L)1350	60,00

VENEZIA PIZZA OVEN ACCESSORIES – A SET OF 3 ELEMENTS

- For medium-sized ovens.
- Includes 3 accessories, each 1350 mm long: aluminum scoop, pizza turning scoop, pizza oven brush with brass bristles, rounded.

code	mm	€
617748	(L)1350	180,00

* Dimensions may vary slightly, as the product is hand-made.

PIZZA OVEN CLEANING BRUSH, VERTICAL

- Soft bristles, steel scraper.

code	-	mm	€
525647	vertical	1700x55	96,00
525654	replacement brush	170x55	27,00

VENEZIA PIZZA OVEN CLEANING BRUSH, ROUND

- Soft bristles, steel scraper.

code	-	mm	€
525685		1350x150	55,50
525692	Replacement brush with natural bristle	150x55	21,50

PIZZA OVEN CLEANING BRUSH

- Hard bristles, steel scraper.

code	-	mm	€
525661		1700x220x(H)70	85,00
525678	Replacement brush with natural bristle	220x70	22,00

PIZZA PADDLE AND BRUSH HOLDER -3 SLOTS

- Free-standing.

- Stainless steel framework, wooden handles and base included.

code	mm	€
617762	420x240x(H)1600	284,00









Ĥ

Ř

B

ကြိ

1

N

Ħ

SOLE MIO PIZZA SCOOP. PERFORATED

- Very lightweight and durable, made of anodized gold aluminum.
- Holes for removing excess flour.
- Sharpened rim and microperforation of the surface for easy levering and scooping of pizza.

code	mm	€
617830	1700x330	160,00
617847	1700x500	208,00

ITALIA 3D PIZZA SCOOP, PERFORATED

- Very lightweight and durable, made of anodized black aluminum.
- Holes for removing excess flour.
- Sharpened rim and ribbed surface for easy levering and scooping of pizza.

code	mm	€
617809	1700x320	174,00
617823	1700x500	223,00

PIZZA SCOOP AND BRUSH HOLDER - 4 SLOTS

- Wall-mounted.

code	mm	€
617755	400x220x(H)140	91,50

* Dimensions may vary slightly, as the product is hand-made. 617755

ORCHIDEA PIZZA SCOOP

- Lightweight and durable, made of anodized aluminum.
- Sharpened rim and microperforation of the surface for easy levering and scooping of pizza.

code	mm	€
617854	1700x330	147,00
617878	1700x500	186,00

PIZZA SCOOP FOR TUNNEL OVENS

- Made of stainless steel, plastic handles.

code	ø	length (mm)	€
617687	ø330	(L)500	57,50
617694	ø400	(L)570	64,00







FLEXIBLE PIZZA DOUGH CUTTER

- Made of stainless steel., plastic handle.

code	mm	€
855546	(L)120	18,50



PIZZA DOUGH CUTTER

- Made of stainless steel., plastic handle.

code	mm	€
855553	(L)120	20,00
855560	(L)160	23,50



855584

PIZZA WIDE SPATULA

- Made of stainless steel., plastic handle.

code	mm	€
855584	(L)260	18,50



PIZZA SPATULA

 Made of stainless steel., plastic handl 					
	code	mm	€		
	855591	280x90x(H)30	21,50		



PIZZA SPATULA Made of stainless steel., plastic handle. code mm € 855614 (L)330 27,00



PIZZA SPATULA

- Made of stainless steel., plastic handle. code mm € 855577 (L)370 36,00







523919

PIZZA PEEL

code

523919



PAN GRIPPER **PIZZA SAUCE LADLE, FLAT** - Made of stainless steel., plastic handle. - Made of stainless steel., plastic handle, Made of stainless steel., plastic handle. € code mm € code € 41,50 617717 (L)250 42,50 855522 90 g 32,00



mm

120x250



617021 PIZZA SLICER

PIZZA SLICER - CURVED

HENDI

€ code mm code mm € 617021 ø100x260 62,50 617038 62.50 ø100x120

* Dimensions may vary slightly, as the product is hand-made.

Prices net of VAT

PIZZA PLATES SPECIALE

- Made of very durable porcelain, these plates are perfect for heavy use in professional catering establishments.
- The snow-white plates are available in sizes with the diameter of 28 and 33 cm and are complemented with elements in trendy colours; they go together perfectly

and bring out the appearance of the dish, making it look even tastier.

- The decoration is protected by glaze, which makes the plates dishwasher and microwave safe.

etements		.010013,	they go to	gether perfection	-					-		Ĝ
		1)		-	a de la compañía de la)	(ß
774847		/		774892	_	/		774885		J	/	
PIZZA PL				PIZZA PLA DECORATI		ECIAL	E	PIZZA PL GRANITE		PECIAL	E	
code 774830	order unit 6	mm ø280	€ 5,30	code	order unit	mm	€	code	order unit	mm	€	
774830	6	ø330	7,25	774892	6	ø330	8,90	774885	6	ø330	7,25	00
					1			1	1			
77/0/1				77/05/				77/070))	
774861			_	774854				774878				
PIZZA PL YELLOW		ECIALE	E	PIZZA PLA GRAY	TE SP	ECIAL	Ε	PIZZA PL ORANGE	ATE SP	PECIAL	E	
code	order unit	mm	€		order unit	mm	€	code	order unit	mm	€	
774861	6	ø330	7,25	774854	6	ø330	7,25	774878	6	ø330	7,25	
	6			16	and and	Con the		(Co		10)
1		>		1º		aler.		<	- 40 A	-		<u> </u>
769928			_	777855				769935			_	
PASTA P	order unit	ECIAL	.E €	PIZZA PLA BAROCCO	TE SP	ECIAL	E	PASTA PL BAROCCO		PECIAL	.E	
769928	6	ø265	8,90	code	mm		€	code	mn	n	€	, } 7
			-,	777855	ø33	D	8,35	769935	ø27	75	8,35	A
		and the second second										
												B
			S.Hala					10100				
								-	4			ා
	769911	- without					769904					
PASTA P	DATE CR		mr	n €		PASTA	A PLATI	order unit	mm		€	
769911	order u 6	n nt	ø33		0	76990)4	6	ø26		8,90	















PIZZA PAN

- Made of blue steel.
- Ideal for uniform pizza baking.
- Pan thickness: 0.75 mm
- Suitable for using in a wood-burning oven.

5	5	
	mm	€
	ø200x(H)25	4,75
	ø220x(H)25	5,60
	ø240x(H)25	6,15
	ø260x(H)25	6,70
	ø280x(H)25	7,50
	ø300x(H)25	8,10
	ø320x(H)25	8,35
	ø360x(H)25	8,65
	ø400x(H)25	10,00
	ø450x(H)38	11,50
	ø500x(H)38	16,00
	ø600x(H)25	22,50

PIZZA PAN

- Made of carbon steel with aluminum coating.
- Ideal for uniform pizza baking.
- Pan thickness: 0.75 mm.

code	mm	€
617885	ø200x(H)25	6,40
617892	ø220x(H)25	7,80
617908	ø240x(H)25	8,10
617915	ø260x(H)25	8,35
617922	ø280x(H)25	8,90
617939	ø300x(H)25	8,90
617946	ø320x(H)25	9,75
617953	ø360x(H)25	13,50
617960	ø400x(H)25	16,50
617977	ø450x(H)38	21,50
617984	ø500x(H)38	23,00
617991	ø600x(H)25	36,00

PERFORATED PIZZA PAN

- For use in restaurants, canteens and hotels serving pizza.
- The pizza screen is made of carbon steel covered with iron oxide which ensures excellent corrosion protection.
- Even baking thanks to special sheet perforation.
- Holes measuring: Ø 3mm.
- Heat resistance up to: 420°C.
- Food contact safe.
- Suitable for oven use.
- ATTENTION: Not dishwasher safe nor microwave safe.

code	mm	€
616918	ø280x(H)25	8,35
616901	ø260x(H)25	7,50
616925	ø300x(H)25	9,20
616932	ø340x(H)25	9,75
616949	ø400x(H)25	13,00

PIZZA, PASTA & KEBAB

378



PIZZA PAN RECTANGULAR

- Made in blue steel. Ideal for uniform heat distribution when baking.

5		
code	mm	€
808276	600x400x(H)25	24,00

PIZZA SCREEN

- Ideal for uniform pizza baking.
- Made of aluminium.

code	mm	€
617502	ø230	2,80
617519	ø250	3,10
617526	ø280	3,35
617533	ø300	3,90
617540	ø330	4,20
617557	ø360	4,75
617564	ø400	5,60
617465	ø430	5,85
617571	ø450	6,15
617588	ø508	8,10
617595	ø600	14,00





Al



505540

-

ø500 and 600 mm have a reinforced bottom

PIZZA BOARD

- Made of raw beech wood.
- With grooves to assist cutting into 6 equal parts.

code	mm	€
505540	ø300	13,50
505557	ø350	15,00
505564	ø400	16,00
505571	ø450	18,00
505588	ø500	26,50



PIZZA SCREEN/PAN RACK

-	Holds up	o 14 pizza screens or pans.	
	code	mm	

code	mm	€
810361	300x305x(H)680	66,50



Â





PIZZA DELIVERY BAG 35 CM KITCHEN LINE

- Fits 4 pizza boxes of 35x35 cm.
- Made from durable and easy to clean polyester.
- Outside made from 600D polyester and the inside is made from 210D polyester.
- Pizza compartment is padded with 5 mm thick foam.
- Closed with velcro, easy to adjust.
- The large handle makes carrying comfortable.
- Fitted with top transparent pocket for bills.

code	mm	€
709887	360x360x(H)200	20,50

PIZZA DELIVERY BAG 45 CM KITCHEN LINE

- Fits 4 pizza boxes of 45x45 cm.
- Made from durable and easy to clean polyester.
- Outside made from 600D polyester and the inside is made from 210D polyester.
- Pizza compartment is padded with 5 mm thick foam.
- Closed with velcro, easy to adjust.
- The large handle makes carrying comfortable.
- Fitted with top transparent pocket for bills.

code	mm	€
709870	460x460x(H)210	27,50



LUNCHBOX BAG

- High-quality, three-layer insulation maintains the right temperature of hot and cold food, ensuring customer satisfaction:
- durable, waterproof polyester exterior, easy to clean.
- PE foam layer between the walls.
- aluminium film on the inside insulates and reflects heat and is easy to keep clean.
- Flap with magnet seals lid tightly.
- On top of the bag there is a pocket closed with a Velcro flap.
- Transparent pocket on front of bag for bills, flyers, etc.
- 2 handles with rubber grips for easy carrying.
- 2 plywood plates stiffen the side walls, stabilizing the bag with the load during transport (to be mounted separately).
- Holds 6 (709764), 8 (709771), 12 (709788) and 12 (709795)
 200x250 mm lunch boxes respectively.

code		mm	int. mm	€
709764	6 lunchbox	480x300x(H)270	440x280x(H)260	68,50
709771	8 lunchbox	540x460x(H)200	505x430x(H)175	85,00
709795	12 lunchbox	550x460x(H)360	515x445x(H)340	103,00
709788	16 lunchbox	700x290x(H)350	670x270x(H)340	92,50

PIZZA. PASTA & KEBAB

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®

CAMBRO

R

f

(

Ĥ

Å

नि

ကြိ



code	mm	€
GBD211417110	535x355x(H)430	134,00
GBD101011110	255x255x(H)280	73,50
GBD121515110	305x380x(H)380	106,00





HENDI



MHENDI

Prices net of VAT

WATERPROOF COATING

The bag is made of a high-quality material that protects its contents against water and wind. EASY DELIVERY EVEN WHEN IT RAINS OR SNOWS



UNIQUELY CAPACIOUS INTERIOR

The bag has a capacity of 72 litres, which means that you can deliver up to: 10 pizza boxes* or 8 salads* + 6 main courses* + 6 soups* HIGH CAPACITY = HIGH PERFORMANCE = LOWER COST OF DELIVERY = HIGHER PROFIT * standard delivery packaging was used for the measurement.

ADJUSTABLE THERMAL SHELF

A shelf that divides the compartment into two parts. Select a place for salads, coleslaws, Put hot dishes in a separate compartment. COOL AT THE BOTTOM HOT AT THE TOP

SEPARATORS

The thermal bag has 5 semicircular separators in the lower shell. They provide thermal insulation of the container compartment from the ground and prevent the outer fabric from becoming worn out. DON'T WORRY ABOUT PUTTING IT DOWN THE DISHES ARE SAFE

MULTIFUNCTIONAL CARRIER Equipped with:

- Chest + belt tensioners
- Hooks for payment terminals/on the straps
- Comfort system soft, ventilated cladding with light foam on the back and the harness
- Waterproof bill pocket FUNCTIONALITY COMFORT "HANDS-FREE"

STRUCTURAL AND SUPPORT BELTS IN AUTOMOTIVE TECHNOLOGY

Polypropylene weave strips in the belt. Durable, strong, with a great design that will last for years. NO FRAYING OR UNRAVELLING

Low temperature permeability thanks to the multi-layer system of walls where the PVC compartment

THREE-LAYER WALL WITH

COMPARTMENT INSERT

insert plays an important role. It stiffens the entire structure and provides effective thermal insulation. THE THERMO INSTANT TECHNOLOGY KEEPS THE FOOD

WARM FOR MORE THAN 1.5 HOURS

PIZZA & FOOD DELIVERY BACKPACK INSULATED

- Lightweight backpack with large, adjustable, padded shoulder straps and padded back section for comfort.
- Fitted with adjustable waist band for extra stability.
- Waterproof thanks to the use of durable 600D polyester.
- Large compartment with adjustable, velcro mounted shelf.
- Can hold up to 10 pizza-boxes.
- Compartment has two layers of insulation. PE foam and aluminium foil
- One side of the backpack can be opened with a zipper for easy access.
- With large padded carrying handles on the top and a transparent card holder on the back.
- Reflector strip fitted on the outside for extra safety.

code	mm	€
709801	410x410x(H)490	115,00



10000

011111

1111

384



- Durable and comfortable backpack straps guarantee comfort of carrying and stabilization of the backpack contents during transport.
- Vinyl interior of the product for easy cleaning.
- Colour: black.

code	mm	€
GBBP151417110	355x380x(H)430	194,00
GBBP111417110	355x280x(H)430	185,00
	GBBP151417110	GBBP151417110 355x380x(H)430

Ö

GAS SPIT CHICKEN ROASTERS

- Stainless steel housing
- Swing doors made of tempered glass
- Right door opens with part of right panel to facilitate grate insertion
- Spit and handle length: 950 mm, usable spit length: 740 mm
- Spit section: 12x12 mm
- Electric motor to rotate spits: 30 W/230 V
- Chamber light










code	226063	226070	226087
capacity 8-10 chickens		12-15 chickens	16-20 chickens
number of rotate spits	2	3	4
dimensions	1150x472x(H)605 mm	1150x472x(H)795 mm	1150x472x(H)981 mm
number of independent heating zones	2	3	4
gas consumption	0,98 m³/h	1,46 m³/h	1,96 m³/h
power	9,4 kW [Hs]	14,1 kW [Hs]	18,8 kW [Hs]
weight	65 kg	85 kg	100 kg
€	1 990,00	2 310,00	2 670,00

Door opening system to facilitate taking grates out

Independently controlled heating zones










CHICKEN ROTISSERIE ELECTRIC

- Housing and chamber made of stainless steel.
- Doors made of tempered glass.
- Door handles and spit grips made of heat-resistant synthetic resin.
- Right side door opens with right side of housing for easy spit insertion.
- Fitted with chamber light.
- The power can be controlled for each heater independently.



- Removable grease and residue collecting tray.
- Spit and handle length: 950 mm; usable spit length: 740 mm.
- Spit diameter: 12×12 mm.
- Accessories in the set: roasting spits, thumb screws, spacers, spit wrench.





code	221464	221471	221488
capacity	8-10 chickens	16-20 chickens	24-30 chickens
number of rotate spits	2	4	6
dimensions	1150x550x(H)610 mm	1150x550x(H)980 mm	1150x550x(H)1520 mm
power	6 kW	12 kW	18 kW
voltage	400 V	400 V	400 V
€	1 670,00	2 500,00	3 060,00

ß

<u>ب</u>

R

A

C

KEBAB GRILL & KNIFE

- For natural gas, can be converted to propane with included converter set.
- Fitted with thermocouple.
- Grill distance adjustment.
- 2 swing stainless steel insulated screens (right and left),

removable.

- Stainless steel housing.
- Burner screen made of AISI-310 stainless steel.
- Power connection required.





KEBAB GRILL GAS PROFI LINE

- 3 burners of total power 9.75 kW.
- Grill length: 725 mm, capacity up to 40 kg, maximum meat roll dimensions ø400x(H)510 mm.
- Dimensions including dripping and meat tray: 550x700x(H)960 mm. Weight: 25 kg.

code	kW[HS]	mm	€
143087	9.75	470x550x(H)960	889,00

KEBAB GRILL GAS PROFI LINE

- For natural gas, can be converted to propane with included converter set.
- Fitted with thermocouple.
- Grill distance adjustment.
- Burners power 12 kW.
- Delivered with reflection screens.
- Grill length: 900 mm.
- Capacity: up to 80 kg.
- Weight 30 kg.

code	kW[HS]	mm	€
226001	12	470x550x(H)1150	1 020,00





- Stainless steel housing 4 heating zones sealed in ROBAX glass, approx. 1.8 kW each, switched on separately
- Each zone with a switch and 5 heat levels: 0-1-2-3-MAX
- Top-mounted reversible motor
- Adjustment of distance of the spit from heating elements 2 tilting stainless steel reflection screens: 155x(H)765 mm (right and left)
- Spit dimensions: 12x12x(H)890 mm, usable length: 650 mm
- Plate diameter: ø180 mm
- Meat weight from 40 to 60 kg, maximum meat dimensions: ø300x(H)650 mm
- Removable dripping tray
- Weight: 30 kg

code	V	W	mm	€
226018	400	7200	550x700x(H)1120	1 390,00



 ج

R

Ħ

ø

Ř

B

ကြိ

ÿ

code	thickness (mm)	blade length (mm)	€
840856	2	550	35,00
840849	2	500	32,50
841402	3	550	38,50
841396	3	500	39,50
841389	3	450	36,50



263624

CONTACT GRILL "PANINI" XL

- Plenty of grilling space to fit original Italian panini's and give them the characteristic brown stripes.
- Both the top and bottom grill are grooved.
- Net weight: 25 kg

code V W mm € 263624 230 2700 548x415x(H)210 361,01	J	J			
263624 230 2700 548x415x(H)210 361,0	code	V	W	mm	€
	263624	230	2700	548x415x(H)210	361,00

Prices net of VAT





KEBAB KNIFE ELECTRIC

- Ideal for slicing any type of roasted meat like; kebab, shoarma, gyros, etc.
- Large Ø 80 mm smooth slicing disk with stainless steel guard.
- The blade cover ensures safety while slicing.
- Additional Ø 80 mm serrated slicing disk included.
- Disk spins at 8.000 RPM.
- Aluminium handle with 2.7 m power cord.
- Ingress protection: IPX4.
- Adapter with indicator lamp.
- Blade sharpening stone, knife stand and a screwdriver are included.

code	V	W	mm	€
267264	230	80	232x120x(H)115	345,00



KEBAB KNIFE ELECTRIC PROFI LINE

- Designed for the restaurant industry for cutting all kinds of roast kebab meat.
- Stainless steel blade.
- Set includes: blade sharpener, replacement blade, power supply cord and tools.
- Easy adjustment of slice thickness.
- Blade guard to ensure safety while cutting.
- Blade diameter: 80 mm.
- Speed: 5000 RPM.
- Weight: 1 kg.

code	V	W	mm	€
267226	230	90	215x115x(H)106	611,00



KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel Ø 100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Overload protection with a reset button.
- Blade sharpening stone included.

- Weight 1 kg.

code	V	W	mm	€
267240	230	80	202x152x(H)182	180,00



CORDLESS KEBAB KNIFE ELECTRIC

- For slicing döner kebab, shawarma, gyro, etc.
- 2 stainless steel Ø 100 mm blades, 1 smooth and 1 serrated.
- Blade spins at 2600 RPM and can slice up to 60 kg/h.
- Easily adjustable slicing thickness from 0 mm up to 8 mm.
- Blade cover made of stainless steel ensures safety during cutting.
- Handle and motor housing made of anti-slip material.
- ON/OFF switch integrated with the housing.
- Charger with red and green light indicating battery level.
- Two 2,000 mAh battery packs included.
- Blade sharpening stone included.
- Weight 1,3 kg.

code	٧	W	mm	€
267257	230	80	199x152x(H)184	309,00

ති

f

Ą

नि

I





392

PASTA MAKER ELECTRIC

- Perfect for making fresh pasta (max. width: 170 mm).
- Cover equipped with safety switch.
- Dough thickness adjustable in 7 steps from 0,2 to 2,5 mm.
- Three rollers/cutters: dough roller, tagliatelle cutter (6,25 mm) and fettuccine cutter (2 mm). The rollers and cutters are made of 430 stainless steel.

code	V	W	mm	€
224847	230	70	258x218x(H)232	202,00







€

B





PASTA MAKER

- Perfect for preparing fresh pasta (max. width: 140 mm).
- Suitable for table mounting, manual operation.
- Knob for adjusting pasta thickness from 0,2 up to 2,2 mm.
- Double blade two types of pasta can be prepared: tagliatelle 2 mm and fettuccine 6,5 mm.

code	mm	€
226407	180x130x(H)205	100,00



/ _____

R

A

C

Ř

ස

ů

1

_____ ____

PASTA MAKER ELECTRIC

- Perfect for preparing fresh pasta (max. width: 140 mm).
- Knob for adjusting pasta thickness from 0,2 up to 2,2 mm.
- Double blade two types of pasta can be prepared: tagliatelle 2 mm and fettuccine 6,5 mm.
- Suitable for table mounting and manual operation.

code	٧	W	mm	€
226414	230	80	200x185x(H)160	211,00



Stainless steel roller

CHEESE-GRATING MACHINE

- Capacity of 30 kilos per hour.
- Functional and practical, stable body.
- Despite its small size, the device offers high performance.
- Ideal for grating Parmesan cheese and other hard cheeses.
- Motor is protected against overloading.
- Provided with grated cheese container 1,3 L.
- Speed: 1400 RPM.
- Cylinder diameter Ø 110x60 mm.
- Weight 8 kg.

code	-	٧	W	mm	€
226827	30 kg/h	230	380	280x250x(H)310	453,00



HENDI



PASTA MACHINE

- For use in professional gastronomy
- For kneading and extruding pasta in various forms from fresh douah
- Housing, bowl, agitators and the lid are made of AISI 304 stainless steel
- An electronic control panel enables switching the operation from kneading the dough to extruding ready-made pasta forms
- The lid with a grid enables adding ingredients safely also while the device is working
- Microswitch automatically stops the machine when the lid is opened
- The removable bowl and agitators are dishwasher safe
- Production capacity: 8 kg/h
- Max dough load per cycle: 2 kg
- Weight: 26.5 kg
- The set includes: an electric knife to cut off the pasta and an extrusion cooling unit
- Pasta extrusion dies measuring ø57 mm and electric knife for cutting off pasta need to be ordered separately

code	V	W	mm	€
201619	230	370	300x550x(H)540	2 030,00



BIGOLI EXTRUDER DIE

- An extruder die for preparing thick pasta strands
- 22 holes measuring ø3 mm each code

229347

€
86,00



PAPPARDELLE EXTRUDER DIE FETTUCINE EXTRUDER DIE

- An extruder die for preparing thick pasta strips
- 5 holes measuring 16x1 mm each
- code € 229385 84.50

FUSILLI EXTRUDER DIE

- An extruder die for preparing pasta formed in a corkscrew shape
- 5 holes measuring ø9 mm each code





GNOCCHI EXTRUDER DIE

- An extruder die for preparing thick dumplinas

- 1 hole measuring ø12 mm

229415

code



- An extruder die for preparing thin pasta strips
- 15 holes measuring 8x1 mm each code € 229354 84.50



CAPELLI D'ANGELO EXTRUDER DIE

- An extruder die for preparing very thin pasta strands
- 22 holes measuring ø1 mm each



SPAGHETTI EXTRUDER DIE

- An extruder die for preparing traditional spaghetti strands
- 22 holes measuring ø2 mm each

€	code	€
84,50	229484	84,50



SFOGLIA EXTRUDER DIE

- An extruder die for preparing sheets of puff pastry
- 1 hole for producing a whole sheet of dough; it's 155 mm long and 1-4 mm thick





CASARECCE EXTRUDER DIE

- An extruder die for preparing twisted home-made pasta
- 5 holes in an S-shaped form measuring 9x5 mm each

code	€
229378	84,50







RAVIOLI MOULD

- Classic ravioli mould
- Made of die-cast aluminium
- Base made of painted steel
- Rubber feet
- 36 moulds 30x30x(H)8 mm
- Wooden rolling pin included

code	mm	€
975534	320x137x(H)18	27,50



CHEF RAVIOLI MOULD

- Round ravioli mould
- Die-cast aluminium mould
- Base made of painted steel
- Rubber feet

238899

@HENDI

- 12 moulds 52x52x(H)12 mm
- Mould diameter 39 mm
- Wooden rolling pin included

code	mm	€
975541	335x114x(H)22	27,50

PASTA COOKER

- Suitable for medium-sized catering establishments, designed for preparing delicious pasta, dumplings or even boiled vegetables.
- Container capacity: 10 L.
- Direct connection to water mains.
- Fresh water valve knob located in the front panel.
- Temperature adjustment using knob with thermostat.
- Control light signalling that the set temperature has been reached.
- Removable spout to drain water.
- Mechanical protection against accidental opening of the discharge valve.
- Basket handles for easy straining.
- Includes 2 x 100x292x(H)158 mm baskets and lid.
- Work top made of AISI 304 stainless steel.
- Other housing made of AISI 430 stainless steel (except for work top).
- AISI 316 stainless steel container.
- Overheating protection with a fuse on the front control panel.
- Non-slip feet.

_	Weig	ht∙	19	kα
	AACIA	III.	17	ny.

code	V	W	mm	€
238899	230	3500	330x600x(H)380	1 420,00

BASKET FOR PASTA COOKER	BASKET	FOR	PASTA	COOKER
-------------------------	--------	-----	-------	--------

 code
 mm
 €

 943465
 single - 2 per chamber
 100x292x(H)158
 114,00







S.S

Ć

R

(

Ĥ

Ą

नि

ကြိ

Includes a 2 baskets and a lid



943465

PROFI LINE | 800 SERIES

- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing lockable door(s) with comfortable curved door handle(s).
 Forced air cooling with suite deferst
- Forced air cooling with auto-defrost, compressor placed above the chamber.
- 60 mm thick polyurethane foam insulation.





- With adjustable shelving, fits containers up to GN 2/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.
- Climate class: 5.

R600a

0

– Coolant: R600a.



				watch the video
32118 32132	AND CABI WHIT	-	dular .	232125 232149
	polye	shelf, covered with white thylene, wired. - GN 2/1.		
	– Net v	veight: 2.4 kg.		
	code	e mm €		line .
	8018	388 530x650 19,50		1
		ber and outer housing		
	ma	de of stainless steel		
	REFR	DF 4 FEET FOR RIGERATORS FREEZERS		
	- 4 sta	inless steel feet.		
	adjus	table up to 60 mm		and the second se
	– Diam	eter: 55 mm		
U	Cod Cod	-	v	
	941			•
	BÅ	C	BÂ	C A G
type	cooling, 1-door	freezing, 1-door	cooling, 2-door	freezing, 2-door
code	232118	232132	232125	232149
capacity	670 l	670 l	1300 l	1300 l
dimensions	730x805x(H)2065 mm	730x805x(H)2065 mm	1314x805x(H)2065 mm	1314x805x(H)2065 mm
chamber dimensions	610x635x(H)1540 mm	610x635x(H)1540 mm	1194x635x(H)1540 mm	1194x635x(H)1540 mm
range	0/8°C	-22/-17°C	0/8°C	-22/-17°C
coolant	R600a (110 g)	R290 (120 g)	R600a (140 g)	R290 (150 g)
energy class	В	С	В	С
shelves	4 x GN 2/1 (650x530 mm)*	4 x GN 2/1 (650x530 mm)*	4+4 x GN 2/1 (650x530 mm)*	4+4 x GN 2/1 (650x530 mm)
average daily power consumption	1,26 kWh	4,99 kWh	2,01 kWh	8,19 kWh
power/voltage	220 W/230 V	600 W/230 V	350 W/230 V	980 W/230 V
power/voltage weight	220 W/230 V 107 kg	600 W/230 V 115 kg	350 W/230 V 171 kg	980 W/230 V 177 kg



396

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load)

Fitted with wheels

MHENDI

Dynamic forced cooling

Self-closing, lockable door



Prices net of VAT

REFRIGERATORS & FREEZERS PROFILINE | 700 SERIES



S.S.

ති

f

नि

I

- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel
- Self-closing lockable door(s) with comfortable curved door handle(s).
- Forced air cooling with auto-defrost, compressor placed above
- the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- Fitted with 4 wheels of which 2 are castor wheels.
- Climate class: SN-ST.



Chamber made of stainless steel

Ergonomic handle





* Maximum load capacity of the shelf 397 approx. 40 kg (with evenly distributed load)

REFRIGERATORS AND FREEZERS PROFI LINE 420+420 L 1 890+420 L



- Inner and outer housing are made of high-guality stainless steel, except the outer rear cover which is made of galvanized steel.
- Forced cooling.
- Insulation 50 mm thick (material: C5H10).
- Digital display and electronic thermostat.

- Automatic evaporation of condensation
- Climatic class: 4
- Self-closing lockable door, opens on the left side.
- Comfortable curved door handle.
- Fitted with 4 wheels of which 2 are castor wheels.



SET OF 4 FEET FOR **REFRIGERATORS AND** FREEZERS

- 4 stainless steel feet, adjustable up to 60 mm - Diameter: 55 mm

coue	t
code	€

941072 72.00 398





Prices net of VAT

COOLING

REFRIGERATOR & FREEZER COUNTERS PROFI LINE | 700 SERIES



- Inner and outer housing are made of high-quality stainless steel, except the outer rear cover which is made of galvanized steel.
- Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back (except 233764).
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- 50 mm thick polyurethane foam insulation.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.



R

00

(

Ĥ

Å

ति

Ö

''

<u>555</u>


232040 232064	4 SHELVE ON GUIDE GRATIS	IS	233764		
				÷	232071
232057	6 SHEL ON GU GRAT	IDES	cod 2320	e mm	6 - 2-PIECE SET ε 145 556,00
232057 232699	GRA	IDES U		e mm)71 300x545x(H)	€ 145 556,00
232699	A	IDES TIS!		e mm)71 300x545x(H)	€ 145 556,00
232699 type	ON GU GRA cooling, 2-door	B Cooling, 4-door	cod 2320 freezing, 2-door	e mm)71 300x545x(H) (cooling, 3-door	€ 145 556,00 (C ♣ freezing, 3-door
232699 type code	A	IDES TIS!		e mm)71 300x545x(H)	€ 145 556,00
232699 type code capacity	A Cooling, 2-door 232040	B Cooling, 4-door 233764	cod 2320 freezing, 2-door 232064	mm)71 300x545x(H) (cooling, 3-door 232057	€ 145 556,00 (C ≩ freezing, 3-door 232699
232699 type code capacity dimensions	Cooling, 2-door 232040 280 l	B Cooling, 4-door 233764 280 l	cod 2320 freezing, 2-door 232064 280 l	e mm 171 300x545x(H) Cooling, 3-door 232057 420 l	€ 145 556,00 (freezing, 3-door 232699 420 l
232699 type code capacity dimensions chamber dimensions	Cooling, 2-door 232040 280 l 1360x700x[H]850 mm	DES TIS! B a cooling, 4-door 233764 280 l 1360x700x(H)850 mm	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm	e mm 071 300x545x(H) Cooling, 3-door 232057 420 l 1795x700x(H)850 mm	с 145 556,00 (freezing, 3-door 232699 420 l 1795х700х(H)850 mm
	Cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)580 mm	IDES TIS! B & cooling, 4-door 233764 280 l 1360x700x(H)850 mm 822x570x(H)580 mm	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm 822x570(H)580 mm	mm 071 300x545x(H) Cooling, 3-door 232057 420 L 1795x7002x(H)850 mm 1257x570(H)580 mm	€ 145 556,00 (reezing, 3-door 232699 420 L 1795x7002k(H)850 mm 1257x570(H)580 mm
232699 type code capacity dimensions chamber dimensions range	Cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR	IDES Cooling, 4-door 233764 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm 822x570(H)580 mm -22/-17°C EGU130HLR	mm 171 300x545x(H) 232057 420 L 1795x700x(H)850 mm 1257x570(H)580 mm 0/8°C EGA5100HLR	€ 145 556,00 (C €) freezing, 3-door 232699 420 L 1795x700x(H)850 mm 1257x570(H)580 mm -22/-17°C NEK2140Z
232699 type code capacity dimensions chamber dimensions range compressor	ON GU GRA cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) A	IDES TIS! B 2 cooling, 4-door 233764 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) B	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm -22/-17°C EGU130HLR power 1/2 KM	mm 300x545x(H) 232057 420 L 1795x700x(H)850 mm 1257x570(H)880 mm 0/8°C EGAS100HLR power 1/3 KM	€ 145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00) (145 556,0
232699 type code capacity dimensions chamber dimensions range compressor coolant energy class shelves	ON GU GRA cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g)	IDES TIS! B a cooling, 4-door 233764 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM Ró00a (120 g)	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm e22x570(H)580 mm -22/-17°C EGU130HLR power 1/2 KM R290 (140 g)	mm 300x545x(H) 232057 420 l 1795x700x(H)850 mm 0/8°C EGAS100HLR power 1/3 KM R290 (130 g)	€ 145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (145 556,00 (140 58) (140 58) (140 58) (140 58)
232699 type code capacity dimensions chamber dimensions range compressor coolant energy class shelves average daily power	ON GU GRA cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) A	IDES TIS! B 2 cooling, 4-door 233764 280 l 1360x700x(H)850 mm 822x570x(H)580 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) B	cod 2320 freezing, 2-door 232064 280 t 1360x700x(H)850 mm -22/-17°C EGU130HLR power 1/2 KM R290 [140 g] C	mm 300x545x(H) 232057 420 t 1795x700x(H)850 mm 0/8°C EGAS100HLR power 1/3 KM R290 [130 g] A	€ 145 556,00 145 556,00 145 556,00 145 556,00 145 256,00 1795x700x141850 mm 1257x570(H)580 mm -22/-17°C NEK2140Z power 2/3 KM R290 (140 g) C
232699 type code capacity dimensions chamber dimensions range compressor coolant energy class shelves average daily power consumption	ON GU GRA cooling, 2-door 232040 280 l 1360x700x(H)850 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) A 2+2 x GN 1/1*	IDES TIS! B a cooling, 4-door 233764 280 l 1360x700x(H)850 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) B 4	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm 222x570(H)580 mm -22/-17°C EGU130HLR power 1/2 KM R290 (140 g) C 2+2 x GN 1/1*	mm 300x545x(H) 300x545x(H) 232057 420 l 1795x700x(H)850 mm 0/8°C EGAS100HLR power 1/3 KM R290 (130 g) A 2+2+2 x GN 1/1*	с 145 556,00 145 556,00 145 556,00 145 556,00 145 556,00 1232699 4201 1795x700x(H)850 mm -22/-17°С NEK21402 рокет 2/3 KM R290 (140 g) С 2+2+2 x GN 1/1*
232699 type code capacity dimensions chamber dimensions range compressor coolant energy class shelves average daily power	ON GU GRA cooling, 2-door 232040 280 l 1360x700x(H)850 mm 822x570x(H)850 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) A 2+2 x GN 1/1* 1,34 kWh	IDES TIS! B a cooling, 4-door 233764 280 l 1360x700x(H)850 mm 0/8°C EMT65HLR power 1/4 KM R600a (120 g) B 4 1,34 kWh	cod 2320 freezing, 2-door 232064 280 l 1360x700x(H)850 mm -22/-17°C EGU130HLR power 1/2 KM R290 [140 g] C 2+2 x GN 1/1* 3,97 kWh	mm 300x545x(H) 300x545x(H) 232057 420 l 1795x700x(H)850 mm 0/8°C EGAS100HLR power 1/3 KM R290 (130 g) A 2+2+2 x GN 1/1* 1,73 kWh	€ 145 556,00 145 556,00 145 556,00 145 556,00 145 556,00 1257,5700x[H]580 mm -22/-17°C NEK21402 power 2/3 KM R290 [140 g] C 2+2+2 x GN 1/1* 5,09 kWh

HENDI

* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load) **399**

32729 32514	AND FR CABINE		Aiu -	232736 232521
			_	
	code	mm €	-	
	801888	530x650 19,50		1.1.1
		r and outer housing of stainless steel	7	
	adjustab	ss steel feet, le up to 60 mm		
	- 4 stainle adjustab - Diameter code 941072	ss steel feet, le up to 60 mm r: 55 mm € 72,00		
	- 4 stainle adjustab - Diameter 941072	ss steel feet, le up to 60 mm r: 55 mm <u>C</u> 72,00 <u>C</u> 2 2 2 2 2 2 2 2 2 2 2 2 2		
/1	- 4 stainle adjustab - Diameter code 941072 0 8 cooling, 1-door	ss steel feet, le up to 60 mm r: 55 mm <u>©</u> 72,00 D c freezing, 1-door	cooling, 2-door	D â freezing, 2-door
code	- 4 stainle: adjustab - Diameter 941072	ss steel feet, le up to 60 mm r: 55 mm 72,00 freezing, 1-door 232514	cooling, 2-door 232736	D 6 freezing, 2-door 232521
code capacity	- 4 stainle: adjustab - Diameter code 941072 0 cooling, 1-door 232729 580 l	ss steel feet, le up to 60 mm r: 55 mm © 72,00 © 2 1 1 1 1 2 2 2 5 1 4 580 l	cooling, 2-door 232736 1300 l	D (1) freezing, 2-door 232521 1300 l
code capacity limensions	- 4 stainle: adjustab - Diameter 941072	ss steel feet, le up to 60 mm r: 55 mm 72,00 freezing, 1-door 232514	cooling, 2-door 232736	D a freezing, 2-door 232521 1300 l 1382x800x(H)2100 mm
code capacity dimensions chamber dimensions	- 4 stainle adjustab - Diameter code 941072 232729 580 L 685x800x(H)2100 mm	ss steel feet, le up to 60 mm :: 55 mm 72,00 0 2 freezing, 1-door 232514 580 l 685x800x(H)2100 mm	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm	D (1) freezing, 2-door 232521 1300 l
code capacity dimensions chamber dimensions range	- 4 stainle: adjustab - Diameter code 941072 0 2 232729 580 1 685x800x(H)2100 mm 565x640x(H)1525 mm	ss steel feet, le up to 60 mm :: 55 mm 72,00 C 232514 580 L 685x800x(H)2100 mm 565x640x(H)1525 mm	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm	D a freezing, 2-door 232521 1300 L 1382x800x(H)2100 mm 1262x640x(H)1525 mm
code capacity dimensions chamber dimensions range coolant	- 4 stainle: adjustab - Diameter orde 941072 0 \$ cooling, 1-door 232729 580 l 685x800x(H)12100 mm 565x640x(H)1525 mm -5/5°C	ss steel feet, le up to 60 mm r: 55 mm 72,00 0 232514 580 l 685x800x(H)2100 mm 565x640x(H)1525 mm -18/-12°C	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -5/5°C	C C C C C C C C C C C C C C C C C C C
code capacity dimensions chamber dimensions range coolant energy class	- 4 stainle: adjustab - Diameter orde 941072 0 1 232729 580 l 685x800x(H)2100 mm 5655x640x(H)1525 mm -5/5°C R600a (120 g)	ss steel feet, le up to 60 mm r: 55 mm C 72,00 C <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i> <i>C</i>	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -5/5°C R290 (110 g)	Freezing, 2-door 232521 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -18/-12°C R290 (150 g)
code capacity dimensions chamber dimensions range coolant anergy class shelves average daily power	- 4 stainle: adjustab - Diametei ode 941072 0 1 2 cooling, 1-door 232729 580 t 685x800x/H)2100 mm 565x640x(H)1525 mm -5/5°C R600a (120 g) D	ss steel feet, le up to 60 mm r: 55 mm 72,00 232514 580 l 685x800x(H)2100 mm 565x640x(H)1525 mm -18/-12°C R290 (120 g) D	cooling, 2-door 232736 1300 l 1382x800x/H)2100 mm 1262x640x/H)1525 mm -5/5°C R290 [110 g] D	D (1) freezing, 2-door 232521 1300 l 1382x800x[H]2100 mm 1262x640x[H]1525 mm -18/-12°C R290 [150 g] D
code capacity dimensions chamber dimensions range coolant energy class shelves average daily power consumption	- 4 stainle: adjustab - Diameter 941072 0 2 22729 580 L 685x800x(H)2100 mm 565x640x(H)1525 mm -5/5°C R600a (120 g) D 4 x GN 2/1	ss steel feet, le up to 60 mm r: 55 mm € 72,00 0 232514 580 l 685x800x(H)2100 mm 565x640x(H)1525 mm -18/-12°C R290 (120 g) D 4 x GN 2/1	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -5/5°C R290 [110 g] D 4+4 x GN 2/1	freezing, 2-door 232521 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -18/-12°C R290 (150 g) D 4+4 x GN 2/1
type code capacity dimensions chamber dimensions range coolant energy class shelves average daily power consumption power/voltage weight	- 4 stainle: adjustab - Diameter code 941072 232729 580 L 685x800x(H)2100 mm 565x640x(H)1525 mm -5/5°C R600a (120 g) D 4 x GN 2/1 2,5 kWh	ss steel feet, le up to 60 mm :: 55 mm 72,00 C C C freezing, 1-door 232514 580 L 685x800x(H)2100 mm 565x640x(H)1525 mm -18/-12°C R290 (120 g) D 4 x GN 2/1 6,79 kWh	cooling, 2-door 232736 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -5/5°C R290 [110 g] D 4+4 x GN 2/1 3,77 kWh	freezing, 2-door 232521 1300 l 1382x800x(H)2100 mm 1262x640x(H)1525 mm -18/-12°C R290 (150 g) D 4+4 x GN 2/1 10,6 kWh

REFRIGERATORS AND FREEZERS KITCHEN LINE 580 L AND 1 300 L



- Fan-assisted static cooling, compressor in the bottom.
- With particle filter.
- Climate class: 4.

COOLING

- Cooling chamber fits Gastronorm 2/1.



- Polyurethane foam insulation, 60 mm thick. - Self-closing lockable door, opens on the left side.

- Fitted with 4 wheels of which 2 are castor

- Comfortable curved door handle.

wheels.

R600a



Prices net of VAT

KITCHEN LINE | 600 SERIES



- Inner and outer housing are made of high-guality stainless steel Self-closing doors fitted with comfortable handles.
- Work surface fitted with a 40 mm high ridge at the back.
- Static refrigeration supported by internal fan, pollen filter.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 50 mm thick polyurethane foam insulation.

- With adjustable shelving.
- Digital display and electronic thermostat.
- With 4 adjustable stainless-steel feet.
- Climate class: 5 (233344, 233382), 4 (233351, 233399).
- Coolant: R600a (233344, 233382), R290 (233351, 233399),

ති

f

Ą

नि

I



Electronic temperature controller

Forced air cooling



Shelve placing adjustable



Prices net of VAT

* Maximum load capacity of the shelf **M**HENDI

401 approx. 15 kg (with evenly distributed load)

REFRIGERATED COUNTERS WITH STAINLESS STEEL WORKTOP

S.S. ₩

- Inner and outer casing made of high-grade AISI 201 stainless steel
- Worktop made of AISI 201 stainless steel, filled with chipboard for strengthening
- Static refrigeration supported by internal fan
- Climate class: 4

HYTO00

000

- Versions with drawers are excellent for 1/1, 2x 1/2 or 3x 1/3 GN containers









236130

236147

type	cooling, 4 drawers	cooling, 2-door	cooling, 3-door
code	236154	236130	236147
capacity	247 l	247 l	368 l
dimensions	900x700x(H)850 mm	900x700x(H)850 mm	1365x700x(H)850 mm
chamber dimensions	830x595x(H)455 mm	830x595x(H)455 mm	1295x595x(H)455 mm
range	2/8°C	2/8°C	2/8°C
coolant	R290 (55 g)	R290 (55 g)	R290 (60 g)
shelves	4 szuflady	1+1 x 333x560 mm	1+1+1 x 333x560 mm
average daily power consumption	3,39 kWh	3,39 kWh	4,00 kWh
power/voltage	143 W/230 V	143 W/230 V	152 W/230 V
weight	72 kg	72 kg	110 kg
€	1 840,00	806,00	1 310,00



REFRIGERATOR 610 L KITCHEN LINE WITH GLASS DOOR

- Inner and outer casing made of high-grade 403 stainless steel (galvanized steel rear wall)
- Forced cooling, with a bottom aggregate
- Cooling aggregate EMBRACO
- Automatic condensate evaporation
- Chamber dimensions: 565x640x(H)1525 mm
- Digital display, electronic thermostat
- Insulation thickness: 60 mm (material: C5H10)
- Refrigerant: R600a (110 g)
- Climate class: 5
- Smooth operation in ambient temperature of up to 43°C and relative humidity up to 60%
- Average daily electricity consumption: 1,9 kWh
- LED lighting ain the door
- Self-closing door with a lock
- 4 wheels with two brakes
- Compressor: FFI10HAK with 1/3 KM
- Fifth shelf is without guides as a shelf to lay on the bottom of the chamber
- Weight: 133 kg

J	J			
code	V	W	mm	€
233160	230	280	685x800x(H)2135	1 510,00

REFRIGERATOR AND FREEZER COUNTERS, GLASS DOOR

- Inner and outer casing made of high-grade AISI 201 stainless steel (galvanized steel rear wall, door frames made of aluminium)
- Forced cooling
- Insulation thickness: 60 mm (material: C5H10)
- Self-closing door



Arktic 🛠

Chamber and outer housing made of stainless steel

R

f

नि

I





- 4 adjustable, fixed stainless steel feet

- Digital display, electronic thermostat
- EMBRACO refrigeration unit
- Automatic condensate evaporation
- Edge 40 mm
- Climate class: 5



* Maximum load capacity of the shelf approx. 40 kg (with evenly distributed load) **403**

REFRIGERATED COUNTERS WITH SUPERSTRUCTURE AND GRANITE WORKTOP



- Ecological R290 refrigerant
- Inner and outer casing made of high-grade AISI 201 stainless steel
- Digital display, electronic thermostat
- Static refrigeration supported by internal fan

- Climate class: 4
- Worktop opening for GN 1/6 containers
- Worktop made of granite
- Ergonomic handle for door opening







236208

type	cooling, 2-door	cooling, 3-door
code	236208	236215
capacity	247 l	368 L
dimensions	900x700x(H)1070 mm	1365x700x(H)1070 mm
chamber dimensions	830x595x(H)455 mm	1295x595x(H)455 mm
worktop opening	for 5x GN 1/6 - (H)150 mm*	for 8x GN 1/6 - (H)150 mm*
range	2/8°C	2/8°C
coolant	R290 (55 g)	R290 (60 g)
shelves	1+1 x 333x560 mm	1+1+1 x 333x560 mm
average daily power consumption	3,5 kWh	4,2 kWh
power/voltage	145 W/230 V	156 W/230 V
weight	92 kg	120 kg
€	859,00	1 410,00

* Delivered without GN containers

Electronic temperature controller



Worktop made of granite



PIZZA COUNTERS

- Inner and outer housing are made of high-quality stainless steel, with granite worktop.
- Doors fitted with comfortable handles.
- Forced air cooling with auto defrost, compressor placed underneath the chamber.
- With adjustable shelving, fits containers up to GN 1/1.
- Digital display and electronic thermostat.
- With 4 adjustable plastic non-slip feet.
- Climate class: SN-T.
- Coolant: R600a.
- All models delivered without GN containers.

2-DOOR PIZZA COOLING TABLE WITH 7 DRAWERS, WITH GRANITE WORKTOP

- Equipped with 7 uncooled drawers of 400x620x(H)65 mm.
- Chamber dimensions: 1480x670x(H)570 mm.
- 60 mm thick polyurethane foam insulation.
- 2 shelves (600x400mm) included.
- Spread load capacity of 15 kg each.
- Energy label (counter only): A (A+++-G).
- Weight: 367 kg.

code	range	V	W	mm	€
232842	-2/8°C	230	250	2010x800x(H)1000	2 420,00







R

(

f

Ą

ति

Ö







232842

A A

THREE DOOR PIZZA COUNTER WITH COOLING DISPLAY 380+40L

- Chamber capacity: 254 l.
- Chamber dimensions: 1295x595x(H)475 mm.
- Includes 3 shelves 335x570 mm, maximum load capacity 15 kg (with evenly distributed load).
- Cooling top unit with static cooling.
- Cooling top unit for 6x GN 1/4, dimensions 1405x335x(H)435 mm.
- Climate class: table: 4, cooling top unit: 5.
- Refrigerant: R600a (70 g + 40 g).
- Average daily electricity consumption: 1.6 kW (table), 1.55 kW (top unit).
- Self-closing door.
- Energy label (counter only): A (A+++-G).
- Weight: 193+41 kg.

code	range	V	W	mm	€
232033	-2/8°C	230	400	1365x700x(H)1030	2 250,00

made of stainless steel

Chamber and outer housing





A A

REFRIGERATED SALAD COUNTERS WITH LIFTABLE COVER



- Inner and outer casing made of high-grade AISI 201 stainless steel
- Static refrigeration supported by internal fan
- Digital display, electronic thermostat
- Automatic condensate evaporation
- Climate class: 4
- The worktop part made of polyethylene is intended for cutting
- Ergonomic door opening handle
- 4 plastic feet





Chamber and outer housing made of stainless steel





236178

COOLING

typ	cooling, 2-door, with lifted cover	cooling, 3-door, with lifted cover	cooling, 2-door, glazed, with lifted cover
kod	236161	236178	236246
capacity	247 L	368 l	247 L
dimensions	900x700x(H)860 mm	1365x700x(H)860 mm	900x700x(H)860 mm
chamber dimensions	830x595x(H)455 mm	1295x595x(H)455 mm	830x595x(H)455 mm
top opening	for 2x GN 1/1 + 3x GN 1/6 - (H)150 mm*	for 4x GN 1/1 – (H)150 mm*	for 2x GN 1/1 + 3x GN 1/6 - (H)150 mm*
range	2/8°C	2/8°C	2/8°C
coolant	R290 (55 g)	R290 (60 g)	R290 (55 g)
shelves	1+1 x 333x560 mm	1+1+1 x 333x560 mm	1+1 x 333x560 mm
average daily power consumption	3,52 kWh	4,1 kWh	3,52 kWh
power/voltage	145 W/230 V	155 W/230 V	145 W/230 V
weight	70 kg	107 kg	70 kg
€	806,00	1 380,00	803,00



HENDI

REFRIGERATED COUNTERS WITH GN BASIN AND GLASS SUPERSTRUCTURE

- Inner and outer casing made of high-grade 201 stainless steel
- Static cooling assisted by an internal fan
- Digital display, electronic thermostat
- Automatic condensate evaporation

Arktic 🛠 S.S.

Â

/ _____

ß

f

Ř

B

ා

1

ÿ

- Climate class: 4
- Additional shelf inside the glass top unit
- Convenient profiled door handle
- 4 plastic feet



type	cooling, 2-door, with glass top unit	cooling, 3-door, with glass top unit	2-door, cooling, with top unit	3-door, cooling, with top unit
code	236185	236192	236222	236239
capacity	247 l	368 l	247 l	368 l
dimensions	900x700x(H)1270 mm	1365x700x(H)1270 mm	900x700x(H)990	1365x700x(H)990
chamber dimensions	830x595x(H)455 mm	1295x595x(H)455 mm	830x595x(H)455 mm	1295x595x(H)455 mm
top opening	for 2x GN 1/1 + 3x GN 1/6 – (H)150 mm*	for 4x GN 1/1 – (H)150 mm*	-	-
countertop			5x GN 1/6 - (H)150 mm*	na 8x GN 1/6 - (H)150 mm*
range	2/8°C	2/8°C	2/8°C	2/8°C
coolant	R290 (55 g)	R290 (60 g)	R290 (55 g)	R290 (60 g)
shelves	1+1 x 333x560 mm	1+1+1 x 333x560 mm	1+1 x 333x560 mm	1+1+1 x 333x560 mm
average daily power consumption	3,52 kWh	4,10 kWh	3,39 kWh	4,00 kWh
power/voltage	145 W/230 V	155 W/230 V	143 W/230 V	152 W/230 V
weight	70 kg	107 kg	72 kg	110 kg
€	1 120.00	1 730.00	1 030.00	1 550.00

HENDI

REFRIGERATED COUNTERTOP SERVER

- Inner and outer casing made of high-grade stainless steel
- Static cooling cooled bottom of the inner basin
- EMBRACO refrigeration unit
- Insulation thickness: 40 mm (material: C5H10)
- Digital display, electronic thermostat
- Climate class: 5
- Refrigerant: R600a (40 g)
- Average daily electricity consumption: 1.55 kW
- Temperature range: 0/8°C
- Compressor: EMT45HLR with 1/5 hp
- Automatic defrosting
- Smooth operation in ambient temperature of up to 32°C and relative humidity up to 60%
- 4 plastic feet





232910





232927

REFRIGERATED COUNTERTOP SERVER GN 1/4 ARKTIC

- With hardened glass display.
- Fits GN 1/4 containers with a max height of 150 mm.

code	-	V	W	mm	€
232903	5x GN 1/4	230	180	1205x335x(H)430	528,00
232910	7x GN 1/4	230	180	1505x335x(H)430	611,00
232927	8x GN 1/4	230	180	1805x335x(H)430	814,00

REFRIGERATED COUNTERTOP SERVER GN 1/3 ARKTIC

- With stainless steel lid.
- Fits GN 1/3 containers with a max height of 150 mm.

code	-	٧	W	mm	€
233948	4x GN 1/3	230	180	1205x395x(H)290	584,00
233955	6x GN 1/3	230	180	1405x395x(H)290	695,00
233979	7x GN 1/3	230	180	1605x395x(H)290	722,00
233986	8x GN 1/3	230	180	1805x395x(H)290	834,00
233993	9x GN 1/3	230	180	2005x395x(H)290	778,00







232965

JV7000

R291



232972

6x GN 1/3



232989

7x GN 1/3



232996

9x GN 1/3

REFRIGERATED COUNTERTOP SERVER GN 1/3 ARKTIC

- With hardened glass display.
- Fits GN 1/3 containers with a max height of 150 mm.

code	-	V	W	mm	€
232965	4x GN 1/3	230	180	1205x395x(H)430	639,00
232972	6x GN 1/3	230	180	1405x395x(H)430	611,00
232989	7x GN 1/3	230	180	1605x395x(H)430	695,00
232996	9x GN 1/3	230	180	2005x395x(H)430	750,00





Arktic 🔆



Possibility to place a graphic

ති

f

(

f

Ř

ਫ

Ö

SUSHI DISPLAY 5X GN 1/3 ARKTIC

- White coated stainless steel housing, fitted with double glazing and curved glass cover.
- Accessible through two sliding doors at the back or via the curved glass cover.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 5x GN 1/3 (H) max. 40 mm trays.
- Fitted with LED lighting and evaporator at the top.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 3

code	range	٧	W	mm	€
233757	3/7°C	230	160	1307x450x(H)330	778,00



233757

CEE.



COUNTERTOP FREEZER DISPLAY 77L, ARKTIC

- Intended for presentation and serving up to 4 hours.
- Not intended for long term storage of frozen produce.
- Body made of high-quality stainless steel, fitted with triple glazed cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers, fit 150 mm high containers; GN not included.
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.
- Refrigerant: R290.
- Climate class: 4
- Energielabel: E (A-G).

code	range	٧	W	mm	€
233689	-24/-20°C	230	220	805x666x(H)305	1 000,00



- Body made of high-quality stainless steel, fitted with curved glass cover with easy opening system.
- Forced air cooling with auto-defrost, compressor placed next to the chamber.
- Fits 8x GN 1/6 GN containers or 4x GN 1/3 containers, fit 150 mm high containers; GN not included.
- With 4 adjustable stainless steel feet.
- Digital temperature controller and display.
- Refrigerant: R600a.
- Climate class: 4
- Energy label: C (A-G).

code r	ange	V V	V	mm	€
233672 0	/3°C 2	230 10)5 767x6	12x(H)328 10)30,00



S.S.





CAKE DISPLAY

- Housing made of stainless steel fitted with, curved double glazed front cover and glass side panels.
- Accessible through two sliding glass doors. 20 mm thick expanded polystyrene foam insulation.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- 2 chrome plated shelves (630x230 mm and 630x280 mm) included.
- Max. capacity of 5 kg each.

- Bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Temperature range: 2/8°C.
- Climate class: 3
- Refrigerant: R290.
- Energy label: C (A-G).

code	liters	٧	W	mm	€
233207	110	230	220	700x557x(H)670	859,00





COUNTERTOP DISPLAY FREEZER 90L

- Inner housing made of High Impact Polystyrene (HIPS) and Polypropylene.
- Outer housing made of painted steel.
- Lockable door is fitted with triple glazing and heating element to prevent fogging up.
- Forced air cooling, compressor placed underneath the chamber.
- Fitted with 3 adjustable PVC coated shelves.
- With LED lighting at the top of the freezer.
- Digital temperature controller and display, with defrost button.
- Climate class: 4.
- Refrigerant: R290.
- Adjustable feets.
- Energy label: D (A-G).

1	code	range	٧	W	mm	€
	233412	-18/-14°C	230	230	620x575x(H)712	778,00





f

Ř

B

ကြိ

1

Š

REFRIGERATED DISPLAY CABINETS

Arktic **

- Display cabinet frame made of ABS+PVC polymers, with double glass.
- Unit housing made of ABS.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.



- Air duct outside of the glass blows air over the glass to remove and prevent condensation.
- Durable PVC coated shelves, adjustable in height.
- With bright LED lighting in the ceiling.
- Digital temperature controller and display.
- Climate class: 4
- Refrigerant: R600a.









REFRIGERATED DISPLAY CABINET, 58 L

-	With	2 she	lves.
---	------	-------	-------

code	-	V	W	mm	€
233610	white	230	170	452x406x(H)816	500,00
233627	black	230	170	452x406x(H)816	500,00

REFRIGERATED DISPLAY CABINET, 68 L

- With 3 shelves.

code	-	٧	W	mm	€
233634	white	230	170	452x406x(H)891	514,00
233238	black	230	170	452x406x(H)891	514,00



Air duct outside glass to remove and prevent condensation Double glazing and easy opening door Digital controller



Adjustable feet



Internal lighting in the ceiling



LED lights







Ĥ

R

A

Ĥ

Ř

B

ကြိ

1

ÿ



- With 4 shelves. code

233665

white 230 210

REFRIGERATED DISPLAY CABINET, 78 L

- With 3 shelves.

code	-	٧	W	mm	€
233641	white	230	170	452x406x(H)966	528,00
233658	black	230	170	452x406x(H)966	528,00

233269 black

REFRIGERATED DISPLAY CABINET, 270 L

- Display cabinet frame made of ABS+PVC polymers, with double glass.
- Unit housing made of ABS.
- 5 shelves, dimensions 427x386x(H)8 mm.
- Fitted with 4 wheels. 2 with brakes.
- Energy label: C (A-G).
- Temperature range: 2 to 8°C.
- Refrigerant: R290.

code	-	V	W	mm	€
233696	white	230	290	556x526x(H)1913	1 170,00
233290	black	230	290	556x526x(H)1913	1 120,00



4 wheels, 2 with brakes (233696, 233290)



Double glazing and easy opening curved door

HENDI



mm

452x406x(H)1116

452x406x(H)1116

€

570.00

570.00

REFRIGERATED DISPLAY CABINET. 98 L

230

W

210

REFRIGERATED DISPLAY CABINETS WITH BACK ACCESS









ROUND CAKE DISPLAY

- Housing made of stainless steel fitted with tempered double glazing.
- Accessible through self-closing door.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber
- Fitted with 3 adjustable glass shelves.
- Bright LED lighting on 2 sides.
- Digital temperature controller and display, Fitted with 5 castors of which 2 has with on/off switch.
- Temperature range: 2/6°C.
- Climate class: 6
- Refrigerant: R600a.
- Energy label: C (A-G).



ROUND CAKE DISPLAY

with tempered double glazing.

chamber

a brake.

7.23 kWh.

- Energy label: C (A-G).

- Housing made of stainless steel fitted

- Accessible through self-closing door.

- Forced air cooling with auto-defrost,

compressor placed underneath the

- Fitted with 4 adjustable glass shelves.

- Bright LED lighting on 2 sides.

- Digital temperature controller and

- Climate class: 4 Refrigerant: R290. - Average daily electricity consumption:

display, with on/off switch.

- Temperature range: 2/6°C.

C A Watch the video

Arktic 🔆 S.S.

233276

REFRIGERATED DISPLAY CABINETS

- Housing made of stainless steel fitted with triple glazing.
- Fitted with an energy efficient inverter compressor, adjusts the power to the needs instead of only turning on or off.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Fitted with 3 adjustable chrome plated shelves.
- Bright LED lighting in the 4 posts.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display, with on/off switch.

- Temperature range: 2/6°C.
- Climate class: 4.
- Refrigerant: R290.
- Energy label: C (A-G). code liters V W

													9,			,.	
code	liters	٧	W	mm	€	code	liters	٧	W	mm	€	code	liters	V	W	mm	€
233825	100	230	210	ø480	889,00	233832	360	230	460	ø680	2 620,00	23327	5 400	230	495	650x650x(H)1908	2 450,00
	(H)1030						x(H)1750		23328	3 550	230	500	850x650x(H)1908	3 060,00			



COOLING

414



the video



C A

Ē

ß

ج

R

Ê

Ř

ස

ကြိ

1

Ľ,





233306

REFRIGERATED DISPLAY CABINETS WITH 3 SLANTED SHELVES

- Fitted with 3 adjustable slightly slanted glass shelves.
- Temperature range: 2/6°C.
- Refrigerant: R290.
- Energy label: C (A-G).

code	liters	٧	W	mm	€
233306	300	230	480	650x805x(H)1445	1 950,00
233443	500	230	490	900x805x(H)1445	2 160,00
233320	650	230	490	1200x805x(H)1445	2 700,00

233337

REFRIGERATED DISPLAY CABINETS WITH 2 SHELVES

- Fitted with 2 adjustable glass shelves.
- Refrigerant: R290.
- Energy label: C (A-G).

code	liters	٧	W	mm	€
233337	300	230	480	915x675x(H)1210	1 830,00
233450	410	230	490	1215x675x(H)1210	2 500,00
233375	510	230	490	1515x675x(H)1210	2 460,00
233467	610	230	500	1815x675x(H)1210	3 340,00



LED lights







4 spinning wheels



BACK BAR REFRIGERATORS

- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.Refrigerant: R600a.



Arktic 🛠

D A DÂ E 🛔 1-door Double sliding door 1-door 2-door code 233900 226568 235829 233917 93 L 126 L 180 L 197 L capacity dimensions 500x500x(H)900 mm 600x500x(H)900 mm 900x500x(H)900 mm 900x500x(H)900 mm shelves 2 chrome plated 3 chrome plated 4 chrome plated 4 chrome plated 2/10°C 2/10°C 2/10°C 2/10°C range coolant R600a R600a R600a R600a energy class D D D Е power/voltage 130 W/230 V 135 W/230 V 160 W/230 V 220 W/230 V 528,00 639,00 834,00 778,00 €





DISPLAY REFRIGERATORS WITH LIGHTBOX

- Made of stainless steel, aluminium and polypropylene.
- Doors fitted with triple glazing of which one layer is tempered.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.

Arktic * Al atministration PP S.S.

Ć

R

C

Ĥ

Å

नि

ကြိ

''

_____ ____

- With LED lighting in the chamber and in the lightbox.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Climate class: N-ST.







WINE COOLERS, DUAL ZONE

- Two cooling zones with the possibility to set different temperatures in each of them.
- Black powder-coated housing, frameless tempered glass door with stylish stainless steel handle.

THE IDEAL TEMPERATURE OF SPECIFIC

Bordeaux, Cabernet Sauvignon, Shiraz

WINES (FROM REDS TO WHITES):

Rioja, Pinot Noir

Chianti, Zinfandel

Temperature Types of wine

18°C

16°C

15°C

14°C

10°C

9°C

6°C



- Static cooling supported with a fan, automatic defrosting, chiller located at the back of the cooler.
- LED light at the top of the chamber.
- Digital display and electronic thermostat.
- Temperature displayed in degrees Celsius, possibility to switch to Fahrenheit.
- 4 adjustable non-slip feet.
- Climatic class: N-ST.
- Refrigerant: R600a.









ICE MAKER

- The appliance is designed for use in bars, pubs, cafes, and restaurants.
- Robust housing made of AISI 304 stainless steel.
- Plastic interior.
- Air vents on the front of the housing to allow for under-counter installation of the ice maker.
- The appliance uses spray method to mould perfectly clear cubes with the hexagonal hole that have larger cooling surface and ensure longer cooling time – while minimising beverage thinning.
- Innovative method of heat exchange via an additional condenser
- compressor heat recovery used for defrosting the spray plate.

- Extended compressor performance and life.
- Effective operation in ambient temperature of up to 42°C.
- Low energy consumption.
- Adjustment of the ice bin fill level.
- Adjustable feet.
- Easy cleaning thanks to removable parts.
- Inlet & outlet hoses and ice scoop included.





R

ø

f

नि

I

Ľ,

BUDGET LINE COOLING AND FREEZING DISPLAY CABINETS

Arktic 🛠

- Outer housing made of stainless steel.
- Static cooling.
- Rear external wall and bottom made of galvanized sheet metal.
- Interior made of ABS plastic.
- Thick cyclopentane foam insulation (C5H10) (up to 70 mm), depending on the model, for greater temperature stability inside the cabinet.
- Highly accurate digital thermostat makes it possible to precisely determine storage temperature.
- Adjustable shelves with a load capacity of 30 kg each, provided that the weight in the cooling display cabinet is distributed evenly.
- Fixed shelves with freezing system components, with a load capacity of 25 kg each, provided that the weight in the freezing

display cabinet is distributed evenly.

- Additional shelf at the bottom of the chamber to increase storage space (selected models only - see table).
- Electromechanical control with electronic display for indicating set and actual temperature.
- Climatic class 4
- With two feet at the front allow for limited height adjustment (when levelling of the oven is required) and two castors at the back, ideal for moving the cabinet (only cabinets with the capacity of 400 and 600 l).
- Self-closing doors to reduce electricity consumption.
- Locking doors (with a key).



BUDGET LINE COOLING CABINET IN A STAINLESS STEEL CASING, ARKTIC

Temperature range: 0/8°C

code	liter	mm	mm int.	shelves (mm)	energy class	coolant	insulation (mm)	۷	W	kg	€
236017	200	598x623x(H)838	477x482x(H)652	2x 506x415	А	R600a	60	230	124	38,50	700,00
236031	400	600x701x(H)1875	460x466x(H)1643	3x 486x410 + 1x 450x210	С	R600a	70	230	157	75,50	1 170,00
236055	600	775x769x(H)1900	635x572x(H)1643	3x 660x525 + 1x 615x190	С	R600a	70	230	193	89,00	1 440,00

BUDGET LINE FREEZING CABINET IN A STAINLESS STEEL CASING, ARKTIC

- Temperature range: -23/-18°C

code	liter	mm	mm int.	shelves (mm)	coolant	insulation (mm)	V	W	kg	€
236079	200	598x655x(H)838	493x477x(H)647	fixed shelves, 2x 458x445	R600a	50	230	111	38	861,00
236093	400	600x646x(H)1875	480x448x(H)1611	fixed shelves, 6x 452x412	R290	60	230	322	75	1 340,00
236116	600	775x710x(H)1900	645x528x(H)1643	fixed shelves, 6x 588x496	R290	65	230	436	95,5	1 480,00





BUDGET LINE COOLING AND FREEZING DISPLAY CABINETS

- External housing made of white coated steel.
- Static cooling.
- Rear external wall and bottom made of galvanized sheet metal.
- Interior made of ABS plastic.
- Thick cyclopentane foam insulation (C5H10) (up to 70 mm), depending on the model, for greater temperature stability inside the cabinet.
- Highly accurate digital thermostat makes it possible to precisely determine storage temperature.
- Adjustable shelves with a load capacity of 30 kg each, provided that the weight in the cooling display cabinet is distributed evenly.
- Fixed shelves with freezing system components, with a load capacity of 25 kg each, provided that the weight in the freezing display cabinet is distributed evenly.



/ _____

R

f

নি

ကြီ

Additional shelf at the bottom of the chamber to increase storage space (selected models only – see table).

- Electromechanical control with electronic display for indicating set and actual temperature.
- Climatic class 4
- With two feet at the front allow for limited height adjustment (when levelling of the oven is required) and two castors at the back, ideal for moving the cabinet (only cabinets with the capacity of 400 and 600 l).
- Self-closing doors to reduce electricity consumption.
- Locking doors (with a key).



BUDGET LINE COOLING CABINET IN A WHITE PAINTED STEEL CASING, ARKTIC

- Temperature range: 0/8°C

code	liter	mm	mm int.	shelves (mm)	energy class	coolant	insulation (mm)	۷	W	kg	€
236000	200	598x623x(H)838	477x482x(H)652	2x 506x415	Α	R600a	60	230	124	38,50	584,00
236024	400	600x701x(H)1876	460x466x(H)1643	3x 486x410, 1x 450x210	С	R600a	70	230	157	69,50	1 090,00
236048	600	775x769x(H)1900	635x572x(H)1643	3x 660x525, 1x 615x190	С	R600a	70	230	193	87,50	1 280,00

FREEZER BUDGET LINE WITH POWDER-COATED STEEL HOUSING, ARKTIC

- Temperature range: -23/-18°C

code	liter	mm	mm int.	shelves (mm)	coolant	insulation (mm)	٧	W	kg	€
236062	200	598x655x(H)838	493x477x(H)647	fixed shelves, 2x 458x445	R600a	50	230	111	37,50	695,00
236086	400	600x646x(H)1875	480x448x(H)1611	fixed shelves, 6x 425x412	R290	60	230	322	71,50	1 170,00
236109	600	775x710x(H)1900	645x528x(H)1643	fixed shelves, 6x 588x496	R290	65	230	436	91,50	1 450,00
230107	000	// 38/ 108(11)1700	04373203(11)1043	IIACU SIICUES, 0X J00X470	1\270	UJ	200	400	71,00	J



r

Tools for Chefs - BE INSPIRED!







- Max. load of runners: 15 kg each pair.

- Refrigerant: R455a.

code	range	٧	W	mm	€
237809	-2/8°C	230	380	710x800x(H)2100	2 390,00

- Temperature range: from -18°C to -22°C.
- Max. load of runners: 15 kg each pair.
- Refrigerant: R455a.

J					
code	range	٧	W	mm	€
237816	-22/-18°C	230	557	710x800x(H)2100	2 980,00

/ _____

R

A

C

Ê

Ř

नि

ကြိ

''

Š

BLAST CHILLERS

- Enables quick chilling or freezing of prepared dishes.
- Chilling from 70°C to 3°C (90 mins), from 70°C to -18°C (240 mins) or within a pre-set time (without indicating the target temperature).
- Outer housing and inner chamber made of high-quality stainless steel.
- Inner chamber with rounded corners for easier cleaning.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.



- 60 mm thick polyurethane foam insulation.
- Removable top cover.
- Self-closing door with magnetic gasket.
- Digital temperature controller and display.
- Probe included.
- Fitted with 4 adjustable stainless steel feet.
- Climate class: SN-T
- Coolant: R455.





Blast chilling from +90°C to +3°C

This process helps lower the food temperature to safe +3°C in a suitably short time, in line with HACCP standards. The adequate chilling speed helps reduce bacteria growth in the range from +65°C to +10°C.

Blast chilling helps retain the quality, colour and smells of food and extends the storage period.

Blast freezing from +90°C to -18°C

Powerful chilling system and blowing air of -40°C into the chamber makes the core temperature of food quickly drop to -18°C. It prevents large ice crystals from occurring, which damage the internal structure of food. Ê

/ ____

R

f

(

Ĥ

Ř


B

ကြိ

....

_____ ____

Blast freezing results in a large number of small crystals which preserves the original properties of food: flavour, colour, texture and nutrients, and helps extends the storage period.



HENDI

BLAST CHILLER, STANDARD AND FOR ICE CREAM, WITH AN ELECTRONIC PANEL, SIN OF COLD



- Designed for all kinds of catering outlets
- Allows more efficient planning of production cycles in the kitchen for larger batches of dishes or semi-finished products
- Casing made of AISI 304 (18/10) stainless steel exterior satinfinished, interior polished to high gloss
- Guides for two types of trays: standard GN 1/1 and EN 600x400 mm; model MX3.10C only GN standard tray guides
- Doors with seal, open to the right (side cannot be changed)
- Rounded corners of the compartment for easy cleaning, possibility to dry the compartment to remove excess humidity
- Bottom with integrated drain drip tray for condensate collection included; model MX3.10C without drip tray
- Evaporator with anti-corrosion coating
- Large reliable condenser
- Easy access to evaporator and condenser for maintenance and cleaning
- R452A refrigerant
- High-efficiency Italian-made refrigeration unit
- Fan forced cooling/freezing system
- Adjustable feet from 60 mm to 90 mm

- Trouble-free operation at ambient temperatures up to +32°C and relative humidity up to 60%
- Electronic touch screen on the front
- Available cycle settings:
 - pre-cooling cycle
 - chill/freeze cycle to set temperature with core probe
 + sustaining phase
 - chill/freeze cycle at set time without probe + sustaining phase
 - possibility of setting quick chill to +3°C and quick freeze to -18°C cycles with or without probe according to set time
- Special functions:
 - automatic probe control
 - temperature measured by the probe displayed
 - display of elapsed time since the beginning of the cycle, set by the user
 - decontamination cycle for raw fish
 - manual defrost function
 - HACCP alarm
- Standard core probe included



SIN of COLD

Ē

/ _____

IJ

Ř

B

))

Ţ,



BLAST CHILLERS SIN OF COLD

code	chamber capacity	tray support spacing (mm)	output at chilling +90°C/+3°C (90 min/kg)	output at freezing +90°C/-18°C (240 min/kg)	V	W	inside dimensions of the chamber (mm)	mm	kg	€
MX3.10C	3x GN 1/1 or GN 2/3	60	10	5	230	1160	335x590x(H)235	655x715x(H)530	55	3 420,00
SXT5.15	5x GN 1/1 or 600x400	60	15	9	230	1300	655x430x(H)340	798x700x(H)865	95	2 950,00
MXT5.15	5x GN 1/1 or 600x400	60	15	9	230	1300	655x430x(H)340	798x700x(H)865	95	5 250,00
MXT7.20	7x GN 1/1 or 600x400	60	20	12	230	1750	655x490x(H)475	798x815x(H)1025	105	6 190,00
MXT10.35	10x GN 1/1 or 600x400	60	35	18	230	3200	655x490x(H)725	798x814x(H)1520	150	7 900,00
MXT14.40	14x GN 1/1 or 600x400	60	40	25	400	3900	655x490x(H)955	798x823x(H)1900	190	9 340,00



BLAST CHILLERS FOR ICE CREAM SIN OF COLD

code	chamber capacity	tray support spacing (mm)	output at chilling +90°C/+3°C (90 min/kg)	output at freezing +90°C/-18°C (240 min/kg)	۷	W	inside dimensions of the chamber (mm)	mm	kg	€
MXT5.30	5x GN 1/1 lub 600x400	60	30	18	230	3200	655x430x(H)340	798x700x(H)865	105	5 990,00
MXT7.30	7x GN 1/1 lub 600x400	60	30	18	230	3200	655x490x(H)475	798x815x(H)1025	125	6 570,00
MXT10.35	10x GN 1/1 lub 600x400	60	35	18	230	3200	655x490x(H)725	798x814x(H)1520	150	7 900,00

MULTIFUNCTION BLAST CHILLER



- Designed for all kinds of catering establishments
- Allows more efficient planning of production cycles in the kitchen for larger batches of dishes or semi-finished products
- Casing made of AISI 304 (18/10) stainless steel exterior satin-finished, interior polished to high gloss
- Guides for two types of trays: standard GN 1/1 and EN 600x400 mm:
- Doors with seal, open to the right (side cannot be changed)
- Rounded corners of the compartment for easy cleaning, possibility to dry the compartment to remove excess humidity
- Bottom with integrated drain drip tray for condensate collection included
- Evaporator with anti-corrosion coating
- Large reliable condenser
- Easy access to evaporator and condenser for maintenance and cleaning
- R452A refrigerant
- High-efficiency Italian-made refrigeration unit
- Fan forced cooling/freezing system adjustable fan speed
- Adjustable feet from 60 mm to 90 mm
- Trouble-free operation at ambient temperatures up to +32°C

and relative humidity up to 60%

- Electronic touch screen on the front with pre-set programmes and the possibility to create individual programmes, with USB connection
- Automatic cycles and recipe book with pre-programmability
- Possibility of setting quick chill to +3°C and quick freeze to -18°C cycles with or without probe according to set time + automatic temperature sustaining function
- Cold preservation function
- 'Favourites' tab guick access to most used settings
- Special decontamination cycle for raw fish
- Non-stop freezing function for freezing ice cream
- Controlled defrost function from -20°C to +3°C
- Additional functions:
 - controlled leavening with configurable phases
 - slow cooking function at +65°C with humidity and ventilation control
 - heat preservation function
 - mixed cycle sequential setting of different cycles
- Core probe available for purchase outside the catalogue



TOP PLUS

FT10.40

€

Arktic 🛠 S.S.

/ _____

R

A

C

Ĥ

Ř

B

ကြိ

Š



BLAST CHILLER 3X GN 2/3

- For quick cooling or freezing of prepared food, freezing cakes, desserts, fish or ice cream.
- Stainless steel exterior and chamber interior, galvanized steel base.
- Chamber with rounded internal corners for easy cleaning.
- 3 stainless steel guides suitable for GN 2/3.
- 60 mm polyurethane insulation, injected under high pressure.
- Self-sealing door with left hand hinges and magnetic seal.
- Front panel with electronic control and display.
- Easy access to capacitor for cleaning and maintenance.
- Manual defrosting with door open.

- Removable drip tray.
- Distance between guides: 80 mm.
- Cooling capacity at 9kg: (+65°C/+3°C) in max. 90 min.
- Freezing capacity at 7kg: (+65°C/-18°C) in 240 min.
- Cooling Agent: R455.
- Fan forced cooling.
- Chamber and Core Probe Included.
- Adjustable feet (up to 20 mm).

code	V	W	mm	€
237731	230	550	660x640x(H)420	2 500,00



DISPLAY TRAYS ALUMINIUM





mm

300x200x(H)20

400x300x(H)20

600x400x(H)20

€

17,00

18,50

27,00

-20°C 70°C temp €

18,50

CONFECTIONERY DISPLAY TRAY

code	mm	€
808504	400x300x(H)20	12,50
808467	300x200x(H)20	12,00
808511	600x400x(H)20	14,00



CONFECTIO	NARY TRAY - BLACK	AL aluminium wash
code	mm	€

CONFECTIONERY DISPLAY TRAY

code	mm	£
808528	300x200x(H)20	17,00
808535	400x300x(H)20	21,50
808542	600x400x(H)20	28,50



568507

code

808559

808566

808573

568507			
MEAT TRAY - Black melamine.		M	-20°C 70°C temp
code	mm		€
568408	290x160x(H)60		13,00



300x190x(H)80

DISPLAY TRAY

HENDI

 Black melamine 	•	melamine temp
code	mm	€
569009	270x210x(H)17	11,50
569016	300x150x(H)17	11,00
569108	300x190x(H)17	11,00
569207	350x240x(H)17	16,00



568200

430

808542

MEAT TRAY - Black melamine.		M melamine
code	mm	€
568101	290x160x(H)35	10,50
568200	350x250x(H)40	19,50
568309	420x280x(H)60	27,50



Μ

-20°0

DISPLAY TRAYS STAINLESS STEEL



DISPLAY TRAY - With feet.	S.S.	
code	mm	€
407202	240x170	12,50



-	
407400	
DISPLAY TRAY	S.

DISPLAY TRA - Not suitable for h	S.S. stainless steel	
code	mm	€
407400	345x245	21,50



MEAT TRAY		J.J. stainless steel
code	mm	€
508107	260x200x(H)48	19,00
508206	310x240x(H)48	22,00



BREADROLL DISPENSER

-	For 7	rolls.
---	-------	--------

code	mm	€
429419	475x105x(H)60	21,50



TACO HOLDER

code	-	mm	€
429440	2 slots	135x115x(H)50	11,00
429457	4 slots	225x115x(H)50	13,50



BREADROLL DISPENSER - PERFORATED For 7 rolls _

101710100		
code	mm	€
808269	580x170x(H)40	31,50



SHELF FOR COOLING AND FREEZING CABINETS GN 2/1, WHITE

- Steel shelf, covered with white polyethylene, wired.
- Size GN 2/1.

S.S

HENDI

Net	weigh	t: 2.4	ka.

5	5	
code	mm	€
801888	530x650	19,50





431

Ć


R

A

Ř

B

Ö







CLEARING TROLLEY 15X GN 1/1

- Designed for use in restaurants, hotels, fast food restaurants, catering companies and wedding venues.
- The solid frame is made of stainless steel (AISI 201), making the trolley easy to clean.
- The trolley comes flat packed and is easy to assemble.
- The profiled guides allows to transport of GN 1/1, GN 1/2, GN 1/3 trays simultaneously.
- Maximum capacity: 15x GN 1/1, 30x GN 1/2, 45x GN 1/3.
- The guides are fitted with stops, this prevents trays from moving and falling out of the trolley.
- Guides are placed 80 mm apart for optimal trolley loading.
- Fitted with 4 large rubber castors (ø100mm), of which 2 have brakes.
- The rubber wheels absorb vibrations and ensure easy and safe maneuvering of the trolley.

mm 380x550x(H)1705

- Fitted with 4 rubber bumpers, reducing the risk of surface damage in case of an accidental collision.
- Maximum load is 100 kg when the load is evenly divided.

CLEARING TROLLEY 15X 600X400 MM

- Designed for use in restaurants, hotels, fast food restaurants, catering companies and wedding venues
- The solid frame is made of stainless steel (AISI 201), making the trolley easy to clean
- The trolley comes flat packed and is easy to assemble.
- The maximum capacity is 15 trays of 600x400 mm.
- The guides are fitted with stops, this prevents trays from moving and falling out of the trolley.
- Guides are placed 80 mm apart for optimal trolley loading.
- Fitted with 4 large rubber castors (ø100 mm), of which 2 have brakes.
- The rubber wheels absorb vibrations and ensure easy and safe maneuvering of the trolley.
- Fitted with 4 rubber bumpers, reducing the risk of surface damage in case of an accidental collision.
- Maximum load is 100 kg when the load is evenly divided.

€	code	mm	€
220,00	813287	470x620x(H)1735	281,00

R

Ē

Ř

ਫ

ကြိ

code



DOUBLE TROLLEY - 30 X GN 1/1

- GN 1/1 with 30 layers interspaced at 80mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution
 150 kg

- 150 kg.		
code	mm	€
810576	740x550x(H)1730	455,00



۲i

CLEARING TROLLEY COMPACT STORAGE -15 X GN 1/1

- In order to save space during storage trolleys can be pushed into one another.
- GN 1/1 with 15 layers interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution – 150 kg.

code	mm	€
810606	445x610x(H)1710	252,00








DOUBLE MOBILE TROLLEY - 12 X GN 1/1

- GN 1/1 with 12 layers interspaced at 80 mm.
- Tray locks on either side.
- Fitted with four castors of which two have brakes.
- Permissible load of the trolley 150 kg with an evenly distributed weight.
- Flatpack delivery.

code	mm	€
810569	740x550x(H)940	286,00



Å

B

ကြိ

''

<u>555</u>

Ć



2-SHELF WAITER', TROLLEY - WELDED

- Made of AISI 430 stainless steel.
- Welded for high durability and stability.
- 2 embossed shelves H=10 mm to protect dishes from falling.
- Overall dimensions of the shelf: 700x500 mm.
- Dimensions of the shelf without embossing: 650x450 mm.
- Shelf spacing: approx. 600 mm.
- Maximum load per shelf (provided that the load is distributed evenly): 50 kg.
- Horizontal stainless steel handle with 100 mm projection.
- 4 swivel castors ø100 mm with bumpers, two of which with brakes.

code	mm	€
816691	800x500x(H)850	276,00



SERVING TROLLEY HEAVY DUTY

- Made of stainless steel, welded for extra strength.
- Fitted with 3 shelves.
- Maximum load per shelf 80 kg.
- Fitted 4 castors, of which 2 with brakes.

code	mm	€
810224	800x500x(H)850	304,00



810118

SERVING TROLLEY WITH 4 SHELVES

- Made of stainless steel.
- Fitted with 4 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code	mm	€
810118	905x585x(H)1245	245,00



SERVING TROLLEY WITH 5 SHELVES

- Made of stainless steel.
- Fitted with 5 shelves.
- Includes 4 castors, of which 2 with brakes, fitted with corner protection.
- Flatpack delivery.

code	mm	€
810125	905x585x(H)1545	296,00

- Designed for hotels, restaurants, cafeterias, and canteens.
- Robust, easy to install stainless steel construction that is also easy to clean.
- Ergonomic handrails made of 0.8 mm thick profiles.
- 4 swivel rubber castors (2 with brakes) absorb vibrations and



2-SHELF SERVICE CART

- 2 profile shelves, satin-finished, 0.7 mm thick, lined with noise and vibration-absorbing material underneath.
- 560 mm shelf spacing for optimal cart loading.
- Maximum load per shelf 45 kg.

code	mm	€
813263	860x540x(H)940	141,00



3-SHELF SERVICE CART

- Designed for restaurants, bars, catering companies and any place where tableware must be collected in a quick, efficient and safe manner.
- Polypropylene shelves, aluminium frame.
- Shelf spacing: 270/290 mm
- Maximum load: 103 kg.
- Easy to clean

code	mm	€
877937	1028x510x(H)960	142,00

ensure easy and safe manoeuvering.

- 4 rubber bumpers protect the cart against accidental knocks on furniture or walls.
- Permissible cart load capacity with uniform weight distribution
 100 kg.

/ _____

R

f

Ř

B

ကြိ

_____ ____



3-SHELF SERVICE CART

- 3 profile shelves, satin-finished, 0.7 mm thick, lined with noise and vibration-absorbing material underneath.
- 270 mm shelf spacing for optimal cart loading.
- Maximum load per shelf 33 kg

code	mm	€
813256	860x540x(H)940	165,00



3-SHELF POLYPROPYLENE SERVICE CART

- Can be used as a mobile tool, suitable for storing.
- Moves smoothly over uneven surfaces, in elevators or walkways.
- Top shelf placed at an ergonomic height for greater comfort.
- Shelf spacing: 340 mm.
- Maximum load per shelf (provided that the load is distributed evenly): 50 kg.
- Fitted with 4 swivel castors with corner protection, 2 with brakes.
- Rounded corners.

mm	€
800x410x(H)950	158,00

WAITER CARTS OF POLYPROPYLENE

- Made of durable polypropylene.
- Robust aluminum pegs and swivel, quiet, non-marking casters ensure stability during transport.
- Plates are secured by means of rims around the shelves and the non-slip surface of the tops.
- Easy to clean.
- Shelf dimensions: 800×520 mm.
- Shelf spacing: approx. 300 mm.
- Fitted with four Ø 100 mm swivel castors, two of which with brakes.
- Max. load per shelf: 60 kg (provided that the load is distributed evenly).
- Max. cart load: 200 kg (provided that the load is distributed evenly).
- Colour: black.

815625

- Flatpack delivery for self-assembly.
- Customizable with accessories:
 - flatware holder (815632).
 - trash container, capacity; 26 l (815649).
- Accessories sold separately.

3-SHELF SERVICE TROLLEY POLYPROPYLENE

- Designed for use in food service establishments (e.g. restaurants, bars) and during catering events.
- Ergonomic handles for comfortable manoeuvring of the trolley.
- With 3 large shelves, each with a border and textured surface for extra grip. code mm

960x520x(H)970

14	0,00
	60 kg
	60 kg
	60 kg
	60kg
0	

€





60k

60k

60

60

60

6-SHELF SERVICE TROLLEY

mm

POLYPROPYLENE

815670 800x520x(H)1880

code







£.

218,00

815670



FLATWARE CONTAINER

- Enables convenient transport of clean or dirty flatware, facilitating efficient waiter service in food service establishments and during catering events.
- Made of durable, safe polypropylene.
- Colour: black.
- Designed for use with Hendi carts (815625, 815656, 815663, 815670).

code	mm	€
815632	335x240x(H)180	18,50

WASTE CONTAINER 26L

- Supports serving staff in food service establishments and during catering events, enabling discreet and hygienic transport of post-consumer waste.
- Made of durable polypropylene.
- Colour: black.
- Capacity: ±26L.
- Designed for use with HENDI carts (815625, 815656, 815663, 815670).

code	liters	mm	€
815649	26	330x240x(H)530	22,00

CUTLERY CONTAINER

- Made of polyethylene
- 4 compartments

code	colour	mm	€
877968	Light grey	520x290x(H)95	7,50

TOTE BOX

-	Grey,	with	handles.	
---	-------	------	----------	--

code	mm	€
552001	555x410x(H)130	13,50

CUTLERY BASKET

- 8 sections with handle.

code	mm	€
871102	425x205x(H)150	11,00





€.

4,45

HENDI

CUTLERY BASKET

code mm 871300 110x110x(H)140









CUTLERY BASKET

code	mm	€
871324	125x84x(H)135	5,00

439

PP

PE



Ć

R

Ê

(

Ĥ

Å

B

ကြိ

....

PLATE TROLLEY

- Assures safe transport of tableware.
- Mobile polyethylene guards make it possible to load plates of various sizes.
- Extremely robust design made of polyethylene protects the tableware from chipping or breaking.
- Number of plates stacks: 6.
- Number of plates per stack: 50.
- Wheels resistant to uneven ground, non-marking even at full load.
- Two castor wheels with brakes Ø 10 mm, large wheels Ø 20 mm.
- Shock and impact resistant.
- Vinyl cover to meet strict sanitary standards included.
- Plates diameter from Ø 170 to Ø 330 mm.

code	mm	€
877906	930x720x(H)785	875,00





4 columns -

plates of

ø230-335 mm





ø118-230 mm



2 columns -

2 columns -

plates of ø230 mm



5 columns plates of ø128 mm 2 columns plates of ø231 mm

plates of ø140 mm









Includes vinyl cover

with every caddy for

sanitary storage



up to 50 plates

in one stack



front wheels with brakes





TRANSPORT AND STORAGE TROLLEY

- Designed for transporting and storing dishes of different shapes and sizes.
- Suitable for plates with a diameter of 11-33 cm.
- Customizable design.
- Made of polyethylene.
- 6 vessel separation columns.
- Ergonomic build-in handles.
- Fixed central castor, 4 swivel castors,
- Resistance to mechanical damage.
- Easy cleaning.
- Supplied with vinyl lid.
- Capacity: up to 480 plates.
- Max. load: 227 kg.
- Net weight: 30.9 kg

code	mm	€
ADC33110	984x760x(H)838	1 250,00

440

THE RMOBOXES, RACKS, TROLLEYS

TRANSPORT AND STORAGE CADDY FOR ROUND PLATES, **COMPACT. S-SERIES**





R

f

नि

I

Plate measurements: ø235 up to ø305 mm Plate stacks: 4 Collective capacity: 280 pcs.



Plate measurements: ø229 mm Plate stacks: 5 Collective capacity: 350 pcs.


- Designed to transport and store stacks of round plates of different diameters.
- Made of durable polyethylene.
- Lightweight construction, rotomolded in one piece.
- Resistant to mechanical damage.
- Handles on four sides.
- 4 movable CamLever dividers (included) that divide the rack space according to the diameter of the dishes and stabilise the stacks.
- Smooth surface and rounded corners easy to clean.
- Swivel, low-noise castors coated with non-marking rubber.
- Colour: speckled arev.
- Weight: 35.2 kg.

CAMLEVER PLATE DIVIDER FOR ADCSC480 CART

- For use with Cambro S-series round plate cart (ADCSC480).
- Made of polyethylene resistant to mechanical damage.
- Thanks to the CamLever, the division can easily be moved and securely mounted to the bottom of the cart.
- The division enables stabilisation of the transported stacks of plates and divide the loading space to match the diameter of the nlates

mm	€
67x111x(H)597	343,00

MHENDI



- Max. height of the plate column: 521 mm.
- Standard capacity (4 compartments):
- 350 plates of ø229 mm or 280 plates of ø235-305 mm.
- Load capacity can be increased up to 560 plates of ø146-191 mm or 350 plates of ø197-222 mm by using 4 additional CamLever dividers (ADCSCT4480; to be purchased separately).
- The set includes: vinyl cover with identification pocket (7.6x12.7 cm).

code	mm	€
ADCSC480	686x686x(H)807	1 320,00









INGREDIENT TROLLEY

- Useful in any large kitchen to store, transport and quick measure of quantities of dry food such as: flour, sugar, salt, groats, rice.
- One-piece, solid and sturdy polyethylene structure.
- Rounded corners and smooth inner walls are ideal for easy cleaning.
- Guides located in the upper, inner part of the trolley permit the comfortable fitting of the scoop.
- Transparent polycarbonate lid for easy identification or product type and quantity.
- Four wide, rubber wheels Ø 75 mm, including two castor wheels with brakes for easier transport.
- Ergonomic height of 71 cm ideal to put under a worktable.

code	liters	mm	€
877913	81	333x743x(H)711	222,00
877920	98	394x755x(H)735	278,00

transparent four torsional

scoop

877920

four torsional wheels

cover





transparent cover four torsional wheels



CAMBRO

HDPE polyethylene LDPE polyethylene

INGREDIENT TROLLEY

- Designed for transport and storage of bulk products.
- Made of polyethylene.
- Transparent sliding lid.
- Adjusts to standard worktop heights.
- 4 castors 2 rear fixed and 2 front swivel for stability and maneuverability.
- Capacity: 102 l.
- Selected bulk products capacity:
- sugar 103 kg.
- flour 68 kg.
- Net weight: 12.62 kg.
- Supplied with a hook for hanging the scoop.

code liters		mm	€	
IBS27148	102	420x750x(H)710	425,00	





INSULATED ICE CONTAINER - 110 L

- Ideal to transport ice cubes or flakes over long distances
- Robust polyethylene housing resistant to shocks and impact.
- Thick foam insulation to keep ice temperature as long as possible.
- Inner walls resistant to scratches and stains.
- Sliding, sealed lid allowing easy scooping of ice.
- Ergonomic grip integrated with housing.
- Two large wheels resistant to uneven ground and two smaller castor wheels with brake.
- Profiled drain for melted ice in chamber, with tap.
- Delivered ready-to-use, does not require assembly.
- 4 wheels, 2 with brakes (large Ø 20 mm, small Ø 10 mm)
- Tap, scoop and drip tray included.

code	liters	mm	€
877883	110	585x800x(H)745	917,00











AMER *** BOX**







drip tray 2 torsion wheels with brakes







ICE TROLLEY ICS125L SLIDING LID®

- Polyethylene housing.
- Thick foam insulation.
- Resistance to mechanical damage.
- Drain shelf.
- 2 front swivel castors with brakes, 2 rear fixed castors.
- Ergonomic cast handles.
- Protective lid.
- Easy cleaning.
- Capacity: 57 kg.
- Net weight: 24.4 kg.
- code

ICS125L110 125

liters

2 torsion wheels with brakes ICS125L110 tap

Prices net of VAT



€

992,00



Ć









CAMCARRIERS® INSULATED TOP-LOADED CARRIER GN 1/1

- Designed for transporting GN 1/1 containers with hot and cold food.
- Made of polyethylene.
- The container maintains the temperature of food thanks to thick foam insulation.
- Built-in seal and wide nylon snaps for airtight seal of the carrier.
- Removable lid for easy loading and unloading.
- Possibility of stacking save storage space.
- Dishwasher safe
- Net weight: 8.42 kg.
- CAUTION: Putting food with temperature above 121°C inside the carrier may damage the item.

code	mm	€
UPC101110	460x630x(H)620	354,00




HDPE	
polyethylene	stackable

INSULATED CATERING CONTAINER GN 1/1. TOP-LOADED

- Made of HDPE polyethylene.
- Double walls filled with high quality polyurethane foam assure perfect insulation and long holding of food temperature.
- Tight lid with 4 clamps made of tough nylon.

code	mm int.	mm	€
877852	530x325x(H)200	630x460x(H)305	220,00





_	_	_		_
-	18	-	5	1
	6	7	6	
-	15-	-	1	-

6x GN 1/6







vent cup

4 latches



Examples of sets



1x GN 1/1 2x GN 1/2 2x GN 1/4 1x GN 2/3 1x GN 1/2 1x GN 1/3

3x GN 1/3

4x GN 1/4





4 heavy duty

clamps

place for

, sticker















f

नि

ကြီ

INSULATED BEVERAGE CONTAINER **CAMTAINERS®**

- Made of seamless, food grade polyethylene.
- It maintains the temperature of a beverage (hot or cold) thanks to thick foam insulation.
- Equipped with a drip-free faucet with two settings: for continuous pouring and for measuring doses.
- Recessed faucet fits within the contours of the thermos to prevent accidental breakage during transport.
- Easy and safe transport is guaranteed by the robust lid locks and the handy E-Z GRIP handles.
- Vent cup in the lid makes it easy to open the container, equalizing pressure in the thermos.
- The sta-stack system allows stacking of beverage containers and saves storage space.
- Dishwasher safe.

code	liters	mm	€
500LCD110	17.9	420x230x(H)620	269,00


INSULATED BEVERAGE DISPENSER WITH TAP

- Ideal for storage, transport and serving of hot and cold drinks.
- Robust LDPE polyethylene housing.
- Good polyurethane foam insulation.
- 4 heavy duty clamps, 25 mm wide, at either side of the jug, for easy and quick opening and closing.
- Comfortable transport grips.

AMER*BOX

- Tap distance from the floor: 95 mm.
- Recessed tap protection against transport damage.
- Delivered with stickers for quick identification of drinks.
- Vent for easier lid opening.
- Shock and impact resistant.
- Rounded chamber with grooves leading to the tap.

Temperature retention



code	liters	mm	€
877869	9.4	230x420x(H)470	181,00
877876	18	230x420x(H)620	204,00



4 heavy duty

clamps







THERMO CATERING CONTAINER 2X GN 1/1 200

- Double-walled insulated polyethylene LDPE impact resistant hard polyethylene.
- Keeps hot and cold.
- With 2 sturdy carrying handles.
- Press-formed guides fitted in chamber housing.
- Inside dimensions: 335x533x(H)590 mm.
- Suitable for 1/1 Gastronorm trays:
 - 12 GN trays 10 mm deep
 - 6 GN trays 65 mm deep
 - 4 GN trays 100 mm deep
 - 3 GN trays 150 mm deep
 - 2 GN travs 200 mm deep.

code	mm int.	mm	€
877814	335x533x(H)590	477x680x(H)620	350,00

Temperature retention

hot					cold				
80°C	75°C	72ºC	70°C	68°C	0°C	2ºC	4ºC	5°C	6ºC
	_				_	_	_	_	_
Initial	1 h	2 h	3 h	4 h	Initial	1 h	2 h	3 h	4 h
tempera	ture				temperat	ture			

Examples of sets

200	150 150 100		65 65 65 65 65 65	12×20
-----	-------------------	--	----------------------------------	-------

TROLLEY FOR THERMO CONTAINER

code	mm	€
877821	530x710x(H)230	167,00

COOLING ELEMENT

vent cup

877814

door with seal.

877821

helt

- For use in thermoboxes, keeps the temperature between 0 to 4°C for 3 to 4 hours thanks to the eutectic plate.

2 torsion wheels with brakes

- Before use: freeze at -18°C for 24 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

code	GN	mm	€
707777	GN 1/2	320x265x(H)30	20,00
707821	GN 1/1	530x325x(H)30	33,50





CAMBRO



ULTRA PAN CARRIER® INSULATED FRONT-LOADED CARRIER GN 1/1

- Designed for use in catering and outdoor events.
- Durable and leak-proof, made of resistant polyethylene.
- Thick foam insulation to maintain the temperature of the transported food, both hot and cold, for over 4 hours.
- Equipped with a pressure equalizing vent.
- Built-in seal and wide nylon snaps for airtight seal of the carrier.
- Holds up to 6 full size GN 1/1 containers.
- Dishwasher safe.
- Net weight: 14.99 kg.
- Also suitable for GN 1/2 and GN 1/3 dishes.
- Camcholler chilling and warning plates can be placed inside the insulated carrier.
- CAUTION: Putting food with temperature above 121°C inside the carrier may damage the item.

code	mm	€
UPC400110	460x630x(H)620	454,00



+120 °C

R

Ĥ

Ą

नि

ကြိ



CAMDOLLY® TROLLEY FOR UPC400 THERMO CONTAINER

- Designed for transporting UPC400 front-loaded insulated containers
- Made of polypropylene resistant to cracking, rust and corrosion.
- Easy to move thanks to 4 swivel castors ø89 mm.
- Possibility of simultaneous transport of multiple containers with a total weight of up to 159 kg.
- Net weight: 8.03 kg.
- The trolley is suitable for insulated insulated front-loaded carriers (UPC400).

code	mm	€
CD400110	710x530x(H)230	340,00





HDPE

MHENDI

HEATING ELEMENT

- Can be heated up to 90°C.
- To heat the element, place it on a stainless steel tray or in a container and place in a convection oven, max 90°C for max. 40 minutes.

code	GN	mm	€
707784	GN 1/2	320x265x(H)30	27,50
707845	GN 1/1	530x325x(H)30	41,50



447









707692

THERMO-INSULATED CONTAINER WITH **HEATING FUNCTION – CATERING**

- Double HDPE impact-resistant insulating walls
- Possibility to set the chamber heating temperature after connecting to the power supply
- Two large ergonomic handles
- Large and easy-to-read LED display indicating the temperature in the chamber
- Maintains both high and low content temperature
- Punched rails in the chamber housing
- Outer dimensions: 335x533x(H)590 mm

- Suitable for 1/1 GN containers:
 - GN 1/1 (H) 20 mm: 12 pcs.
 - GN 1/1 (H) 65 mm: 6 pcs.
 - GN 1/1 (H) 100 mm: 4 pcs.
 - GN 1/1 (H) 150 mm: 3 pcs.
 - GN 1/1 (H) 200 mm: 2 pcs.
- GN 1/2 (H) 150 mm: 6 pcs.
- Max. temperature: 68°C
- Water resistance class: IPX3

code	mm	€
707692	477x680x(H)620	793,00





CAMBRO

ß

Ê

R

Ħ

ø

Ê


Ř

B

ා

"

Ľ,



Built-in gasket and wide nylon snaps for airtight shut-off.

Full width swing door for easy loading of the thermocouple.



PE

CAMCARRIERS® INSULATED FRONT-LOADED CARRIER GN 1/1

- Designed for efficient transport of hot or cold food.
- Maintains the right temperature for more than 4 hours.
- Durable, solid polyethylene housing resistant to mechanical damage.
- Thick foam insulation.
- 2 compartments for containers.
- Ergonomic handles.
- Full width swing door for easy loading of the container.
- Built-in seal and wide nylon snaps for airtight seal of the carrier.
- Ventilation valve helps to maintain the right moisture level inside the insulated carrier.

4 wheels – 2 fixed and 2 torsional (1 brake)

for easy maneuverability.

- 4 castors 2 fixed and 2 swivel (1 brake) for easy manoeuvring.
- Impact-absorbing elements.
- Easy cleaning.
- Internal chamber dimensions: 330x545x485 mm.
- CAUTION: Putting food with temperature above 121°C inside the carrier may damage the item.
- CAUTION: The containers should be placed only on the guides.

code	mm	€
UPC800110	520x689x(H)1370	1 510,00

THERMO FRONT LOADERS





THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Removable door even if the boxes are stacked With 5 grooves spaced 65 mm apart to slide in containers, fits GN1/1 containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.
- Fits perfectly on Euro pallets four boxes per layer

code	liters	mm int.	mm	€
707661	66	535x310x(H)400	600x400x(H)490	153,00





HEATING ELEMENT

- Can be heated up to 90°C.
- To heat the element, place it on a stainless steel tray or in a container and place in a convection oven, max 90°C for max. 40 minutes.

code	GN	mm	€
707784	GN 1/2	320x265x(H)30	27,50
707845	GN 1/1	530x325x(H)30	41,50

FREEZING ELEMENT



- For use in thermoboxes, keeps the temperature between -12 to -10°C for 3 to 4 hours thanks to the eutectic plate.
- Before use: freeze at -18°C for 24 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

0	0	,	
code	GN	mm	€
707753	GN 1/1	530x325x(H)30	35,00
707760	GN 1/2	320x265x(H)30	21,00



THERMO CATERING BOX

- Ultra-lightweight, durable container with perfectly sealable opening.
- Suitable for Gastronorm 1/1 containers.
- With 8 grooves spaced 61 mm apart to slide in GN containers.
- The high stacking ledges with locking profile ensures stable stacking without sliding.

code	liters	mm int.	mm	€
707999	100	550x335x(H)545	635x465x(H)660	230.00



Examples of sets







COOLING ELEMENT

- For use in thermoboxes, keeps the temperature between 0 to 4°C for 3 to 4 hours thanks to the eutectic plate.
- Before use: freeze at -18°C for 24 hours or until frozen solid.
- To check if ready, shake the element and when you feel and hear nothing moving inside it's ready.

5	,	
GN	mm	€
GN 1/2	320x265x(H)30	20,00
GN 1/1	530x325x(H)30	33,50
	GN 1/2	GN 1/2 320x265x(H)30



ß

٢

R

Ř

ස

ကြိ

1

ÿ


CAMBRO

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®, FRONT-LOADED, GN 1/1

HANDLES AROUND UPPPER SECTION allow to grab a container

from every side





DESIGNED PLACE FOR LABEL WITH DESCRIPTION to identify the box contents

FULL ACCESS IN 270° RANGE Durable hinges and bolts allow opening the door at 270° and leaving it open on the side to easier access the products inside. Thanks to the bolts the door is tightly closed during transport.

EASY OPENING AND CLOSING cambered edges of the door allow easy opening and closing. Sturdy bolts guarantee durability of the container





CONDENSATE LEAKAGE PROTECTION

452

STACKING OPTION

CAMDOLLY® TROLLEY compatible with GN 1/1 Cam GoBoxes® (CD3253EPP158); 4 swivel wheels, 2 with brakes

KAGE CTION



- Perfect for catering establishments.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Front-loaded with up to 270° door swing.
- Beveled door edges make it easy to latch the container and durable sliders keep the door tightly closed.
- The construction provides additional space in the rear wall of the compartment for placing a warming or chilling plate – such a layout prevents dripping condensate on the trays and ensures uniform temperature distribution in the chamber.

- Built-in condensation barrier prevents condensation from leaking from the thermobox.
- Ergonomic built-in handles along the top 4 edges for easy handling.
- Designed place for label with description on the door enables quick identification of the box contents.

 ش

R

(

Ĥ

Å

नि

Ö

<u>~</u>

- Stackable.
- Easy cleaning.
- Dishwasher safe.
- Meets legal and hygienic requirements regarding food grade packaging.
- To be used with dedicated plates:
- Camchiller® chilling plate (CP3253443).
- Camwarmer® warming plate (HP3253444).
- Cartridges not included.

EXAMPLES OF SETS CAM GOBOX® EPP300110



EXAMPLES OF SETS CAM GOBOX® EPP400110





EPP300110

EPP400110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®, FRONT-LOADED, GN 1/1

code	liters	mm int.	mm	€
EPP300110	60	535x330x(H)370	640x440x(H)475	220,00
EPP400110	86	535x330x(H)525	640x440x(H)625	259,00



Prices net of VAT






M HENDI

CAMBRO

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®





Camchiller® chilling plates (CP3253443) or Camwarmer® warming plates (HP3253444)



FULL ACCESS IN 270° RANGE Durable hinges and bolts allow opening the door at 270° and leaving it open on the side to easier access the products inside. Thanks to the bolts the door is tightly closed during transport.



HANDLES AROUND UPPPER SECTION allow to grab a container from every side



DESIGNED PLACE FOR LABEL WITH **DESCRIPTION** to identify the box contents





Stainless steel quides

(EPP4060FADJR110)



Condensate leakage protection



compatible with GN 1/1 Cam GoBoxes® (CD3253EPP158); 4 swivel wheels, 2 with brakes



HENDI

ති f नि ကြီ

- Perfect for confectioneries and bakeries.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Front-loaded with up to 270° door swing.
- Beveled door edges make it easy to latch the container and durable sliders keep the door tightly closed.
- The construction provides additional space in the rear wall of the compartment for placing warming or chilling plate - such a layout prevents dripping condensate on the travs and ensures uniform temperature distribution in the chamber.



EPP4060F6R110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®, FRONT-LOADED, FOR 600X400 MM **CONTAINERS, WITH 6 BUILT-IN GUIDES**

- Capacity: 126 L.
- Top, separate quide for Camwarmer® 1/1 warming plate.
- 6 guides for 600x400 mm containers.
- Interspaced at: 60 mm.

code	liters	mm int.	mm	€
EPP4060F6R110	126	615x410 x(H)585	770x540 x(H)687	284,00



EPP4060FNR110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®, FRONT-LOADED, FOR 600X400 MM CONTAINERS, WITHOUT GUIDES.

- Capacity: 155 L.
- Without guides.
- For 600x400 mm travs.

code	liters	mm int.	mm	€
EPP4060FNR110	155	615x410 x(H)585	770x540 x(H)687	264,00



EPP4060FADJR110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®, FRONT-LOADED, 600X400 MM, WITH ADJUSTABLE GUIDES.

- Capacity: 155 L.
- 2 pairs of guides (stainless steel) for 600x400 mm trays.
- Adjustable interspaces.

code	liters	mm int.	mm	€
EPP4060FADJR110	155	615x410 x(H)585	770x540 x(H)687	406,00



EPP4060F9R110

PROFESSIONAL GRADE INSULATED CARRIER	
CAM GOBOX®, FRONT-LOADED, FOR 600X400 MM	
CONTAINERS, WITH 9 BUILT-IN GUIDES	
Capacity 124	

- Capacity: 126 L.
- Top, separate guide for Camwarmer® 1/1 warming plate.

FECCIONIAL ODADE INCLU

- Built-in condensation barrier prevents condensation from

- Ergonomic built-in handles along the top 4 edges for easy

Designed place for label with description on the door enables

- Meets legal and hygienic requirements regarding food grade

leaking from the thermobox.

To be used with dedicated plates:

- Cartridges not included.

Camchiller[®] chilling plate (CP3253443).

- Camwarmer® warming plate (HP3253444).

quick identification of the box contents.

handling.

Stackable.

- Easy cleaning.

packaging.

- Dishwasher safe.

_

- 9 pairs of guides for 600x400 mm travs.
- Interspaced at: 35 mm

code	liters	mm int.	mm	€
EPP4060F9R110	126	615x410 x(H)585	770x540 x(H)687	291,00




PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®

CAMBRO



DESIGNED PLACE FOR LABEL WITH DESCRIPTION to identify the box contents







STACKING -OPTION

EPP4060T300110

Compartment accommodates 6 ice cream trays

CAMDOLLY TROLLEY® compatible with GN 1/1 Cam GoBoxes (CD4060EPP158); 4 swivel wheels, 2 with brakes

- Insulated carrier with fitted lid is especially useful in catering and food service establishments.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Top-loaded for improved food transportation.
- The 300 mm high box compartment accommodates trays and containers of 600x400 mm size or 6 round ice cream trays from the HENDI offer: code 807002 and 802083.
- Vertical slots inside make it easy to insert and remove containers.
- A system of inserts and grooves in the corners of the box ensures a stable lid and safe transport of food.
- Insulation thickness: 30 mm.

- Very light (density: 30 g/L).
- Ergonomic build-in handles.
- Designed place for label with description to identify the box contents.
- Stackable.
- Easy cleaning
- Dishwasher safe.
- Meets legal and hygienic requirements regarding food grade packaging.
- Capacity: 80 L

(() h e n d i

Net weight: 1,700 g.

To be used with dedicated plates:

- Camchiller[®] chilling plate (CP3253443).
- Camwarmer® warming plate (HP3253444).
- Cartridges not included.

code	liters	mm int.	mm	€
EPP4060T300110	80	625x425 x(H)305	690x490 x(H)370	63,50

THERMOBOXES, RACKS, TROLLEYS



MULTIFUNCTIONAL CAM GOBOX® INSULATED CONTAINER

- For storing and transporting bulky or larger food items ideal for transporting wedding cakes, cakes, lunch boxes or pizza cartons
- For direct and indirect contact with food
- Made of expanded polypropylene (EPP), extremely resistant to mechanical damage and weather conditions
- CFC free and 100% recyclable
- Maintains both low and high food temperatures for up to 4 hours
- Thermal resistance: -40 ° C to 120 ° C
- Can be used with Camchiller cooling inserts or Camwarmer heating inserts - max. 8 pcs. In the recesses on the walls of the container
- Ventilation slots for perfect humidity and freshness of transported products
- Uniform shape that allows you to change places of the cover with the base - thanks to a special recess in the cover, it is possible to add an additional cooling or heating insert to maintain the temperature underneath

- The set includes matched elements, with the possibility of adapting the layout to your own needs:
 - black base internal height 125 mm
 - grey bottom panel 100 mm
 - 2 x high gray extension 200 mm
 - black cover
- Optional: EPPMFBA110 adapter for CD4060 cart easier container transport when fully loaded
- Ergonomic handles for easy portability
- Internal dimension container when folded up: 520x520x(H)752 mm
- Easy to clean
- Dishwasher safe
- NOTE: Possibility to place Cambro dishwasher baskets when using dishwasher baskets it is necessary to use appropriate food contact products (moulds, trays, containers, etc.)

code	mm int.	€
EPPMFBE122110	520x752	282,00

EPP ADAPTER FOR CD4060 TROLLEY FOR EPPMFBE122110 CONTAINER

- Recommended for use when transporting large and heavy foodstuffs.
- Made of EPP expanded polypropylene
- Perfect stabilisation of the container
- Only suitable for the CamDolly CD4060 and EPPMFBE122110 multifunctional container.

code	mm	€
EPPMFBA110	698x622x(H)70	38,50



EPPMFBA110





R

f

नि

I

With ergonomic handles to transport

I	
I	
I	staskabla
	stackable

THERMOBOX

- Perfect for transport of hot or cold products.
- Containers offer high insulation levels.
- Withstands temperatures ranging from -20°C to +110°C.
- With recessed handles at the side.

code	liters	mm int.	mm	€
707906	40	538x338x(H)234	600x400x(H)285	26,50
707968	46	538x338x(H)257	600x400x(H)320	40,50
707951	53	625x425x(H)200	685x485x(H)260	59,50
707944	80	625x425x(H)300	685x485x(H)360	71,00





707968

COOLING ADAPTOR EPP GN 1/1

- Place this adaptor with cooling element on top of your Thermobox Kitchen Line GN 1/1 and keep the goods cold for extra long periods of time.
- Supplied without cooling element. _
- Fits on top of 707906 and 707968.

code	mm	€
707814	600x400x(H)85	35,00

707012	PP	stackable .

EXTENSION FRAME FOR GN 1/1 INSULATED CATERING CONTAINER

- To increase the capacity of 707906 and 707968 catering containers.

code	mm	€
707012	600x400x(H)85	19,50
707029	600x400x(H)180	27,50







Very resistant and springy frame



With ergonomic handles to transport

HENDI



Dedicated dimple for easy opening

THERMOBOX

- Perfect for transport of hot or cold products.
- The special heat-sealed inner lining provides reinforcement, facilitates easy cleaning and substantially improves the useful life.
- The thermobox is suitable for containers sizes up to Gastronorm 1/1.
- Boxes have a sealed structure which provides exceptional insulation, up to 50% better than other Hendi thermoboxes.
- Temperature resistant from -20°C up to 110°C.
- Practical integrated handles allow for comfortable carrying.
- The thermoboxes are stackable both with and without lids.

code	liters	mm int.	mm	€
707982	39	538x338x(H)217	674x400x(H)287	76,50

Extremely smooth internal surface

459

ß

t

Ř

ස

ů

Š

INSULATED CATERING CONTAINER

- Ideal for catering establishments to transport and store hot or cold food.
- For transporting food in disposable or ceramic packaging.
- Thanks to dedicated profiled internal walls taking out containers is easier.
- Sturdy and stable structure for long-term use.
- Made in full out of one piece, without seams or joints.
- Ultralight, closed from the top with a separate lid.
- High resistance to temperature.
- Stackable thanks to grooves in housing.
- Dishwasher safe up to 80°C.
- Helps introduce HACCP in catering establishments.
- 100% recyclable.

code	liters	mm int.	mm	€
707043	9	380x250x(H)95	440x310x(H)160	32,00
707050	15.6	380x250x(H)165	440x310x(H)230	34,50





THERMOBOX SALTO

- Without lid, allows stacking pizza boxes, which makes it possible to transport more pizza in a single trip.
- After turning the container upside down, it may be used as a lid with another Salto container.
- Ideal for transporting pizza in boxes.
- Side grips integrated with housing for easier reloading.
- Stackable thanks to grooves in housing.
- Sturdy and stable structure designed for long-term use.
- Container made as a whole, without any bolts, seams or joints.
- Ultralight.
- High resistance to temperature.
- Dishwasher safe up to 80°C.
- Helps introduce HACCP in catering establishments.
- 100% recyclable.

code	liters	mm int.	mm	€
707067	5.5	350x350x(H)45	410x410x(H)100	19,50
707074	9.8	350x350x(H)80	410x410x(H)135	22,00



After turning by 180 degrees, the container may be used as a lid with another Salto container.



707067



profiled internal walls taking out containers is easier



ති

f

नि

ကြီ



707746

THERMAL INSULATION CONTAINER MADE OF PIOCELAN

- Thermo-insulated container with fitted lid for ensuing safety of food products during transport and storage; especially useful in catering and gastronomy establishments, where high resistance to mechanical damage and maintaining constant temperature inside the container are required.
- Intended for direct or indirect contact with food during its longterm cooling or freezing, and also during its heating to 70°C for no longer than 2 hours, heating to 100°C for no longer than 15 minutes and storage at room temperature for up to 30 days (depending on the type of food).
- Made of black LSP EB Pioclean using moulding technology.
- Easy cleaning.
- Very light.
- Perfectly maintains both low and high temperatures of food.
- Extremely resistant to mechanical damage.
- Ergonomic handles for easy transport.
- Dishwasher safe.Stackable.
- Internal container size suitable for GN 1/1 or 600x400 mm trays, depending on the model.
- Meets legal and hygienic requirements regarding packaging that has direct contact with food.
- Lids also available separately: 707548 for container 707746 and 707425.
- 707562 for container 707432 and 707456.

code	liters	mm int.	mm	€
707746	40	540x340x(H)230	600x400x(H)283	28,50
707425	46	538x338x(H)257	600x400x(H)320	30,00
707432	53	625x425x(H)200	685x485x(H)260	41,00
707456	80	625x425x(H)300	685x485x(H)360	45,00



THERMAL INSULATION CONTAINERS MADE OF PIOCELAN

- Thermal insulation containers with suited covers made of black Piocelan
- Designed for the transport and long-term storage of any type of food in cooling or frosting conditions
- Washable in restaurant dishwashers

code	liters	mm	€
707579	13	400x300x(H)173	11,00
707586	20	500x300x(H)213	14,50
707593	47	600x400x(H)296	24,50

PIOCELAN COVER FOR THERMALLY INSULATED KITCHEN LINE CONTAINERS

- Made of black LSP EB moulded piocelan

code	-	€
707548	GN 1/1, for thermal insulation container 707746 and 707425	5,30



THERMALLY INSULATED CONTAINER MADE OF EPS

- Ideal protection of all types of food products during storage and transport.
- Protects the product against temperature, light, humidity and mechanical damage.
- Made of high quality foamed polystyrene.
- Excellent insulating properties thanks to the 40 mm thick walls.
- Easy to kept clean.
- Available in white.
- Sold only in pallet quantities (1 Euro pallet = 36 pcs.).

code liters mm int. mm

707449 32 500x300x(H)215 580x380x(H)285 13,50






€.

CAMBRO

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX®

EXTREMELY DURABLE IN CASE OF MECHANICAL DAMAGE AND ATMOSPHERICAL FACTORS Made from expanded polypropylene [EPP], CFC- free, 100% recyclable



ERGONOMIC HANDLES Convenient handles ensure easy lifting of the container

DESIGNED PLACE FOR LABEL WITH DESCRIPTION to identify the box contents

EASY LOADING AND UNLOADING

Straight walls inside make it possible

to stack containers inside the carrier

Vertical slots on the inside are helpful in loading and unloading GN 1/1 and GN 1/2 containers.

> INSULATION THICKNESS: 30 mm Perfect insulation, which keeps high temperature of warm meals and low temperature of cold dishes



Camchiller[®] chilling plates (CP3253443) or Camwarmer[®] warming plates (HP3253444)

STACKING OPTION

CAMDOLLY TROLLEY® compatible with GN 1/1 Cam GoBoxes (CD4060EPP158); 4 swivel wheels, 2 with brakes





TEMPERATURE RETENTION

SYSTEM OF INSERTS


ensures a stable lid and safe transport of the food

AND GROOVES

Ć. R f Ř नि Ö

- Insulated carrier with fitted lid is especially useful in catering and food service establishments where high resistance to mechanical damage and maintaining constant temperature inside the box are required.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Top-loaded for improved food transportation.
- Contains 1 GN 1/2 container with a max. height of 200 mm or several containers of correspondingly smaller size.
- Vertical slots inside keep GN containers in place and facilitate placing items in and taking them out of the box.
- A system of inserts and grooves in the corners of the box ensures a stable lid and safe transport of food.

EXAMPLES OF SETS CAM GOBOX® EPP160110



- Insulation thickness: 30 mm.

- Verv light.
- Ergonomic handles and a strap for easy transport.
- Designed place for label with description to identify the box contents.
- Stackable.
- Easy cleaning. _
- Dishwasher safe.
- Box, lid and strap in black.
- Meets legal and hygienic requirements regarding food grade packaging.
- To be used with dedicated plates:
- Camchiller[®] chilling plate (CP2632443) + adapter (EPPCTS110 or EPPCTL).
- Camwarmer® warming plate (HP3253444).
- Cartridges not included.

EXAMPLES OF SETS CAM GOBOX® EPP180LH110



EPP160110 EPP180110 EPP180LH110

> **PROFESSIONAL GRADE INSULATED CARRIER** CAM GOBOX®, TOP-LOADED, GN 1/1

code	liters	mm int.	mm	€
EPP160110	35,5	538x338x(H)195	600x400x(H)257	46,00
EPP180110	46	538x338x(H)254	600x400x(H)316	31,50
EPP180LH110	46	538x355x(H)255	680x400x(H)321	55,00



Adapter for Camchiller® GN 1/1 chilling plate.



code	mm int.	mm	€
EPP180E110	538x338x(H)254	600x400x(H)316	30,50





PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX® FOR BEVERAGES, TOP-LOADED, WITH SHOULDER STRAP

CAMBRO



+120 °C



HENDI

目



EPPBEVBKST110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX $^{\odot}$ FOR BEVERAGES, TOP-LOADED, WITH SHOULDER STRAP, 35 L

- Insulated carrier with fitted lid for transporting bottles and other containers with beverages at the right temperature, especially useful in catering and food service establishments, where high resistance to mechanical damage is required.
- Made of food grade materials.
- Perfectly maintains both low and high temperatures of beverages for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Top-loaded for improved transportation.
- Thermobox holds 12 tall bottles of wine with a capacity of 0.75 L or 12 plastic bottles with a capacity of 1.5 L.
- A system of inserts and grooves in the corners of the box ensures a stable lid and safe transport.
- Ergonomic handles and a strap for easy transport.
- Designed place for label with description to identify the box contents.
- Stackable.
- Easy cleaning
- Dishwasher safe.
- Box, lid and strap in black.
- Meets legal and hygienic requirements regarding food grade packaging.
- Net weight: 1.02 kg.
- To be used with dedicated plates:
- Camchiller® GN 1/2 chilling plate (CP2632443).
- Modular beverage holder (EPPBEVH1110).
- Cartridges not included.

code	liters	mm int.	mm	€
EPPBEVBKST110	35	358x273 x(H)367	420x335 x(H)420	53,00



ති

f

नि

I

EPP280BKST110

PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX[®] WITH A BLACK STRAP, GN 1/2

- Insulated carrier with fitted lid is especially useful in catering and food service establishments where high resistance to mechanical damage and maintaining constant temperature inside the box are required.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Top-loaded for improved food transportation.
- Contains 1 GN 1/2 container with a max. height of 200 mm or several containers of correspondingly smaller size.
- Vertical slots inside keep GN containers in place and facilitate placing items in and taking them out of the box.
- A system of inserts and grooves in the corners of the box ensures a stable lid and safe transport of food.
- Insulation thickness: 30 mm.
- Very light.
- Ergonomic handles and a strap for easy transport.
- Designed place for label with description to identify the box contents.
- Stackable.
- Easy cleaning. Dishwasher safe.
- Box, lid and strap in black.
- Meets legal and hygienic requirements regarding food grade packaging.
- Net weight: 800 g.
- To be used with dedicated plates:
- Camchiller[®] chilling plate (CP2632443) + adapter (EPPCTS110 or EPPCTL).
- Camwarmer® warming plate (HP3253444).
- Cartridges not included.

code	liters	mm int.	mm	€
EPP280BKST110	22.3	330x270 x(H)253	390x330 x(H)316	50,00




PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX $^{\circ}$ XL, TOP-LOADED, GN 1/1

Designed for transportation of

cream travs

disposable food containers or 5L ice



EPP180XLT110

DESIGNED PLACE FOR LABEL WITH DESCRIPTION to identify the box contents

EASY LOADING AND UNLOADING Vertical slots on the inside are helpful in loading and unloading GN 1/1 and GN 1/2 containers. Straight walls inside make it possible to stack containers inside the carrier

EPP180XL110

Camchiller® chilling plates (CP3253443) or Camwarmer® warming plates (HP3253444)

- Insulated carrier with fitted lid is especially useful in catering and food service establishments where high resistance to mechanical damage and maintaining constant temperature inside the box are required.
- Food grade packaging.
- Perfectly maintains both low and high temperatures of food for over 4 hours.
- Suitable for use in a temperature range from -40°C to 120°C.
- Made of expanded polypropylene (EPP) highly resistant to mechanical damage and weathering, CFC-free, 100% recyclable.
- Top-loaded for improved food transportation.
- Vertical slots inside keep GN containers in place and facilitate placing items in and taking them out of the box.
- A system of inserts and grooves in the corners of the box ensures a stable lid and safe transport of food.

- Insulation thickness: 30 mm.
- Very light.

STACKING OPTION

- Ergonomic handles for easy transport.
- Designed place for label with description to identify the box contents.
- Stackable.
- Easy cleaning.
- Dishwasher safe
- Box and lid in black
- Meets legal and hygienic requirements regarding food grade packaging.

To be used with dedicated plates:

- Camchiller[®] chilling plate (CP2632443) + adapter (EPPCTS110 or EPPCTL).
- Camwarmer® warming plate (HP3253444).
- Cartridges not included.

	code	liters	mm int.	mm	€
TEMPERATURE RETENTION	EPP180XL110	50,5	548x368x(H)250	610x430x(H)320	57,50
RETENTION	EPP180XLT110	64,5	548x368x(H)320	610x430x(H)390	60,00

HENDI





PIZZA THERMOBOX

- Ideal to transport pizzas in boxes and for confectioneries, to transport cakes.
- Also useful in catering establishments to transport and store hot or cold food.
- Side grips integrated with housing for easier reloading. _
- Special profile from the inside for easier taking out of trays.
- Sturdy and stable structure designed for long-term use.
- Container made as a whole, without any bolts, seams or joints.
- Ultralight, closed from the top with a separate lid.
- High resistance to temperature.
- Stackable thanks to grooves in housing.
- Rounded edges for safe handling. -
- Dishwasher safe up to 80°C.
- Helps introduce HACCP in catering establishments.
- Made entirely of polypropylene.
- 100% recyclable.

code	liters	mm int.	mm	€
707975	21	350x350x(H)175	410x410x(H)240	40,50
707098	21	420x420x(H)117	480x480x(H)165	44,50
707135	35	420x420x(H)200	480x480x(H)260	47,00
707142	33	535x535x(H)117	595x595x(H)165	50,00

ø500



3x pizza ø50 cm temp (°C 80 70 н 56 40 a 21

> 10 time [h]

20



ø400

707098

ø320



707975

5x pizza ø32 cm



707135

5x pizza ø40 cm

THERMOBOXES, RACKS, TROLLEYS

468



Temperature decrease in the

insulated container, at full load initial temperature 85°C

ambient temperature 20°C



PROFESSIONAL GRADE INSULATED CARRIER CAM GOBOX® FOR PIZZA, TOP-LOADED.



 Ventilation system to extract steam from the compartment to preserve the crispiness of the pizza crust.

Prices net of VAT

code	capacity	mm int.	mm	kg	€
EPPZ35265BST110	6 kartonów – 330×330×(H)40 mm	350x350x(H)265	410x410x(H)339	1,07	66,50
EPPZ35330BST110	8 kartonów – 330×330×(H)40 mm	350x350x(H)330	410x410x(H)404	1,3	69,00

CAMBRO

R

f

नि

I





CP3253443

CAMCHILLER® CHILLING PLATE, GN 1/1, BLUE

- Extends the time the insulated carrier maintains low temperature during transport.
- Can be placed in all insulated carriers that are able to accommodate GN 1/1 size.
- Freeze the plate in horizontal position for at least 8 hours before use.
- Reusable.
- Dishwasher safe.
- NOTE: Before placing the chilling plate in the dishwasher it has to be defrosted and at ambient temperature.
- Net weight: 3.9 kg.
- NOTE: The chilling plate reduces the internal height of the insulated carrier by 30 mm.

code		mm	€
CP2632443	Cam GoBox® GN 1/2	325x265x(H)30	
CP3253443	Cam GoBox® GN 1/1	530x325x(H)30	

HP3253444

CAMWARMER® WARMING PLATE, GN 1/1 RED

- Extends the time the insulated carrier maintains high temperature during transport.
- Can be placed in all insulated carriers that are able to accommodate GN 1/2 size.
- Place the plate in hot water for 40 minutes before use.
- Reusable.
- Net weight: 1.75 kg.
- NOTE: The warming plate reduces the internal height of the insulated carrier by 30 mm.

code		mm	€
HP2632444	Cam GoBox® GN 1/2	325x265x(H)30	
HP3253444	Cam GoBox® GN 1/1	530x325x(H)30	





EPPCTS110



ADAPTER FOR CAMCHILLER® GN 1/1 CHILLING PLATE

code	for	mm	€
EPPCTS110	EPP160110 and EPP180LH110	600x400x(H)87	33,50



CD3253EPP158

CAMDOLLY® FOR CAM GOBOX® GN 1/1 INSULATED CARRIERS.

- Designed to transport Cam GoBox® insulated carriers for 600x400 mm travs, facilitates the processing of large orders.
- Fitted with four swivel castors, two with a brake, for smooth operation.
- Made of durable ABS plastic.
- Colour: red.
- Carrying capacity: 250 kg.
- Net weight: 5.27 kg.

code	suitable for	mm	€
CD3253EPP158	Cam GoBox® GN 1/1	692x426 x(H)167	
CD4060EPP158	Cam GoBox® 4060	710x510 x(H)167	



ROUND ICE CREAM TRAY

- Made of AISI 201 polished stainless steel, thickness: 0.9 mm.
- Robust construction.
- Rounded edges for easy cleaning.
- Can be used in refrigerators and freezers.
- Dishwasher safe
- Lid (802076) sold separately.

code	liters	mm	€
807002	7	ø200x(H)245	32,00

PROFI LINE ICE CREAM CONTAINER, ROUND

- Made of AISI 304 polished stainless steel, thickness: 0.8 mm.
- Rounded edges for easy cleaning.
- Can be used in refrigerators and freezers.
- Dishwasher safe
- Without lid
- Lid (802076) sold separately.

code	liters	mm	€
802083	7.3	ø200x(H)250	43,00

802076

807002 802083

HENDI

ICE CREAM CONTAINER LID, ROUND

- Made of polycarbonate.
- Dishwasher safe
- Compatible with ice cream container 802083, 807002

code	ø	length (mm)	€
802076	ø190	ø190	7,80

Prices net of VAT



6 latches – ideal for transporting liquid meals The same diameters make them easier to stack and transport





710203

Space between the walls is filled with special insulating material which keeps hot or cold temperature of food for up to 6-8 hours

710234



710326

2 m

Tax.

710333





710227

The second

710128

472



S.S. stainless steel

R

ħ

Ą

नि

ကြိ



- Designed for catering establishments to keep food and drinks warm during transport.
- The space between the walls is filled with a special insulating material, which ensures that the temperature is maintained for 6 to 8 hours.
- Housing and lid made of AISI 430 steel, satin finish, thickness: 0.8 mm.
- The interior and lid of the container made of AISI 304 steel, thickness: 0.8 mm.
- Container interior made of high gloss polished steel, satin finished lid interior.

INSULATED PORTABLE CONTAINER PROFI LINE

code	liters	mm	€
710104	10	ø330x(H)220	164,00
710111	15	ø330x(H)280	194,00
710203	20	ø330x(H)360	218,00
710210	25	ø330x(H)430	224,00
710302	35	ø330x(H)570	244,00
710319	50	ø480x(H)380	329,00



- Two ergonomic handles, each fixed with nine seals for safe handling.
- Insulated lid with handle and large vent valve for easy opening.
- Thick silicone seal, removable hygienic.
- Lid with 6 snap fasteners.
- Stainless steel tap with a spout placed at approximately 45 mm.
- Container bottom equipped with a black rubber ring fixed with screws, which ensures easier stacking of containers and protects the container as well as the ground against damage.
- Stackable different models up to 35 l.

INSULATED PORTABLE CONTAINER -WITH A TAP, PROFI LINE

code	liters	mm	€
710128	10	ø330x(H)220	191,00
710135	15	ø330x(H)280	207,00
710227	20	ø330x(H)360	250,00
710234	25	ø330x(H)430	260,00
710326	35	ø330x(H)570	327,00
710333	50	ø480x(H)380	352,00



Air valve

Ergonomic handles



Double lid secured with a seal and equipped with 6 latches



Flexible material protects the container and the floor against damage









INSULATED STAINLESS STEEL FOOD TRANSPORT CONTAINER KITCHEN LINE

- Designed for catering companies to keep food and liquids warm.
- Keeps the content on temperature for up to 6 hours.
- Container and lid exterior made of 0.7 mm thick satin-finished stainless steel (AISI 201).
- Container interior and lid interior made of 0.7 mm thick highgloss polished stainless steel (AISI 304).
- Fitted with two ergonomic insulated handles, each fixed with seven welds.
- The insulated lid is fitted with a handle and air release valve for easy opening.
- Lid seal is profiled and removable for easy cleaning.
- The lid is securely closed with 6 latches.
- Bottom fitted with a black rubber rim, this protects the container and makes it possible to stack multiple containers on top of each other.

code	liters	mm	kg	€
707470	10	ø300x(H)265	5.3	127,00
707487	15	ø300x(H)340	5.5	155,00
707494	22	ø330x(H)370	6.5	172,00
707531	25	ø350x(H)385	6.8	185,00
707517	36	ø380x(H)455	9.1	206,00
707524	50	ø430x(H)455	10.7	257,00



HENDI



BOLTED RACK, 5-SHELF, PACKED IN CARDBOARD BOX, FOLDING LEGS

- For use in professional catering.
- Made of high-quality AISI 430 stainless steel.
- Robust, bolted construction.
- 5 non-adjustable shelves.
- Robust 30x30 mm profile legs.
- Approximate load capacity of shelves: approx. 70 kg/m².
 Adjustable feet: +25/-5 mm.

code	mm	€
813041	900x450x(H)1800	369,00

HENDI

CAMSHELVING $^{\otimes}$ BASICS PLUS STORAGE RACK MADE OF COMPOSITE PLASTIC WITH 4 VENTED SHELVES

CAMBRO

/ ____

R

Ħ

C

Ê

Ř

B

ကြိ

"




- Designed for convenient storage of supplies in any food service establishment.
- Made of composite plastic lightweight yet strong and recyclable.
- Does not rust, cadmium-free.
- Stable, easy to assemble.
- Can be easily adapted to the needs of the kitchen by adjusting the height of the shelves.
- Vented shelves allow for maximum airflow. The shelves have integrated Camguard[®] antibacterial protection.
- Withstands high temperature (from -38 °C to +88 °C), perfect for use in hot kitchens as well as in cold rooms and freezers.
- Shelf plates are dishwasher safe.
- Units can be combined to create more uninterrupted storage space.
- Max. load of the entire rack: 760 kg (190 kg per shelve).

code	mm	€
CBU183672V4	915x460x(H)1830	311,00
CBU213672V4	915x540x(H)1830	340,00







- Carrying capacity 150 kg, distributed across the surface.

code	-	mm	€
812266		1120x355x(H)1685	292,00
812372	Connecting hook	15x42x(H)42	5,00

- Max. spread load capacity per shelf: 150 kg.

code	-	mm	€
812273		1280x405x(H)1685	400,00
812280	Connecting hook	15x42x(H)42	4,45






Plastic shelves can be cleaned in a dishwasher



HENDI

GN 1/1 containers fit directly

Prices net of VAT



HEAVY-DUTY STORAGE RACK

- 4 adjustable shelves.
- Maximum load per shelf 125 kg.
- Fitted with adjustable feet.
- Chrome-plated iron.

code	mm	€
812259	910x455x(H)1830	158,00



PLATFORM TROLLEY

- Despite its low weight it can carry up to 150 kg.
- Collapsable to minimize transport dimensions.
- With two castor wheels.

code	mm	€
810514	730x480x(H)825	152,00



STORAGE RACK WITH 5 SHELVES

- Made from steel, available in a chrome plated finish or black powder coated finish.
- Easy to assemble, shelve height is easily set.
- Supplied with 5 wire shelves.
- Spread load capacity per shelf: 80 kg.
- Fitted with adjustable feet.

code	colour	mm	€
812990	Black	910x455 x(H)1830	103,00
812204	Chrome	910x455 x(H)1830	107,00



Collapsable to minimize transport dimensions

HENDI



assembly instruction

1

ÿ

PROFILINE

 $|\bigcirc|$

480

HENDI

PROFILINE

- Elegant yet sturdy.Hand polished, high gloss mirror finish.



code	Nº	name		length (mm)	€
764404	1	Table knife	6 pcs	225	12,00
764411	2	Table fork	6 pcs	205	6,70
764428	3	Table spoon	12 pcs	205	6,70
764435	4	Dessert knife	6 pcs	205	10,00
764442	5	Dessert fork	6 pcs	186	6,70
764459	6	Dessert spoon	6 pcs	186	6,70
764466	7	Cake fork	12 pcs	136	10,00

code	N⁰	name		length (mm)	€
764473	8	Coffee spoon	12 pcs	111	10,00
764480	9	Tea spoon	12 pcs	138	10,00
764497	10	lce spoon	12 pcs	135	9,20
764503	11	Sundae spoon	6 pcs	198	6,70
764510	12	Butter knife	12 pcs	158	10,00
764527	13	Steak knife	6 pcs	215	13,50



Ć

IJ

目

 $|\bigcirc|$

ŧ

À

B

ා

(II)





BUDGET LINE - Machine polished



HENDI

483

18/0 stainless steel

Ħ

Ì

B

))

ļļ



STEAK AND PIZZA CUTLERY

- Wooden handle made of natural wood durable, resistant and dishwasher safe.
- Knives extra sharp blade made of AISI 420 stainless steel.
- Forks blade made of AISI 430 stainless steel.



pack . 12 pcs.

code	Nº	name	colour	length (mm)	pack (pcs.)	€
29810165	1	Pizza knives, Horeca line	brown		12	40,00
29810008	2	Gaucho steak knives, Horeca line	brown	235	12	70,00
29810012	3	Jumbo steak fork, Horeca line	brown	220	12	61,00
29810005	4	Steak /pizza table fork, Horeca line	red	200	12	50,00
29810006	5	Steak /pizza table fork, Horeca line	brown	200	12	37,00
29810003	6	Steak /pizza knives, Horeca line	red	215	12	42,00
29810004	7	Steak /pizza knives, Horeca line	brown	215	12	33,50
29810171	8	Table spoon, Horeca line	brown	195	12	43,50
29810179	9	Table fork, Horeca line	brown	170	12	42,00

 $|\bigcirc|$

TRAMONTINA

TRAMONTINA

 \frown

ß

\$

ß

00

Ħ

 $|\bigcirc|$

À

B

Ö

(II)



code	Nº	name	colour	length (mm)	pack (pcs.)	€
29899157	1	Churrasco steak and pizza table fork set	brown	200	6	22,00
29899155	2	Churrasco steak and pizza knife set	brown	215	6	19,50
29899161	3	Churrasco Gaucho steak fork set	brown	210	6	30,00
29899159	4	Churrasco Gaucho steak knife set	brown	235	6	50,00
29899151	5	Churrasco Jumbo steak knife set	brown	255	4	40,50
29899163	6	Jumbo steak cutlery set	brown	220+255	2+2	37.50



code	Nº.	name	colour	length (mm)	pack (pcs.)	€
29899156	1	Churrasco steak and pizza table fork set	red	200	6	22,00
29899154	2	Churrasco steak and pizza knife set	red		6	19,50
29899173	3	Churrasco Spanish Style steak knife set	brown	220	6	30,00
29899172	4	Churrasco Spanish Style steak knife set	red	220	6	30,00
29899169	5	Churrasco 2-piece meat set	brown	310+200	1+1	47,00
29899162	6	Churrasco Jumbo steak cutlery set	red	220+255	2+2	30,50

HENDI

Prices net of VAT



92000007



GAUCHO STEAK CUTLERY SET, GIFT BOX - 2 PIECES 1 steak knife

- Extra sharp blade made of AISI 420 stainless steel.
- Blade length: 120 mm.
- Total length: 240 mm.
- Blade thickness: 1.2 mm.
- Triple riveted.

1 steak fork

- Blade made of AISI 430 stainless steel.
- Blade thickness: 1.5 mm.
- Double riveted.
- Wooden handle durable, resistant
- and dishwasher safe.



JUMBO STEAK CUTLERY SET, **GIFT BOX - 2 PIECES**

1 steak knife

- Extra sharp blade made of AISI 420 stainless steel.
- Blade length: 125 mm.
- Total length: 255 mm.
- Blade thickness: 1.2 mm.
- Triple riveted.

1 steak fork

- Blade made of AISI 430 stainless steel.
- Blade length: 105 mm.
- Total length: 220 mm.
- Fork thickness: 2 mm.
- Double riveted.
- Wooden handle durable, resistant
- dichwach



STEAK AND PIZZA CUTLERY SET, GIFT BOX - 4 PIECES 2 steak and pizza knives

- Extra sharp blade made of AISI 420 stainless steel.
- Blade length: 115 mm.
- Total length: 215 mm.
- Blade thickness: 1.2 mm.
- Double riveted.

2 steak and pizza forks

- Blade made of AISI 430 stainless steel.
- Fork thickness: 1.5 mm.
- Double riveted.
- Wooden handle durable, resistant
- and dishwasher safe.

			- and dishwash	ier sate.				
code	colour	€	code	colour	€	code	colour	€
92000005	Brown	15,00	92000003	Brown	15,00	92000007	Brown	15,00



 $|\bigcirc|$

TRAMONTINA

٢

R

A

ŧ

Ř

नि

.



29899296

CHURRASCO STEAK/PIZZA CUTLERY SET, GIFT BOX -8 PIECES

4 steak and pizza knives

- Extra sharp blade made of AISI 420 stainless steel.
- Blade length: 115 mm.
- Total length: 215 mm.
- Blade thickness: 1.2 mm.
- Double riveted.

4 steak and pizza forks

- Blade made of AISI 430 stainless steel.
- Fork thickness: 1.5 mm.
- Double riveted.
- Wooden handle durable, resistant
- and dishwasher safe.



CHURRASCO GAUCHO CUTLERY SET, GIFT BOX -8 PIECES

4 steak knives

- Extra sharp blade made of AISI 420 stainless steel.
- Blade length: 120 mm.
- Total length: 240 mm.
- Blade thickness: 1.2 mm.
- Triple riveted.

4 steak forks

- Blade made of AISI 430 stainless steel.
- Fork thickness: 1.5 mm.
- Double riveted.
- Wooden handle durable, resistant
- and dishwasher safe.



29899311

PIZZA FLATWARE, CHURRASCO LINE - SET OF 8 PCS.

4 pizza knives

- Extra sharp blade made of AISI 420 stainless steel.
- Double riveted.

4 pizza forks

- Blade made of AISI 430 stainless steel.
- Fork thickness: 1.5 mm.
- Double riveted.
- Wooden handle durable, resistant
- and dishwasher safe.

code	colour	€	code	colour	€	code	colour	€
29899296	Brown	39,00	29899297	Brown	55,50	29899311	Brown	52,50



STEAK CUTLERY

- Stainless steel with.

- ABS handle.



STEAK FORK - 6 PCS

code	packed per	mm	€
781432	6	(L)200	6,70



STEAK KNIFE XL - 6 PCS

code	packed per	mm	€
781456	6	(L)250	14,50

STEAK SET - FORK AND KNIFE

-	 knife with fork set, serrated knife, POM plastic handle 							
	code blade length (mm) €							
	841174	120	14,00					



STEAK KNIFE - 6 PCS

code	packed per	mm	€
781449	6	(L)215	7,50



STEAK KNIVES

code	-	blade length (mm)	€
841082	with serrations, POM plastic handle	130	20,50
841167	with serrations, POM plastic handle	120	8,35
841099	with serrations, POM plastic handle	120	14,00
841143	with fine serrations, WENGE wooden handle	125	12,00
841150	with serrations, rosewood handle	120	8,35





NUT AND SEAFOOD CRACKER MATT BLACK

- Ideal for cracking nuts, but also very suitable for sea food.
- Finished with a black powder coating.
- The large handle fits nicely in the hand and provides plenty of qrip.
- The two halves are connected by a durable hinge, suitable for multiple sizes of nuts.
- Not dishwasher safe.

code	mm	€
403747	160x35	5,30



ſ	18/0
	10/0

HENDI

LOBSTER	FORKS -	6 PCS
LODJIEK	FURNS	0 - 63

code			€
403716	6	(L)205	13,50





Ä

\$

B

Ř

ස

-

sii T

LOBSTER AND CRAB CRACKER

- Ideal for opening hard lobster and crab shells.
- Wide, appropriately contoured handle for easy and comfortable use.
- Robust aluminium construction, powder coated red.
- The arms of the tongs are connected with a durable hinge.
- Not dishwasher safe.



SNAIL FORK - 6 PCS

code	packed per	mm	€
402221	6	(L)130	6,40







CHURRASCO RECTANGULAR STEAK CUTTING BOARD.

- Made from FSC teak.
- Natural antibacterial protection due to high oil and rubber content.
- Not Dishwasher safe

code	mm	€
13331352	330x200x(H)18	29,50
13332352	400x240x(H)18	41,50
13333352	490x280x(H)22	57,00

13335352

CHURRASCO TEAK SERVING BOARD, ROUND

- Made from FSC teak.
- Natural antibacterial protection due to high oil and rubber content.
- Not Dishwasher safe

code	mm	€
13335352	ø260x(H)15	33,50



LANDHAUS CUTTING BOARD MADE OF TEAK

- Suitable for chopping and slicing as well as serving cheese or snacks.
- Made of high quality teak wood, FSC® certified.
- With practical handle and a hole for hanging.
- With natural antibacterial protection.

- Excellent resistance to cracking and cutting.
- Surface that does not dull blades.

code	mm	€
13998039	480x190x(H)15	35,00
13998037	340x230x(H)15	29,00
13998038	400x300x(H)18	41,50





<u>ل</u>

B

Ē

Ř

B

ကြိ

505168

SERVING BOARD, OLIVE WOOD, RECTANGULAR*

- Ideal for serving and presenting food.
- Comfortable, carved handles.

code	mm	€
505168	250x150x(H)18	15,50
505175	300x150x(H)18	22,00
505182	350x150x(H)18	27,50

SERVING BOARD, OLIVE WOOD, RECTANGULAR, WITH GROOVE*

- Ideal for serving and presenting food.
- Natural, organic board shape and perfect craftsmanship.
- Comfortable, carved handles, with groove.

code	mm	€
505199	300x210x(H)18	22,00
505212	400x250x(H)18	33,50



SERVING BOARD, OLIVE WOOD, RECTANGULAR, WITH OPENING*

- Ideal for serving and presenting food.
- Natural, organic board shape and perfect craftsmanship.
- With an opening for convenient carrying of the board.

505243

SERVING BOARD, OLIVE WOOD, RECTANGULAR, WITH HANDLE*

- Ideal for serving and presenting food.
- With a comfortable handle for easy carrying of the board.
- Available in 3 sizes.

 Available i 			code	mm	€
code	mm	€	505243	350x120x(H)18	23,50
505229	250x165x(H)18	19,00	505250	400x140x(H)18	27,50
505236	350x210x(H)18	27,50	505267	600x200x(H)18	43,50



OLIVE WOOD HOLDER*

- Ideal for serving and presenting food, bringing cutlery, etc.
- With convenient cut-out handles for easy carrying of the holder.

code	mm	€
505274	245x198x(H)194	57,00

* Product made of natural wood. Image may differ from the actual product.

OPTIMA

- White hotel porcelain.
- Write note porcean.
 Strengthened edges, high quality glazing.
 High impact and wear resistance.
 10 years supply guarantee.
 Sold only in collective packaging.





ΓE		PASTA PL	ATE		DEEP PLA	TE	
mm	€	code	mm	€	code	mm	€
ø160	2,50	770948	ø260	6,95	770863	ø220	3,65
ø210	3,35						
ø240	3,65						
ø270	4,75						
ø300	7.50						
	mm ø160 ø210 ø240 ø270	mm € ø160 2,50 ø210 3,35 ø240 3,65 ø270 4,75	mm € code ø160 2,50 770948 ø210 3,35 ø240 3,65 ø270 4,75	mm € code mm ø160 2,50 770948 ø260 ø210 3,35 ø240 3,65 ø270 4,75	mm € code mm € ø160 2,50 770948 ø260 6,95 ø210 3,35 ø240 3,65 ø270 4,75	mm € code mm € code ø160 2,50 770948 ø260 6,95 770863 ø210 3,35 ø240 3,65 ø270 4,75	mm € code mm € code mm ø160 2,50 770948 ø260 6,95 770863 ø220 ø210 3,35 ø240 3,65 ø270 4,75



code		liters	mm	€
770924	soup cup	0.38		6,40
770931	saucer		ø170	2,80

CUP AND SAUCER

code		liters	mm	€
770900	cup	0.09		2,25
770917	saucer		ø90	1,70
770962	cup	0.23		3,35
770979	saucer		ø145	2,25



 $|\bigcirc|$

SOUP AND SAUCE BOWLS



S.S.

٢

R

A

C

Ř

B

ကြိ

''



SOUP TUREEN

 With lid and serving spoon 					
code	liters	mm	€		
434208	2.7	ø270x(H)175	34,00		

SAUCE BOAT

- On foot.

code	liters	mm	€
432143	0.085	120x72x(H)50	5,00
432006	0.14	135x76x(H)70	5,00
432105	0.23	160x98x(H)90	5,85
432129	0.28	200x100x(H)105	8,10
432136	0.46	240x120x(H)120	8,35

LIONHEAD

- Special, toughest porcelain type available on the market
- High-impact and wear resistance and still relatively light-weight
- Shining white





- Rectangular

code	order unit	mm	€
785546	6	218x105x(H)23	8,65
785553	4	352x146x(H)40	14,50

DOWL VA	ITILLA		
code	order unit	mm	€
785560	6	225x111x(H)62	10,00
785577	4	290x136x(H)80	17,50



OVEN DISHES WHITE PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Extremely pure and brilliant white.



TAPAS DISH OVAL

RUSTICA OVEN DISH OVAL

code

786321

786338

- With handle	es.		stackable
code	order unit	mm	€
784006	6	200x107x(H)30	5,60
784013	6	262x140x(H)33	7,50
784020	3	324x185x(H)38	12,00



mm

223x132x(H)42

245x145x(H)55

€

10.50

12,50



	TAPAS DISH RECTANGULAR - With handles.					
code	order unit	mm	€			
784105	6	160x101x(H)45	4,75			
784112	4	236x126x(H)48	7,50			
784129	3	328x189x(H)58	15,00			



RUSTICA OVEN DISH SQUARE

code	mm	€
786352	165x165x(H)65	9,20



RUSTICA OVEN DISH RECTANGULAR

code	order unit	mm	€
786369	1	282x192x(H)65	17,00
786376	8	335x232x(H)62	26,50
786383	4	380x260x(H)70	36,00

OVEN DISHES CREAM PORCELAIN

- Special porcelain type, toughest type available.
- Thermal shock resistant, can withstand extreme temperature changes.
- High-impact and wear resistance and still relatively light-weight.
- Cream white.

OVEN DISH ROUND

code	order unit	mm	€
785904	6	185x152x(H)40	5,85



RUSTICA OVEN DISH ROUND

code	order unit	mm	€
786307	4	ø100x(H)50	3,90



786307



 $|\bigcirc|$







Ē

Ć

IJ

00

E

 $|\bigcirc|$

Ē

À

B

))

porcelain

	N'S PLATE "B	BEAR"		ICE CREA	M BOWL C	LOWN	
Ø 190 mm w	ithout ears.			code	order unit	mm	€
code	order unit	mm	€	786239	6	226x145x(H)37	9,45
786499	4	ø265	13,00				
	0						
		786413	}			786420	D
ONDIME		Por	celain micro	CONDIME			celain micro
2-piece set:					: salt, pepper, to	•	
code	order unit	mm	€	code	order unit	mm	€
786413	3	ø42x(H)80	7,80	786420	48	125x54x(H)90	14,50
786413	3	ø42x(H)80	7,80	786420	48	125x54x[H]90	14,50
/86413	3	ø42x(H)80	7,80	786420	48		14,50
GRAVY BC		786437	7,80	GARNISH - Special, t	I BOWL SLA	785645 ANTED elain type available or	Tedah I
GRAVY BC code	DAT order unit	786437 @@@		GARNISH - Special, t - High-imp	IBOWL SLA oughest porce act and wear	785645 ANTED	Tedah I
RAVY BC	DAT	786437		GARNISH - Special, t - High-imp light-weig	IBOWL SLA oughest porce act and wear	785645 ANTED elain type available or resistance and still re	Tedah I
GRAVY BC code	DAT order unit	786437 @@@		GARNISH - Special, t - High-imp light-weig	BOWL SLA bughest porce act and wear of ht. iite porcelain.	785645 ANTED elain type available or resistance and still re	Telah Telah



TAPASMINI

- Special, toughest porcelain type available on the market.
- High-impact and wear resistance and still relatively light-weight.
- Shining white.





784327





TAPAS DI	TAPAS DISH PLATO - 6 PCS TAPAS DISH CUADRADO - 6 PCS			TAPAS DI	SH REDOND	0 - 6 PCS		
code	mm	€	code	mm	€	code	mm	€
784426	ø100x(H)25	10,00	784327	80x80x(H)35	13,50	784365	ø75x(H)30	10,00



 \odot



PRESENTATION MINIATURES



MINI SAUCEPAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm	€
564509	162x121x(H)30	3,35



Ê

ß

\$

ß

C

MINI GRIDDLE PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm	€
564516	320x162x(H)20	11,00



MINI ROUND PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm	€
564523	150x115x(H)37	3,90
564530	189x147x(H)37	5,60



MINI OVAL PAN LITTLE CHEF

- Melamine presentation bowls and trays, shaped like cookware.

code	mm	€
564547	155x80x(H)37	3,35
564554	263x140x(H)37	7,25



Watch





678206

GREASEPROOF PAPER - 500 PCS

- Packed per 500 sheets.


code	-	mm	€
678237	neutral	250x200	14,00
678220	chef food pattern	250x200	21,00
678213	neutral	263x380	22,00
678183	neutral	306x305	22,00
678169	chef food pattern	306x305	26,50
678176	checked pattern	306x305	26,50
678206	kitchen mayhem	258x425	31,00

GREASEPROOF PAPER PLACEMAT - 500 PCS

- Packed per 500 sheets.

code	-	mm	€
678145	kitchen mayhem	420x275	39,00
678152	checked pattern	420x275	39,00





GREASEPROOF PAPER - 500 PCS

- Packed per 500 sheets.

 rackeu pt 	er Juu sheets.		
code	colour	mm	€
678138	Beige	200x250	17,00
678114	Beige	250x350	22,50
678121	Newspaper print	200x250	17,00
678107	Newspaper print	250x350	30,50

GREASEPROOF PAPER LINING PRE-SHAPED - 150 PCS

 Pre-shaped in a basket form. With illustration of a chef with food in 		
a pattern.		
code	mm	€
678190	160x160x(H)50	12,50



P

IJ

00



PRESENTATION MINIATURES





8





Watch the video

DEEP FRYING BASKET MINIATURES

426449

code	mm	€
426449	90x90x(H)90	8,10
426425	100x80x(H)75	7,80
426432	125x100x(H)85	8,10
426456	255x135x(H)45	11,50



DEEP FRYING BASKET MINIATURES STACKABLE

code	mm	€
425664	105x90x(H)60	8,35
425688	130x115x(H)80	10,00



 $|\bigcirc|$



DEEP FRYING BASKET MINIATURES STACKABLE BLACK

- Finished with a matt black coating.

code	mm	€
425671	105x90x(H)60	9,20
425695	130x115x(H)80	11,00





CHIPS BAG HOLDER

 Black wire frame, fits 1 chip bag. 			
code	mm	€	
630938	ø115x(H)172	6,70	



CHIPS BAG HOLDER

- Black wire frame, with room for a saus bowl.
- Melamine ramekin 80 ml fits perfectly (561713), not included.

code	mm	€
630914	210x110x(H)172	8,90



 ٢

N

00

C

Ř

B

ů

1

CHIPS SERVING STAND FOR 3 BAGS.

-	Finished	IN	matte	black
	E 0.1			

- For 3 bags	b .	
code	mm	€
630921	270x270x(H)280	17,50



630907

CHIPS BAG HOLDER

code	mm	€
630907	ø110x(H)175	8,65



CHIPS BASKET

-	Finished	with a matt black	powder coating.
	code	mm	€
	426494	ø115x(H)100	7,25



ENAMELLED

- Enamelled tableware has made a comeback.
- White enamelled steel with a nice blue border.
- High quality enamel.
- Abrasion resistant.

the bowl.

code

621219

621202

SALAD BOWL

code

621288



- Dishes and desserts can be prepared in

mm

215x160

175x130

€

7,80

6,40

€

7,50

BOWL RECTANGULAR



FLAT PLATE code mm € 621226 ø200 5,30 621233



€

5,85

6,95





DEEP PLATE							
code	mm	€					
621271	ø240	8,35					
621240	ø180	6,70					
621257	ø200	7,50					
621264	ø220	8,35					



mm

ø160x(H)75

621295

mm

ø90x(H)80

liters

0.36

621301 0.52 ø100x(H)90

621318 CUP code liters mm



PORCELAIN, CUTLERY, TABLEWARE



621332



MUG

code

code	liters	mm	€
621325	0.3	ø90x(H)90	6,40
621332	0.4	ø90x(H)120	8,10





SOUP & GRAVY PAN - WITH LID

- Enamelled.
- Flanged stainless steel rim.
- Low lid.

code	-	liters	mm	€
625804	blue	0.5	ø115x(H)95	14,00
625705	black	0.65	ø135x(H)110	15,00



ENAMELLED PAN

- With two convenient handles.
- Made of enamelled steel.

code	mm	€
622704	ø100x(H)20	8,65
622711	ø120x(H)25	8,90
622728	ø150x(H)27	9,45
622735	ø200x(H)36	11,00
622742	ø240x(H)40	12,50



Ô

ß

\$

ß

00

 $|\bigcirc|$

À

B

B





ENAMELLED PAELLA BOWLS

- Deep model.

- Enamelled sheet steel.

code	mm	€
622810	ø145x(H)40	9,20
622827	ø170x(H)40	11,00
622834	ø185x(H)43	12,50
622841	ø205x(H)57	13,50
622858	ø245x(H)70	14,50











MINIATU	RE SNACK BL	JCKET	BUCKET	MINIATURES	i	SNACK C	AN	
code	mm	€	code	mm	€	code	mm	€
426340	ø135x(H)130	6,15	426364	ø87x(H)93	5,60	426463	ø45x(H)50	5,30
			426371	ø125x(H)127	8,10	426470	ø70x(H)100	4,75



MINIATURE SNACK STRAINER

code	mm	€
426395	ø130x(H)64	4,45







COLANDER SQUARE

-	2	hand	les	and	а	base.
---	---	------	-----	-----	---	-------

code	mm	€
535271	240x169x(H)65	10,00
535288	290x218x(H)80	14,00





COLANDER

2 handles and a base.

code	mm	€
535431	ø180x(H)90	14,00
535448	ø220x(H)110	19,50
535455	ø260x(H)140	25,00



 $|\bigcirc|$



R

00

Ħ

 $|\bigcirc|$

À

B

))

ļļ





SMALL SAUCE PAN WITH SPOUT - Made of 2.5 mm thick 3-ply material, copper/aluminium/

- Made of 2.5 mm thick 3-ply material, copper/aluminium/ stainless steel.
- Handle attached by rivets.

code	mm	€
607015	ø50x(H)30	20,00
607022	ø75x(H)40	23,50
607039	ø85x(H)50	29,00



SMALL FRYING PAN

- Made of 2.5 mm thick 3-ply material, copper/aluminium/ stainless steel.
- Handle attached by rivets.

code	mm	€	
607046	ø120x(H)30	43,50	

ENDI

GALVANIZED BUCKETS

- Made of galvanized sheet steel, this creates a rustic look.
- Galvanized steel isn't intended for food contact, line
- the buckets with our greaseproof paper sheets when using it for serving food.

DOUBLE BUCKET WITH HANDLE

- Handle is made of wood.

code	mm	€
425947	190x95x(H)90	9,45
425954	250x125x(H)105	14,00



TABLE CADDY

- With wooden grip handle. <u>code</u> mm 425978 245x180x(H)130







PARTY TUB

€

17,50

code	mm	€
425992	400x330x(H)220	26,00



BUCKETS WITH HANDLE

code	mm	€
425909	ø70x(H)65	2,50
425916	ø100x(H)90	4,45
425923	ø120x(H)105	4,45
425985	ø160x(H)140	5,30





porcelain temp oven	micro wash	
---------------------	------------	--

RAMEKIN

- Ribbed, made of porcelain.

code	order unit	mm	€
783153	12	ø70x(H)35	3,65
783160	6	ø90x(H)48	3,35
783627	6	ø100x(H)25	3,35
783177	6	ø120x(H)55	6,15



RAMEKIN - 12 PCS

code	packed per	colour	liters	mm	€
565605	12	Black	0.045	ø60x(H)35	10,00
565612	12	lvory	0.045	ø60x(H)35	10,00



BUTTER & SAUCE DISH - 3 PCS					
code	packed per	colour	mm	€	
564561	3	Black	ø80x(H)30	5,85	

Μ



М ٢

N

Ħ

00

r

 $|\bigcirc|$

Ř

नि

Ő

1

ÿ

- Ribbed.

code	-	packed per	mm	€
561492	35 ml	1	ø60x(H)25	0,85
565643	35 ml	4	ø60x(H)25	3,35
561706	50 ml	1	ø70x(H)35	2,80
565650	50 ml	4	ø70x(H)35	6,15
561713	80 ml	1	ø80x(H)40	2,25
561720	100 ml	1	ø85x(H)45	3,10



VELOCITY	SLANTED BOWLS	melamine
code	mm	€
564578	70x70x(H)60	3,10
564585	97x97x(H)80	3,90

RAMEKIN - 12 PCS

110x110x(H)100



code	packed per	liters	mm	€
400029	12	0.07	ø62x(H)40	8,35
400012	12	0.045	ø62x(H)24	12,00
400036	12	0.115	ø73x(H)47	13,50
400043	12	0.175	ø85x(H)52	15,00
400050	12	0.23	ø93x(H)58	19,50
400067	12	0.34	ø100x(H)75	20,00

RAMEKIN



564592

4,45

426982







426289

BAKERY BASKET OVAL

code	colour	mm	€
426777	Black	190x120x(H)60	7,25
426760	Light grey	190x120x(H)60	7,25
426623	Black	250x190x(H)65	9,45
426616	Light grey	250x190x(H)65	9,75
426654	Black	320x230x(H)70	15,00
426647	Light grey	320x230x(H)70	14,00

426999

BREAD BASKET ROUND

- Reinforced with a stainless-steel wire frame.

- Available in multiple colours.

code	colour	mm	€
426920	Beige	ø400x(H)90	24,50
426982	Black	ø400x(H)90	29,50
426999	Brown	ø400x(H)90	25,00

ROLL TOP FOR BREAD BASKET ROUND

- Fits bread basket 426920, 426982 & 426999.

- With easy opening.

code	mm	€
426289	ø405x(H)230	63,00



 $|\bigcirc|$

PORCELAIN, CUTLERY, TABLEWARE



BAKERY BASKET ANGLED ROUND

code	colour	mm	€
426562	Light grey	ø310x(H)120	17,50
426579	Black	ø310x(H)120	17,50
426586	Light grey	ø370x(H)120	25,00
426593	Black	ø370x(H)120	31,50

wash	
€	
9,75	



BASKET RIS	wash	
code	mm	€
426814	ø250x(H)180	9,75
626821	ø250x(H)265	11 00



PP

BAKERY BASKE	FWITH STAINLESS	STEEL RIM
DANLINI DAJNL		

BAKERY BASKET ANGLED code colour mm € code colour mm € 426555 Black 400x300x(H)50 24,50 426678 Black 400x300x(H)120 27,50 426524 Light grey 400x300x(H)50 24,50 426661 Light grey 400x300x(H)120 27,50





/ _____

B

00

À

B

-



 \odot



	-					
PP potypropylene S.S. uzainless steet	-			Alen	11	ß
					1	ŝ
						ß
	A AN	λ	426517			
426272		P	PP polypropylene S.S. stainless steel			00
BASKET DISI - Set of powder co	ated steel frame and 3 baskets	5.	code 426517	mm 305x320x(H)350	€ 60,50	
- Baskets: 335x21 code 426272	5X(H)80 mm mm 350x215x(H)600	€ 89,00				
420272	426753		26685	426692		
		-				
						Ħ
				and the second se		101
						Ē
				426746		Ą
BAKERY BAS	426715			426722		B
	a stainless steel frame.					

BAKERY BASKET GN SIZE - Reinforced with a stainless steel fran

 Reinforced with 	a stainless steel frame.	
code	mm	€
426746	176x162x(H)65	9,20
426722	265x162x(H)65	11,00
426715	325x176x(H)65	14,00
426692	325x265x(H)65	16,50
426753	325x354x(H)65	21,50
426685	530x325x(H)65	29,00





))

ļļ

					ASTRO.	
561102 BREAD B	ASKET GN	1/1			UUU	TTT.
		steel wire frame.	€ V	atch the video		T
561102	530)	x320x(H)90	19,50	561201		
561003	ASKET OVA			BREAD BASI - Set of 2 baskets - Baskets reinford	KET DISPLAY GN 1/2 with chrome-plated stand. ed with a stainless-steel wire ons: 360x280x(H)90 mm. vasher safe.	frame. €
		steel wire frame.		561201	360x280x(H)290	39,0
code 561003	380)	mm x270x(H)90	€ 14,00			
	D			-		
– Basket m		. TOP COVER uty polypropylene (olycarbonate. mm 365x335x(H)245	poly-rattan). € 75,00	426968		



Prices net of VAT





SERVING BASKETS FAST FOOD STYLE

- Ideal for fast food restaurant, diners and street food vendors.
- Set of 6 polypropylene serving baskets.
- Light weight, stackable and easy to clean.
- Available in multiple colours.

code	packed per	colour	mm	€
426890	6	Black	275x175x(H)38	9,20
426296	6	Brown	275x175x(H)38	9,20
426319	6	Red	275x175x(H)38	9,20





- Made of food grade washable kraft paper.

code	colour	mm	€
429228	Beige	170x170x(H)150	12,00
429211	Black	170x170x(H)150	9,45

code	colour	mm	€
429006	Beige	ø150x(H)150	5,60
429013	Dark grey	ø150x(H)150	5,85
429020	Beige	ø200x(H)200	7,25
429037	Dark grey	ø200x(H)200	7,25
429044	Beige	ø250x(H)160	8,10
429051	Dark grey	ø250x(H)160	8,10

429037

Ć

N

f

00

Ř

B

ů

1

_____ ____

BASKETS

- Polyrattan.



BASKET - OVA	ET - OVAL		BREAD BASKET -		BREAD B	UND	
mm	€	RECTAN	GULAR		code	mm	€
225x130x(H)55	2,50	code	mm	€	426609	ø200x(H)65	3,10
		426807	225x150x(H)65	4,20			
	mm		mm € RECTAN 225x130x(H)55 2,50 code	mm € RECTANGULAR 225x130x(H)55 2,50 code mm	mm € RECTANGULAR 225x130x(H)55 2,50 code mm €	mm € RECTANGULAR code 225x130x(H)55 2,50 code mm € 426609	mm € RECTANGULAR code mm 225x130x(H)55 2,50 code mm € 426609 ø200x(H)65

BREAD BASKET - OVAL			BREAD BASKET - OVAL		
code	mm	€	code	mm	€
426708	225x110x(H)60	3,10	426906	375x140x(H)70	4,75





WIRE BASKETS



WIRE BASKET BASIC ROUND

- Finished in matte black.

code	mm	€
425817	ø100x(H)90	5,60
425824	ø120x(H)110	5,85



WIRE BASKET DECO RECTANGULAR

- With decorative rim.
- Finished with a matt black coating.

code	mm	€
425855	230x150x(H)80	11,00



WIRE BASKET DECO OVAL

- With decorative rim.
- Finished with a matt black coating.

code	mm	€
425879	255x160x(H)80	20,00





WIRE BASKET DECO ROUND

- With decorative rim.

- Finished	with a matt black coating.
code	mm

		-
425862	ø250x(H)80	16,50



WIRE BASKET DECO OBLONG

 With decorative rim 	
---	--

 Finished with a matt black coating. 				
code	code mm			
425886	385x160x(H)80	14,50		





SERVING BASKET BLACK

SERVING BASKET			 Finished in matte black. 		
code	mm	€	code	mm	€
425565	310x125x(H)55	7,25	425572	310x125x(H)55	7,80
425534	290x220x(H)60	11,00	425558	295x220x(H)60	8,65





Ĝ

R

A

C

Ê

Ř

नि

ကြိ

€.

			26418	- A CONTRACTOR		427187	
FRUIT BASK			Cr 📈	FRUIT BASKE	TBLACK	\Box	1
 Chrome-plated code 			chrome plated wash	 Finished with a ma code 	att black powde	r coating.	tact wash €
426418		^{mm} x(H)205	€ 11,00	427187	ø230x(H)2	250	۰ 20,50
code 427095 @	mm ø150x(H)80	wder coating. € 9,20 22.00	427088				
code 427095 427088	mm	€	427088		27095		27071
code 427095 427088	mm ø150x(H)80 280x(H)130	€ 9,20 22,00	427088	A CONTRACTOR	426227		PPP
cade 427095 (c 427088 (c) 427071 (c)	mm ø150x(H)80 280x(H)130 300x(H)250	€ 9,20 22,00	427088	BASKI	426227	WOVEN SIDES	PPP wyproyless
code 427095 (a 427088 (a) 427071 (a)	mm ø150x(H)80 280x(H)130 300x(H)250	€ 9,20 22,00		EASKI Code	426227	WOVEN SIDES	PPP solprosteres
code 427095 @ 427088 @ 427071 @ 427071 @	mm 150x(H)80 280x(H)130 300x(H)250 426265 426265	€ 9,20 22,00	427088	BASKI ddg	426227 ETS WITH V 18 round	WOVEN SIDES mm 200x200x(H)65	E E 5,00
code 427095 (a 427088 (a) 427071 (a)	mm 150x(H)80 280x(H)130 300x(H)250 426265 426265	€ 9,20 22,00		BASKI 42623 42623	426227 ETS WITH V 18 round 14 oval	WOVEN SIDES mm 200x200x(H)65 225x130x(H)55	E 5,00 4,75
code 427095 @ 427088 @ 427071 @ 427071 @	mm 150x(H)80 280x(H)130 300x(H)250 426265 426265	€ 9,20 22,00		BASKI ddg	426227 ETS WITH V 8 round 4 oval 5 oval	WOVEN SIDES mm 200x200x(H)65	E 5,00



VACUUM JUG

- Double walled stainless steel.
- Seamless structure.
- Vacuum insulation.
- Metal chromed cover, lever, spout and handle.
- High insulation value.



VACUUM JUG

code	liters	mm	€
445815	0.6	ø120x(H)168	50,00
445822	1	ø136x(H)188	52,50
445839	1.5	ø136x(H)258	55,50



446706

VACUUM JUG

- Double walled stainless steel.

- With black push-button cap.
- Top and lid made of polypropylene.

code	liters	mm	€
446607	1.5	ø145x(H)230	19,50
446508	1	ø145x(H)205	19,50
446706	2	ø145x(H)260	25,00



VACUUM JUG

- Double walled stainless steel.

- With yellow push-button cap.
- Top and lid made of polypropylene.

code	liters	mm	€	
446522	1	ø145x(H)205	19,50	
446621	1.5	ø145x(H)230	19,50	
446720	2	ø145x(H)260	25,00	

 $|\bigcirc|$











AIR POT

- Stainless steel mantle.
- With press system to tap drinks.
- Inside made from stainless steel.

code	liters	mm	€
448908	2.2	ø150x(H)340	36,00

AIR POT - 3L - Double wall vacuum body and PP head.

- Rotatable on base.
- Zinc alloy lever designed for extra strength.
- Lid opens to 125 degrees for brewing and is also detachable for cleaning.

PP

445877

18/10

Ć

N

A

Ř

B

ා

1

Š

- Secure carrying handle.

code	mm	€
445877	(H)373	91,50







VACUUM JUG WITH GLASS INNER BOTTLE

code liters mm € 449608 ø140x(H)268 15,00 1









18/10

MULTIPURPOSE JUGS

code	liters	mm	€
451502	0.35	ø76x(H)93	8,10
451519	0.6	ø90x(H)112	11,00
451526	0.9	ø102x(H)125	13,50
451533	1.5	ø112x(H)161	19,50

MILK JUG - MATT BLACK

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm	€
451045	0.7	ø84x(H)130	22,00



MILK JUG

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm	€
451038	0.35	ø65x(H)99	12,00
451021	0.45	ø75x(H)111	20,50
451014	0.7	ø84x(H)130	18,50

18/10 starless steel



458198





451045

451106



MILK JUG BLACK

Made from stainless steel with a black non-stick coating.

0			
code	liters	mm	€
458198	0.6	ø90x(H)112	24,00

MILK JUG

- Simple design.

	5		
code	liters	mm	€
451007	0.35	ø85x(H)110	9,20
451106	0.75	ø100x(H)120	12,00

CREAM JUG

- Made of stainless steel.
- Shape with an easy-pour spout designed for clean and efficient work.
- Dishwasher safe.

code	liters	mm	€
450109	0.03	ø35x(H)35	3,35
450208	0.04	ø40x(H)40	3,35
450307	0.07	ø50x(H)55	3,90
450406	0.12	ø60x(H)60	4,45
450505	0.25	ø75x(H)75	5,60

 $|\bigcirc|$





COFFEE/ TEA POT WITH LID

- With hinged lid.
- Straight model.

5			
code	liters	mm	€
453001	0.2	ø74x(H)95	9,20
453100	0.3	ø74x(H)123	11,00
453209	0.6	ø97x(H)142	12,50
453308	0.9	ø120x(H)158	23,00
453407	1.4	ø126x(H)185	24,50



TEA STRAINER - WITH HINGED HANDLE S.S.

- For herbs and tea.
- With hinged handle.

code	mm	€
570807	ø40x150	3,65



For herbs and tea.

-	With	wire	handle.
---	------	------	---------

452714

S.S.

HENDI

€

5,30

code	mm	€
638101	ø70x225	3,35



SUGAR CUBE TONGS - 2 PCS code packed per mm 523629 2 [L]160





S.S.

R

F

(

Å

नि

ကြိ

''

×

SUGAR/WHIPPED CREAM DISH

code	packed per	mm	€
452714	6	ø65x(H)20	5,00
452325	4	ø100x(H)20	6,15





ø85x(H)65

€.

S.S.







TEA BOX

- Box made of wood in a natural light shade.
- Lid: a wooden frame with an acrylic window, on hinges, opened upwards.
- 12 compartments in the box, each can store 12 tea bags.

code	mm	€
456514	300x280x(H)90	38,50



SERVING DISH

595008

RECEPTION BELL

code

595008

- Chrome-plated with metal base.

code	mm	€
400203	205x155	4,45

mm

ø85x(H)57



ICE-CREAM CUP - On foot.		S.S.
code	mm	€
441107	ø90x(H)50	5,00



code	packed per	mm	€
444023	4	50x10x(H)40	4,75



Cr

€

6,15

		3
	440711	18/0
- With plastic top	_ITTERBIN and stainless steel swing cover.	stainless steel
code	mm	€
440711	ø95x(H)130	12,00





TABLE SIGNS NUMBERED

 Made from durable wood. 	
---	--

 Set numbered from 1 to 10. 				
code	-	mm	€	
664322	Numbers 1-10	55x48x(H)44	15,50	





 ٢

ß

Ħ

00

Ċ

Ř

B

Ő

1

ÿ

ABLE	SIGN	RES	ERVED)
Made fr	om dura	ahle wo	nd	

Maue	110111	uurante	e woou.
With a	lot to	hold a	monu

-	With slot	wash		
	code	-	mm	€
	664308	"reserved"	152x44x(H)44	3,90



TABLESTAND NUMBERS

- Sets of multiple numbers 12 numbers per set.

code	-	mm	€
663844	Numbers 1-12	50x35x(H)40	15,00
663851	Numbers 13-24	50x35x(H)40	15,00
663868	Numbers 25-36	50x35x(H)40	17,00
663875	Numbers 37-48	50x35x(H)40	17,00
663882	Numbers 49-60	50x35x(H)40	17,00
663899	Numbers 61-72	50x35x(H)40	17,00





		1367		2
441466 EGG CUP - 6 PCS - Low model. Code packed per mm 6 441466 6 p85x(H)15 10,00	EGG CUP - 6 PCS - On foot. code packed per mm 441367 6 ø50x(H)45	E S.S. stanless steel € 8,35	4415 EGG SPOON - 6 PCS - White. - ABS <u>code packed per</u> <u>441503 6</u>	6 3,35
can be used as a cutlery holder	665251		595206	
CUTLERY HOLDER Image: Mail of the second secon	MENU CARD TABLE STAND - 6 PCS - Supplied without menu card. code packed per mm 665251 6 80x77x(H)18	€ 22,00	RECEIPT HOLDER - 3 PCS - With clamp. code packed per mm 595206 3 152x110	€ 17,00
	665510		595305	A.
- Stainless steel container	MENU CARD TABLE ST	AND 6	MENU CARD HOLDER	- [55]

524

- Black ABS tumble cover

mm

ø120x(H)165

code

440704

HENDI

mm

ø75x(H)100

ø75x(H)200

€

9,45

11,50

2 PCS

- With clamp.

packed per

mm

2 ø40x(H)104

code

595305

code

665503

665510

€

14,00

Prices net of VAT

S.S.

€

17,50



mm

80x80x(H)95

€

8,65

code

427033



CUTLERY BASKET BLACK

- Finished with a matt black powder coating.

mm

ø120x(H)150

€

15,00

664315

R

Ê

Å

नि

ကြိ

''

TABLE CADDY - Made from durable wood. - Has two compartments and a large handle. code mm € 190x160x(H)200 664315 17,50



425770

CONDIMENT RACK RECTANGULAR

- Made from durable wood.

code

664186

- Finished with a matt black powder coating.

code	mm	€
425770	205x90x(H)180	11,50



425787

CONDIMENT RACK ROUND

code	mm	€
425787	ø165x(H)205	14,00



MENU AND CUTLERY BOX

- Finished with a matt black powder coating. - Wooden box with integrated blackboard on two sides.

 Box has 4 compartments. 					
code	mm	€			
664148	210x150x(H)150	24,50			



CONDIMENT RACK BLACK - Finished with a matt black powder coating.

code	mm	€	
427170	135x65x(H)200	6,70	




-	Fitted wit	th a w	ooden	handl	e.	
-	Finished	with a	a matt	black	powder	coating.

HENDI

code	mm	€
427064	140x105x(H)190	24,50
427057	170x130x(H)160	23,50
427040	230x100x(H)240	24,50











CONDIMENT SET

- 5-piece salt, pepper, oil, vinegar, toothpick holder.
- Matt finish.

code	mm	€
465363	130x110x(H)185	14,00



SALT AND PEPPER SHAKER SET

- Glass shaker.
- Stainless steel lid with S and P shaped dispensing opening.



SALT SHAKER

- Glass shaker Stainless steel lid with S or P shaped dispensing opening.

code	packed per	mm	€
461167	6	ø40x(H)70	10,00
461266	6	ø40x(H)70	10,00



f

Ř

ਫ

ကြိ

''

S.

SALT GRINDERS & PEPPER MILLS



WOODEN PEPPER MILL

- Body made of rubber wood lightweight, but durable.
- Grinding mechanism (burrs) made of stainless steel, manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter for marking pepper.
- Available in several colours: dark wood, light wood, black lacquered wood (glossy finish)

code	mm	€
469835	ø60x(H)315	16,50
469583	ø65x(H)415	27,50
469590	ø60x(H)315	19,50
469712	ø57x(H)165	11,00
469736	ø57x(H)215	11,00
469774	ø50x(H)113	8,10
469798	ø57x(H)165	11,00
469750	ø60x(H)315	14,00
469811	ø57x(H)215	12,50
469613	ø50x(H)113	11,00
469606	ø55x(H)215	14,00
469699	ø50x(H)113	8,10

WOODEN SALT GRINDER

- Body made of rubber wood lightweight, but durable.
 Ceramic grinding mechanism (burrs) non-corrosive (suitable for salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter for marking salt.
- Available in several colours: dark wood, light wood, white lacquered wood (glossy finish).

code	mm	€
469569	ø55x(H)215	14,00
469743	ø60x(H)315	14,00
469767	ø50x(H)113	8,10
469552	ø60x(H)315	19,50
469545	ø65x(H)415	27,50
469781	ø57x(H)165	11,00
469682	ø50x(H)113	8,10
469804	ø57x(H)215	12,50
469705	ø57x(H)165	11,00
469828	ø60x(H)315	16,50
469729	ø57x(H)215	11,00
469576	ø50x(H)113	11,00

 $|\bigcirc|$





ACRYLIC PEPPER MILL

- Body made of transparent acrylic glass (PMMA) a lighter substitute for glass, but more resistant to scratching and breakage.
- Grinding mechanism (burrs) made of stainless steel, manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "P" letter for marking pepper.

€
8,10
8,10
11,00

ACRYLIC SALT GRINDER

- Body made of transparent acrylic glass (PMMA) a lighter substitute for glass, but more resistant to scratching and breakage.
- Ceramic grinding mechanism (burrs) non-corrosive (suitable for salt), manual and adjustable with a knob.
- Lid protected from falling off with a screwed knob.
- Knob with a printed "S" letter for marking salt.

code	mm	€
469637	ø50x(H)113	8,10
469651	ø50x(H)140	8,10
469675	ø60x(H)215	11,00

Ĥ

Ř

नि

ကြိ

''

55







663653



– Self-adhe		
code	-	mm
663790	no smoking	ø75
663820	smoking - big	ø160
663806	no smoking - big	ø160



663806

18/0

code	-	mm	€
663790	no smoking	ø75	3,10
663820	smoking - big	ø160	8,65
663806	no smoking - big	ø160	9,45

mm

50x35x(H)40

ςς

€

2,80



rezerwacja

663462

663660

663523



TABLE SIGN RESERVED

TABLE SIGN ,NO SMOKING'

- Black - white.

- 2 sides printed. code

663660

- Printed on 2 sides.

code	-	mm	€
663523	rezerwacja	130x30x(H)38	1,95
663462	reserved	130x30x(H)38	2,80
663530	"стол заказан"	130x26x(H)36	2,25



RESERVED

TABLE SIGN "REZERWACJA"

code	-	packed p	oer mm	€
663714	rezerwacja	4	50xx(H)42	6,40



 \odot




MENU CLIPBOARD

 Made from durable MDF with metal clamping mechanism.

 Available in multiple sizes. 			
code	mm	€	
664179	125x180	2,80	
664162	185x245	3,10	
664155	240x330	3,35	





664179

664162

G.

BLACKBOARD MARKERS 3 MM

- 8 Markers with round nib, writing width 3 mm.

code	-	€
664278	1 white, 1 red, 1 blue, 1 green, 1 yellow, 1 purple, 1 orange and 1 pink marker	11,50



BLACKBOARD MARKERS 15 MM

 With wide flat nib, writing width 15 mm. 				
code	-	€		
664339	1 white, 1 orange and 1 yellow marker	9,20		
664223	3 white markers	11,00		



- With oblique nib, writing width 2 to 6 mm.

code	-	€
664292	2 white, 1 pink, 1 yellow and 1 bronze markers	7,80
664216	1 pink, 1 green, 1 blue and 2 white markers	12,50
664209	5 white markers	12,50



BLACKBOARD MARKERS 1 MM

- 6 Markers with round nib, writing width 1 mm.

code	-	€
664285	3 white, 1 pink, 1 yellow and 1 bronze markers	8,35

Å

नि

ကြိ

1

Ľ,

BLACKBOARDS



 $|\bigcirc|$





TABLETOP BLACKBOARD - 2 PCS

- Black, with wooden standard.

code	packed per	mm	€
664087	2	148x130x(H)120	12,50
664094	2	210x190x(H)150	16,50



TABLETOP BLACKBOARD - 2 PCS

-	Black	, with	wooden	stand.	

code	packed per	mm	€
664056	2	150x50x(H)230	9,20
664063	2	210x50x(H)320	15,00



BLACKBOARD WITH STAND

- Large format blackboard in wooden frame.
- Convenient stand included.

7

664124

code	mm	€
664124	300x400	8,10
664131	400x600	14,00

BLACKBOARD WITH EASEL

- Black, with wooden easel.

code	mm	€
664070	220x210x(H)360	12,50



code	mm	€
440605	ø140x(H)40	5,30

ASHTRA	•		ASHTRAY WITH LID				
 Made of bl 	ack melamine.		code	packed per	mm	€	
code	mm	€	440407	1	ø90x(H)28	4,75	
569757	ø146x(H)60	8.65	440490	3	ø90x(H)28	9.20	





BOWL ASHTRAY BLACK

- Stainless steel, outside with a matt black coating.
- With remoavble rim

code	mm	€
440230	ø105x(H)58	7,50

ASH COLLECTOR

- With hinged lid.
- For safe emptying of ashtrays.
- Self-extinguishing.

code	mm

440506	202x170x(H)91	41,00

€





ASHTRAY WITH PUSH BUTTON

code	mm	€
440209	ø90x(H)45	6,15









WALL MOUNTED ASHTRAY

- Very robust design, easy to mount against walls and poles.
- Easy to empty thanks to the bottom that can be opened and closed with a key.

code	mm	€
440216	ø75x(H)460	99,00



STANDING ASHTRAY POLE

- Very robust design, can be mounted on the floor or stand free.
- Easy to empty, upper part can be unlocked with a key and then emptied.
- Base is Ø 170 mm, pole is Ø 75 mm.

code	mm	€
440223	ø170x(H)920	150,00



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished surface finish.
- Removable ashtray placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm	€
691380	15	ø200x(H)700	48,00



STANDING WASTE BIN WITH ASHTRAY

- Stainless steel body.
- Polished outer surface.
- Removable ashtray with a grid, placed over the bin for easy cleaning and emptying of the bin.
- Bin opening Ø 135 mm.
- Anti-slip, rubber bottom to enhance bin stability and protect the floor against scratching.

code	liters	mm	€
691397	33	ø240x(H)660	91,50



٢

R

A

ø

Ĥ

Ř

B

ကြိ

"

_____ ____

ELECTRIC SOUP KETTLES





Digital touch panel with display that alternates between set and actual soup temperature

Thermostat adjustable from 65° to 95°C by 1° increments



Overheating protection – with alarm for low water level

SOUP KETTLE

- Thermal insulation reduces energy consumption and keeps the external housing cool.
- Reduction of energy consumption by up to 30%.
- Removable lid made of tough, transparent polycarbonate.
- Aluminium water pan for efficient heat transfer.
- Food pan made of 18/8 stainless steel.
- Housing of polypropylene.
- Ring allows safe and easy removal of food pan.

code	liters	V	W	mm	€
860502	8	230	450	ø370x(H)300	129,00





KITCHEN LINE SOUP KETTLE, 8 L

- Body Made of stainless steel. (painted black).
- Lid and water pan Made of stainless steel.
- Heating power control.
- Suitable ladles: 527306, 529003, 540305.

code	liters	V	W	mm	€
860083	8	230	435	ø340x(H)360	100,00





CHAFING DISH ELECTRIC TELLANO

- Gastronorm 1/1.
- Water pan made of heat-resistant polypropylene.
- Continuous settings up to 85°C.
- On/off switch, pilot light.
- Very silent whilest heating.
- Including GN 1/1 food pan 65 mm deep.

code	liters	٧	W	mm	€
204825	9	230	900	573x348x(H)284	120,00



CHAFING DISH ELECTRIC POLLINA

- Gastronorm 1/1.
- Temperature adjustable up to 85°C.
- With lid stand.
- On/off switch with integrated indication light.
- Including Gastronorm 1/1 food pan 65 mm deep.
- Suitable for pans up to 100 mm deep.

code	liters	V	W	mm	€
204900	9	230	850	615x355x(H)280	167,00



CHAFING DISH ELECTRIC TESINO

- Water pan made of heat-resistant polypropylene.
- Continuous settings up to 85°C.
- Very silent whilest heating.
- On/off switch, pilot light.
- Including 6,8 ltr food pan.

code	liters	V	W	mm	€
204832	6.8	230	500	ø405x(H)248	120,00

HENDI

PP S.S

S.S. stainless steel ٢

ß

f

00

Ř

ස

-

1

ÿ





CHAFING DISH GASTRONORM 1/1

- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep.

code	packed per	liters	mm	€
472613	2	9	600x358x(H)295	167,00
475904	1	9	600x358x(H)295	61,00



- Model Economic.
- High-gloss polished lid and lid stand.
- Including chafing dish fuel holder and stainless steel food pan 65 mm deep.
- Suitable for food pans up to 65 mm deep. _

code	liters	mm	€
475201	4.5	385x295x(H)310	61,00



18/0

CHAFING DISH - ROUND

- Glass lid.
- Including chafing dish fuel holder and stainless steel food pan.

code	liters	mm	€
470619	3.5	ø390x(H)270	64,00

SOUP CHAFING DISH

- Model Economic.
- Including chafing dish fuel holder and stainless steel soup pan with lid.

code	liters	mm	€
472507	8	ø370x(H)325	72,00






470619





S.S.

f



<u>555</u>

CHAFING DISHES PROFI LINE

- Ideal for buffets and catering.
- By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.









CHAFING DISH GN 1/1 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liters	mm	€
470251	9	570x430x(H)290	163,00



Ć.,

R

Ĥ

Ř

ति

ကြိ

1

CHAFING DISH GN 2/3 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm	€
470275	6	395x430x(H)290	132,00



CHAFING DISH GN 1/2 SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65 mm deep food pan and chafing dish fuel can holder.

	5		
code	liters	mm	€
470268	4	365x370x(H)280	119,00





470282

CHAFING DISH ROUND SATIN FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable round water pan, round 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm	€
470282	6	465x420x(H)320	145,00











CHAFING DISHES PROFI LINE

- Ideal for buffets and catering.
- By using high-quality material and a beautiful finish, these chafing dishes give every presented dish a certain allure.
- The chafing dishes and accessories are entirely made from durable stainless steel.



CHAFING DISH GN 1/1 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/1 65 mm deep food pan and 2 chafing dish fuel can holders.

code	liters	mm	€
470213	9	570x405x(H)320	196,00



S.S.

CHAFING DISH GN 2/3 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 2/3 65 mm deep food pan and chafing dish fuel can holder.

code	liters	mm	€
470237	6	395x405x(H)320	160,00



CHAFING DISH GN 1/2 MIRROR FINISH

- The lid is fitted with a friction brake, it stays in the position in which it is left.
- The lid can be removed to ease cleaning.
- Supplied with removable water pan, GN 1/2 65 mm deep food pan and chafing dish fuel can holder.

		5		
с	ode	liters	mm	€
47	0220	4	365x345x(H)345	154,00



470244



SOUP CHAFING DISH MIRROR FINISH

- The round soup container is placed in a large water pan which provides plenty of heat to easily keep the soup hot.
- Soup container fitted with two handles.
- The lid has a recess for the spoon.
- Supplied with removable water pan, round soup container and chafing dish fuel can holder.

code	liters	mm	€
470244	10	ø420x(H)380	160,00



f



ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Model Rental-Top.
- Solid base with high-gloss polished roll top lid made of 18/0 stainless steel.
- Includes two chafing dish fuel holders and stainless steel food pan 65 mm deep.
- Bottom fitted with fastening bolts for electric heating element 809709.
- Suitable for Gastronorm pans up to 100 mm deep.

code	liters	mm	€
470206	9	590x340x(H)400	153,00





ROLLTOP-CHAFING DISH GASTRONORM 1/1

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable up to 180°.
- Optional installation of electrical heating element.
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm.
- Set includes two fuel can holders and a GN 1/1 65 mm food pan.

code	liters	mm	€
470305	9	660x490x(H)460	195,00





ROLLTOP-CHAFING DISH - ROUND

- Elegant buffet chafing dish.
- Patented extra quiet opening mechanism.
- Roll-top cover retractable 180°.
- Set includes one fuel can holder and food pan (Ø 390x(H)60 mm).
- Highly polished stainless steel.
- Steel frame 2.3 mm, cover 1.2 mm thick.

code	liters	mm	€
470312	5.6	510x540x(H)480	153,00

470312

HENDI

 ٢

R

A

C

Ř

B

ကြိ

_____ ____





464809

GAS LIGHTER - SET OF 2 PCS.

packed per

2

Refillable.
 Supplied empty.

198124

CC

CANDLE HO	LDER	S.S. stainless steel
code	mm	€
464809	ø46x(H)20	1,95



CHAFING DISH HEATER

- For use as an alternative to conventional fuel holder.
- Only suitable for chafing dishes with a flat bottom.
- Extremely suitable for chafing dishes without preparation for electrical elements.
- Specifically suitable for Hendi chafing dishes with item number 470008, 475201, 470206 and 471005.

code	V	W	mm	€
809600	230	500	ø130x(H)100	61,00

CHAFING DISH HEATER FOR UNDERNEATH WATER PAN

- For chafing dish GN 1/1 470206.

code	٧	W	mm	€
809709	230	380	300x200x(H)19	67,50
809716	230	chafing dish heater for underneath water pan		58,50





Prices net of VAT





C

Ĥ

Å

नि

ကြိ

''

198124

€

11.00

mm

(L)230

CHAFING DISH FUEL

 Burning gel is made of natural (bio) ethanol alcohol, mixed with water and a thickening agent to make it a solid or gel.

CHAFING DISH FUEL TIN

- 200 grams pack for chafing dish
- Burning time: ± 3 hours
- Sold only in collective packaging

code	packed per	€
194357	6	7,50
194539	24	30,00
194546	48	53,50







- Intended for gastronomic heaters.
- Thick, contaminated (bio) ethanol.
- A set of 2 buckets, each contains 4 kg of the paste.
- Sold as a kit only.
- Net weight (2 pcs.): 8 kg

	IENDI	1 in	ć.	
SLO		B		
			>	
-				
-			-	

CHAFING DISH FUEL JERRY CAN

Jerry can 5 liter.



CHAFING DISH FUEL BOTTLE - Bottle 1 liter.

195109

 Net weight (2 pcs.): 8 kg. 							
code	€	code	order unit	€	code	order unit	€
190029	29,50	195505	4	17,00	195109	12	3,65





FUEL DISPENSER
- Suitable for e.g. can of chafing dish fuel 195505

code	mm	€
195604	(L)280	26,50



Ē

LIQUID FUEL WITH WICK

- Hendi tin with wick, contains 100% diethylene glycol.
- Burns up completely.
- Soot and odour free.
- Special wick provides proper burning temperature and time.
- The can does not overheat, no fuel holder needed.
- Equal flame temperature and height during the whole burning process.
- Box 4x6 tins.
- Due to the special cap, it is possible to use the same can several times, store it and transport it safely.

/ _____



code		packed per	g	€
193693	burns ± 4 hours	24 in box	145	40,00
193686	burns ± 6 hours	24 in box	200	40,00
193679	burns ± 8 hours	24 in box	250	43,50



B

ကြိ

''

_____ ____



SOUP LADLE

code	liters	mm	€
529089	0.05	270x69	8,10
529096	0.09	308x85	10,00

SERVING SPOON

code	mm	€
529058	305x60	8,10
529065	321x71	8,10

code	mm	€
529072	321x71	7,25

CARVING FORK

code	mm	€
720103	325x25	7,50

SAUCE LADLE

code	liters	mm	€
720400	0.03	290x70	9,45

Ē

CHAFING - With polypro		S AND SERVI	NG SPOON	S		PPP polyprop/erep stantess steet	÷
4		-	6	1 00	(IIII)	S	<u>ل</u>
*///		-			41		ß
			and the second s	1			
						529409	00
	1			529201	529041 52	9102	
		529010	529300	SKIMMER			
	529003			code 529201	mm 345x75	€ 7,25	
SOUP LAD	LE			SERVING SP	DON		
code	liters	mm	€	code	mm	€	
529003 529010	0.09	335x90 300x80	7,80 7,25	529300	350x75	7,80	Þ
		300,00	7,25	CARVING FO	DV.		101
SKIMMER		nm	€	code	mm	€	
529041		0x105	7,25	529102	345x32	6,70	
SLOTTED							
code	SPATULA						
	n	nm	€				
529409	n	nm 5x80	€ 7,25				
	n						Ē
	n						Ē

SPOON HOLDER

00111102	DEIX	
code	mm	€
722107	115x270x(H)45	9,20



ļļ



code

563502

563557

563700

colour

White

Black

White

liters

0.07

0.07

0.14

mm

235x75

235x75

300x93

€

4,20

4,20

4,45

WARMERS, FUELS, BUFFET

f



mm

(L)305

€

4,20

SALAD SPOON

SALAD CUTLERY

Melamine salad spoon

code

563908

code	colour	mm	€
564158	Black	235x55	2,50
564202	Transparent	235x55	2,25
564103	White	235x55	3,10

SALAD SPOON

code	colour	mm	€
564400	White	335x90	3,65
564455	Black	335x90	3,90





657621

UNIVERS	AL TONGS	PC polycarbonate	
code	colour	mm	€
657621	Transparent	(L)230	3,65
657607	Black	(L)230	3,90



Ē

٢

N

00

Ř

B

Ő

1

ASTRY TONG		stainless steel wash
code	mm	€
171622	(L)276	3,10
171608	(L)220	4,75





Decorative topge

- Decorative tongs.		
code	mm	€
171615	(L)220	5.30





551

PRESENTATION DISPLAYS AND COVERS





COOLED DISPLAY WITH COVER -GASTRONORM 1/1

- Cooling by included ice pack, to go below 0°C.
- Stainless steel Gastronorm 1/1 serving tray included.
- With transparent polycarbonate cover.
- ABS housing.

code	-	mm	€
424186	set	555x357x(H)175	153,00
424193	cooling element for use with cooling tray 424186	528x324x(H)30	33,50



COOLING DISPLAY TRAY

- 5-piece set:
- Base made of polystyrene.
- Tray made of stainless steel, with a profiled rim.
- Transparent cover made of ABS.
- 2 cooling elements.
- NOTE: Defore freezing, fill in the cooling element with water up to 90% of its volume.
- The tray is also sold separately (code: 871829).

code	mm	€
424155	430x290x(H)150	33.50

WARMERS, FUELS, BUFFET

Ē

424155



₩

ABS





R

Ħ

C

f

Ř

नि

ကြိ

ROLL-TOP COOLING DISPLAY SINGLE

- 5-piece set:
- Base made of ABS.
- Tray made of stainless steel, with a profiled rim.
- Transparent roll-top cover made of SAN, opened upwards up to 90°.
- 2 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.

code	mm	€
871805	440x320x(H)205	59,50

ROLL-TOP COOLING DISPLAY DOUBLE

- 9-piece set:

871805

- 2-level base made of ABS.
- 2 trays made of stainless steel, with a profiled rim.
- 2 transparent roll-top covers made of SAN, opened upwards up to 90°.
- 4 cooling elements.
- NOTE: Before freezing, fill in the cooling element with water up to 90% of its volume.

code	mm	€
871812	440x320x(H)440	116,00

ROLL TOP DISPLAY, DOUBLE-PURPOSE, SINGLE DECK

- For serving cheese, cold cuts, bread, cakes or snacks
- Made of polypropylene with a stainless steel insert
- Transparent Rolltop cover made of polystyrene
- Perfect exposure
- Convenient access to served food from both sides of the display case.
- Two functions: cooling or heating display
- Cooling/heating elements placed under the stainless steel tray insert to maintain the temperature in the compartment, keeping food fresh and looking beautiful for longer.
- Easy to clean.
- Quick assembly/disassembly.
- Tray color: black housing with stainless steel insert.
- Designed and produced 100% in Italy.
- The set includes 2 gel inserts for cooling or heating food placed in the display case.
- It does not contain harmful bisphenol A.
- Dichwacher cafe

mm	€
465x315x(H)195	71,00



553





871706

ROLL TOP DISPLAY - SINGLE

- Made of ABS plastic.
- Transparent SAN plastic rolltop cover.

code	mm	€
871706	465x310x(H)190	48,00



871713

ROLL TOP COOL DISPLAY TRAY DOUBLE DECK

- For serving cheese, cold cuts, bread, cakes or snacks.
- Transparent Roll Top cover made of polystyrene.
- Convenient access to served food from both sides of the display case.
- Perfect display.
- Protects food against external factors.
- Easy to clean.
- Quick assembly / disassembly.
- Tray color: white
- Does not contain harmful bisphenol A.
- Dishwasher safe.

code	mm	€
871768	380x260x(H)355	41,50
871713	465x310x(H)410	83,00





ROUND DISPLAY ROLL-TOP COVER

- Tray made of stainless steel, with a profiled rim.
- Cover made of SAN, with a chrome button, opened one-sidedly up to 90° (included in set).
- Tray is dishwasher safe.
- The cover is also sold separately (code: 427514).

code		mm	€
424001		ø380x(H)240	52,00
427514	cover	ø380x(H)200	34,00



980101

S.S.

ROUND TRAY WITH COVER

- Tray made of stainless steel, with handles.
- Cover made of SAN, with an extruded grip.
- Both elements of the set are dishwasher safe.

code	mm	€
980101	ø300x(H)110	12,50









203552

ROUND TRAY WITH ROLLTOP LID

- Tray made of black polycarbonate.
- Transparent polycarbonate lid that fits the tray perfectly protects products from drying out.
- Material used does not affect the taste or smell of stored products.
- Temperature resistance from -40°C up to +99°C
- Weight: 0.65 kg.
- Inner dimensions: ø350x(H)180 mm.
- Dishwasher safe.
- Recyclable.

,		
code	mm	€
203552	øx(H)215	26,50



- Made of black polycarbonate
- Transparent polycarbonate lid that fits the tray perfectly protects products from drying out.
- Convenient black handle.
- Material used does not affect the taste or smell of stored products.
- Temperature resistance from -40°C up to +99°C
- Weight: 0.40 kg.
- Dishwasher safe.
- Recyclable

11009010001		
code	mm	€
203569	ø300x(H)165	15,00
203576	ø350x(H)165	24,50



PC	
polycarbonate	indoor

 ٢

R

Ħ

C

Ĥ

Ř

B

ကြိ

RECTANGULAR TRAY WITH LID

- Made of black polycarbonate
- Transparent polycarbonate lid that fits the tray perfectly protects products from drying out.
- Convenient black handle.
- Material used does not affect the taste or smell of stored products.
- Temperature resistance from -40°C up to +99°C
- Weight: 0.93 kg.
- Dishwasher safe.

-	Recy	/cl	ał	ole.

mm	€
335x275x(H)165	21,50
535x335x(H)165	36,50
	335x275x(H)165

203590













Ē



530x325x(H)76

427415



S.S.

HENDI



ROTATING CAKE STAND

- Made of stainless steel.
- Effortless base rotation in both directions facilitating decorating and cutting cakes.
- On a stable foot with non-slip base.
- The cover is also sold separately (code: 523834).

code		mm	€
523827		ø300x(H)90	62,50
523834	Cake stand cover	ø300x(H)110	5,85



CAKE SERVER

- With polypropylene handle.

code	mm	€
523902	260x55	5,85



CAKE SCOOP/CUTTER

- Black polypropylene handle.
- Thanks to its sharpened edges it can be used as a knife.

code	mm	€
523957	300x75	9,75



 ج

N

f

00

Ř

ස

ů

1









JUICE DISPENSER

- With ice cylinder cooling.
- Easy to clean dripping tray.
- Clear polycarbonate juice container.
 With non-drip tap.

code	liters	mm	€
425299	8	265x350x(H)580	109,00
425411	16	560x350x(H)580	218,00







JUICE DISPENSER

- With ice cylinder cooling.
- Easy to clean dripping tray.
- Clear polycarbonate juice container.
- With non-drip tap.

code	liters	mm	€
425428	3	215x315x(H)490	104,00
425435	6	415x315x(H)490	206,00

HENDI

Ē



PC	S.S.	*
polycarbonate	stainless steel	cooling

JUICE DISPENSER

- With ice cube cooling.
- Clear polycarbonate juice container.
- With non-drip tap.

code	liters	mm	€
425190	5	280x220x(H)510	111,00





MILK DISPENSER - 10,5 L

- Stainless steel housing.

₩

S.S.

- With ice cylinder cooling.
- Removable container with non-drip tap.
- Stable bottom plate with dripping tray.

code	liters	mm	€
425343	10.5	260x360x(H)536	292,00



MUESLI DISPENSER

- Designed for dispensing bulk products.
- Stainless steel stand.
- Polycarbonate dispenser.
- Airtight lid to retain long freshness of the ingredients.
- Hygienic, controlled dosing prevents spillage.
- Dispenser opening located at a height of 140 mm.
- Mountable can be placed on a worktop or wall-mounted.

code	liters	mm	€
557402	4	184x240x(H)600	100,00



٩

R

00

Ř

ස

ů

ÿ







559





425138

JUICE JUG

-	Straight with lid.	model of	scratch res	istant plastic	
	code	liters	mm	£	

			-
425138	2	ø120x(H)250	24,00



425107

PITCHER WITH ICE TUBE

Pear shaped model of scratch resistant clear SAN plastic with lid.
With ice cube tube for cooling.

		5	
code	liters	mm	€
425107	2.2	ø150x(H)260	27,50
425121	3	ø170x(H)285	33,50

PC

567906

PITCHER

-	 Very break resistant. 					
	code	liters	mm	€		
	567906	1.8	ø125x(H)210	9,75		

425763

CARAFE

 Cover wit 	Cover with pourer.						
code liters mm €							
425763	1	ø92x(H)245	12,50				

SERVING STANDS

WARMERS, FUELS, BUFFET

Ē





SERVING STAND FOR PLATES

code	plates max.	mm	€
425466	Ø 170 mm	185x175x(H)260	20,50
425473	Ø 275 mm	290x290x(H)440	31,50



480519

SEA FOOD TRAY STAND

 With two serving trays, Ø 300/400 mm. 						
code	-	mm	€			
480519		ø400x(H)200	33,50			
480502	Stand only	ø250x(H)190	12,00			

	Î		
-	1	~	
		7	
	V	5	-
		j	2

429914

ſ	CC
l	J.J.
l	stainless steel

TIERED STAND

- with 3 tray	5, 100/220/200 1	10.
code	mm	€
429914	ø268x(H)320	36,50



MELAMINE - Made of melamine moulding compound.

-20°C 70°C Μ 00



Both sides suitable for presentation



PLATEAU, ROUND - SLATE DESIGN - Made of melamine moulding compound.

code	mm	€
561416	ø430x(H)7	33,50



PLATEAU, RECTANGULAR - OAK WOOD DESIGN

- Made of melamine moulding compound.

code	mm	€
561331	325x265x(H)10	17,00
561324	530x325x(H)10	31,50



MULTIRACK

- Frame made of polished AISI 304 stainless steel.
- 3 levels, for pre-packed products and condiments.
- 3 removable 1 L containers, made of SAN.
- Containers are dishwasher safe.

code	mm	€
428245	190x240x(H)410	75,00



/ ____

ß

MELAMINE

- Hygienic and shock resistant.Light weight.





PLATTER, RECTANGULAR					
code	mm	€			
561508	360x205x(H)38	17,50			
561515	495x270x(H)56	32,00			



code	mm	ŧ	
561607	530x325x(H)20	26,00	





GN BANQUET TRAY

- Made of melamine moulding compound.

code		mm	€
566046	GN 1/4	265x152x(H)20	6,95
566022	GN 1/3	325x177x(H)20	10,50
566015	GN 1/2	325x265x(H)20	11,50
566053	GN 2/4	530x163x(H)20	19,00
566930	GN 2/3	354x325x(H)20	17,50
566008	GN 1/1	530x325x(H)20	19,50



S	Q	U	A	R	Е	В	0	W	L

code	colour	mm	€
561560	White	130x130x(H)65	5,55
561577	White	190x190x(H)100	12,50
561584	White	270x270x(H)105	23,00



Ê

BUFFET PLATTER

- Hygienic and shock resistant.
- Very lightweight.
- Made of melamine moulding compound.

code	mm	€
561669	530x325x(H)40	30,50



/ _____

ß

00


Ř

ස

ů

1


Ľ,



NON-SLIP DISPLAY STANDS

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code	mm	€
561973	265x230x(H)200	16,50
561966	260x230x(H)100	11,00



561980


561669

NON-SLIP DISPLAY STANDS ROUND

- Steel frame with PVC coating.
- Supports a variety of display trays and bowls.

code	mm	€
561980	ø200x(H)100	14,00
561997	ø200x(H)200	22,00







BREAD CUTTING BOARD

- Made of natural wood in a dark shade.
- Removable grid horizontal rifling.
- 4 non-slip feet ensuring stability during cutting.
- Not dishwasher safe.

code	thickness (mm)	mm	€
505502	20	475x322	37,00



GN CONTAINERS MADE OF PORCELAIN

BAGUETTE BOARD

- Solid beech wood.
- Combined model, 1 side grooved and 1 side ribbed.

€	code	thickness (mm)	mm	€
7,00	505403	18	530x325	21,00

€

€

€

€



CUTLERY CONTAINER

- Made of polyethylene
- 4 compartments

code	colour	mm	€
877968	Light grey	520x290x(H)95	7,50



CUTLERY TRAY

- 4 sections GN 1/1.

code	colour	mm	€
552315	Black	530x325x(H)100	16,50
552308	Light grey	530x325x(H)100	14,00



CUTLERY TRAY

CUTLERY BASKET HOLDER

- For 4 baskets.

552407

- Baskets not included.

- 6 sections.
- Suitable for coffee spoons, teaspoons and cake forks GN 1/1.

code	colour	mm	€
552353	Light grey	530x325x(H)105	14,00
552360	Black	530x325x(H)105	15,00

mm

255x295x(H)215



AMER * BOX

877968

Ś

N

Ħ

Ř

नि

Ő

''

Ľ,



POLYPROPYL	ENE CUTLERY BAS	KET	\frown				A	Do
code	mm	€	PP				-	
871201	ø97x(H)137	4,20	polypropylene		8.1			0 1
STEEL CUTL	ERY BASKET							::
code	mm	€	SS		- 1			- 0
552490	ø97x(H)137	7,50	stainless steel	871201	1	552490		

HENDI

S.S.

€

45,50





BANQUET TRAY GN 1/1 WITH SMOOTH RIM

code	mm	€
807705	530x325x(H)10	27,00



mm

530x325x(H)13

SERVING TRAY GN 1/1, WITH SLANTED RIM

code	mm	€
410110	530x325x(H)20	13,50



STACKABLE SERVING TRAY GN 1/1 -RECTANGULAR

– With handles.

€

26,00

- Stack height 40 mm.
- Made of stainless steel.

code	mm	€
809181	530x325x(H)70	51,00



SERVING TRAY, OVAL

- Satin finish.

405000

- Made of stainless steel.

Made of stainless steel.Suitable for cooling tray 424186.

code

code	mm	€
405000	200x140	4,75
405208	265x195	6,40
405307	285x220	6,95







SERVING TRAY, ROUND

-	Decorative	pattern.
---	------------	----------

 Decorative pattern. Made of stainless steel. 	
mm	€
ø300x(H)17	7,80
ø400x(H)19	14,00
	n. s steel. ø300x(H)17



Ē

/ ____

ß

00

Ř

ස

ා

1

Ľ,

BANQUET TRAY GN 1/1, WITH DECORATIVE RIM

- Made of stainless steel with a polished finish.
- Embellished rim with embossed decorative patterns.
- Dishwasher safe.
- Suitable for the HENDI Cooling tray (code: 424186).

code	mm	€
807804	530x325	25,50



COOLING DISPLAY TRAY

- Made of stainless steel.

871829

- With a profiled rim that holds the cover in place.
- Fits into set: the HENDI cooling tray with cover (code: 424155) and the HENDI cooling displays (codes: 871805 and 871812). code mm € 395x283

S.S.


SERVING DISH

0 EI(() II(0 BIO		
code	mm	€
404003	190x140	4,20
404102	245x170	5,85
404201	300x220	6,95
404300	350x240	8,10
404409	400x260	9,75
404508	450x290	11,50
404607	500x350	14,50



12,50

FAST FOOD TRAYS



POLYPROPYLENE FAST FOOD TRAY, MEDIUM

code	colour	mm	€
878903	Light grey	305x415x(H)20	4,45
878910	Red	305x415x(H)20	4,45
878927	Blue	305x415x(H)20	4,45
878934	Green	305x415x(H)20	4,45
878941	Brown	305x415x(H)20	4,45
878958	Black	305x415x(H)20	4,75

POLYPROPYLENE FAST FOOD TRAY, LARGE

code	colour	mm	€
878804	Light grey	350x450x(H)20	5,60
878811	Red	350x450x(H)20	5,60
878828	Blue	350x450x(H)20	5,60
878835	Green	350x450x(H)20	5,60
878842	Brown	350x450x(H)20	5,60
878859	Black	350x450x(H)20	5,60

POLYPROPYLENE FAST FOOD TRAY, SMALL

code	colour	mm	€
878712	Red	265x345x(H)20	4,20
878705	Light grey	265x345x(H)20	4,20
878729	Blue	265x345x(H)20	3,90
878736	Green	265x345x(H)20	3,90
878743	Brown	265x345x(H)20	3,90
878750	Black	265x345x(H)20	4,75







f



POLYPROPYLENE FAST FOOD TRAY, OVAL

- Oval, with low rim.
- Made of polypropylene.

code	colour	mm	€
878507	Light grey	265x195x(H)15	3,90
878552	Black	265x195x(H)15	2,80

POLYPROPYLENE FAST FOOD TRAY

- Suitable for self-service restaurants and canteens.
- Made of polypropylene, resistant to deformation, impact, scratches and stains.
- Textured anti-skid surface additionally hides minor scratches.
- Rounded edges and reinforced edge construction for safe handling.



R

f

C

Ĥ

Å

ति

ကြိ

"

- Withstands temperatures from -10°C to 80°C; not recommended for heated carts.
- Stackable.
- Dishwasher safe, however only in a short cycle (60 sec. at max. temperature of 80°C, once per day).
- Available in 6 colours: grey, black, green, red, brown and blue





code	colour	mm	€
1216FF119	Green	300x410x(H)19	5,30
1216FF107	Light grey	300x410x(H)19	6,40
1216FF110	Black	300x410x(H)19	5,30
1216FF163	Red	300x410x(H)19	5,30
1216FF167	Brown	300x410x(H)19	5,30
1216FF186	Blue	300x410x(H)19	5,30
1418FF119	Green	355x457	6,95
1418FF107	Light grey	355x457	8,35
1418FF110	Black	355x457	6,95
1418FF163	Red	355x457	6,95
1418FF167	Brown	355x457	6,95
1418FF186	Blue	355x457	6,95

POLYPROPYLENE EURONORM





SERVING TRAY, RECTANGULAR, SERVING TRAY, ROUND, NON-SLIP, BLACK NON-SLIP

code	mm	€	code	mm	€
878118	255x355	6,40	878125	ø280x(H)20	6,15
878101	530x325	9,75	878132	ø360x(H)20	6,15
			878149	ø410x(H)20	6,95

878125





878606

SERVING TRAY, ROUND, NON-SLIP, HIGH RIM, BLACK

code	mm	€
878606	ø320x(H)37	8,90
878408	ø360x(H)39	9,20



POLYESTER TRAY, FOR SELF-SERVICE RESTAURANTS

- Perfect for canteens and self-service bars.

- Rectangular, smooth, colour: granite.
- Professional quality, exceptional material durability.

code	-	mm	€
876619	GN 1/1	530x325	12,00





Space between trays for better air circulation.

-		1.000	1		
	_	Chart la	102		
-		The second	.=		1.00
R. F. State		a de la serie	140		Torther
			1	_	
			11.		Sectore.

FIBREGLASS

- Fibreglass reinforced polyester.
- Ideal for heavy use scenarios.
- Non-slip rubber surface, effective both wet and dry.
- Shockproof, break resistant.



/ _____

R

A

C

Ĥ

Ř

ස

ကြိ

1

Ľ,



- Can be cleaned in a professional


dishwasher with a short program. Can't be cleaned in a dishwasher intended for household use.



508657

POLYESTER TRAY, NON-SLIP, RECTANGULAR

– Black.			
code	-	mm	€
508657		200x280	8,35
508626		325x530	14,00
508619	Euronorm	370x530	14,00



ø500x(H)22

508787

POLYESTER TRAY, NON-SLIP, OVAL

code	mm	€
508718	160x230	4,20
508725	200x265	5,85
508732	210x290	5,85



 Fitted with 	black belts, easy to set up.	
code	mm	€
810507	520x410x(H)800	61,00




30,00

POLYESTER TRAY, OVAL, XL

– Black.

code	mm	€
508831	735x600	31,00





CAMTREAD® SERVING TRAY, ROUND, **NON-SLIP SURFACE.**

- Designed for waiter service in bars and restaurants and for serving food during parties and banquets.
- Made of fiberglass and polyester resin.
- It has a rubber surface for good grip.
- Durable, scratch-resistant and heat-resistant surface (temperature resistance from -10°C to 100°C).
- Functional raised edges provide extra protection.
- Dishwasher safe leven in the case of frequent washes).

code	colour	mm	€
1400CT110	Black	ø355x(H)21	14,00
1400CT522		ø355x(H)21	14,00
1600CT110	Black	ø405x(H)21	17,50
1600CT522		ø405x(H)21	18,00



CAMTREAD® SERVING TRAY, OVAL, NON-SLIP SURFACE.

- Designed for waiter service in bars and restaurants and for serving food during parties and banquets.
- Made of fiberglass and polyester resin.
- It has a rubber surface for good grip.
- Durable, scratch-resistant and heat-resistant surface (temperature resistance from -10°C to 100°C).
- Functional oval shape.
- Dishwasher safe leven in the case of frequent washes).

code	colour	mm	€
2700CT110	Black	685x560x(H)32	44,00





VERSA POLYESTER TRAY WITH FLAT-**PROFILE EDGES**

- Intended for use in eating places, especially in self-service restaurants and canteens.
- Made of fibreglass reinforced polyester.
- Scratch, stain, and chemical resistant,
- Carrving both hot and cold dishes is possible thanks to high temperature resistance (from -40°C to 140°C).
- Smooth surface, easy to clean.
- Specially formed stacking lugs ensure air circulation during drying and stacking trays.
- Dishwasher safe.
- Colour: graphite

o o co arri gi aprincor		
code	mm	€
VE3253A29	325x530	10,50
VE3646A29	360x460	10,50



VE3646A29

VERSA POLYESTER TRAY WITH HIGH RIM, GRANITE.

- Designed for use in food service establishments, especially selfservice restaurants and canteens.
- Made from fiberglass reinforced polyester, resistant to scratches, stains and chemicals.
- Possibility to carry hot and cold food thanks to high temperature resistance (from -40°C to 140°C).
- Reinforced corners and high rim ensure safe use.
- Smooth surface for easy cleaning.
- Specially shaped handles for improved air circulation when drying and stacking.
- Dishwasher safe
- Colour: graphite.

code mm €	
VE3646A29 360x460 10,5	0






GZ4002A83

G73980A83

VERSA POLYESTER TRAY WITH FLAT RIM, GRANITE

- Designed for use in food service establishments, especially selfservice restaurants and canteens.
- Made from fiberglass reinforced polyester, resistant to scratches, stains and chemicals.
- Possibility to carry hot and cold food thanks to high temperature resistance (from -40°C to 140°C).
- Reinforced corners for safe use.
- Smooth surface for easy cleaning.



- Dishwasher safe.
- Colour: graphite.

code	mm	€
GZ4002A83	325x530	10,50
GZ3980A83	370x530	11,00

SERVING TRAYS, NON-SLIP

- Laminated trays with rubber non-slip coating.
- Resistant to chemicals, stains, and scratches,



507216

SERVING TRAY, RECTANGULAR, SERVING TRAY, ROUND, NON-SLIP, LAMINATED

code	mm	€
507216	325x530	16,00
507469	330x430	14,50
507025	460x360	14,50
507117	370x530	16,50
507018	430x610	22,00



HENDI

NON-SLIP, LAMINATED

code	mm	€	code	
507865	ø380x(H)15	13,00	507711	1
			507766	
			507773	



SERVING TRAY, ROUND, NON--SLIP, HIGH RIM, LAMINATED

code	mm	€
507711	ø320x(H)35	16,00
507766	ø360x(H)30	19,00
507773	ø420x(H)30	26,50

SERVING TRAY, OVAL, NON-SLIP, LAMINATED

code	mm	€
507964	230x160	5,85
507568	200x265	7,25
507933	290x210	8,65



573





Ć

R

f

ø

f

Ř





SERVING TRAY WITH MELAMINE LAMINATE, NON SLIP, WITH WOOD DESIGN

- Finished with melamine laminate
- Excellent resistance to chemicals, stains, and scratches.
- Available in 3 different, elegant designs.

code	colour	mm	€
508916	Wood dark	240x350	9,20
508862	Wood light	330x430	15,00
508879	Wood	330x430	15,00
508947	Wood dark	370x530	16,50



PH558516000

PH558526000

BEECHWOOD SERVING TRAY, ROUND, NON-SLIP SURFACE

- Designed for waiters and display of the dishes in restaurants and pubs or during catering events.
- Elegant look made of layers of natural beechwood joined with melamine resin, which makes it resistant to chemicals, stains and mechanical damage.
- The non-slip surface and high edge of the tray ensure stability of the dishes and safety of the guests.
- High temperature resistance (from -10°C to 100°C) allows to serve both cold and hot dishes.
- NOTE: Not recommended for use in heated carts.
- Easy storage stackable.

PH558536000

- Hand washing recommended (dishwasher safe only for very short cycles).

code	colour	mm	€
PH558516000	Wood	ø320	25,00
PH558526000	Wood	ø360	33,50
PH558536000	Wood	ø420	41,50

Ē

CAMBRO

-10 °C +100 °C

CAMBRO



 Mahogany
 Wood light
 Oak
 Wood dark
 Grafit

 CA3253E73
 CA3753E86
 CA3753E87
 CA3753E88
 CA3343E82

 CA3343E86
 CA3343E87
 CA3343E88
 CA3343E88

-10 °C +100 °C

R

(

f

Ą

ति

ကြိ

<u>555</u>

CAPRI SERVING TRAY.

- For use in restaurants, bars, coffee shops and during catering events.
- Durable, made of special melamine-soaked paper bonded with synthetic resin under pressure.
- Smooth surface, resistant to chemicals and stains.
- Resistant to high temperature (from -10°C to 100°C) both cold and hot dishes can be served.
- Elegant colours: oak wood, mahogany or graphite.
- Easy storage stackable.
- Dishwasher safe (one per day).

code	colour	mm	€
CA3253E73	Mahogany	325x530	15,00
CA3753E86	Wood light	370x530	17,00
CA3753E87	Oak	370x530	17,00
CA3753E88	Wood dark	370x530	17,00
CA3343E82	Granite	330x430	12,50
CA3343E86	Wood light	330x430	13,50
CA3343E87	Oak	330x430	13,50
CA3343E88	Wood dark	330x430	13,50



MY4361E73

MY3800E73

MYKONOS – MAHOGANY SERVING TRAY, RECTANGULAR, NON-SLIP SURFACE

- Designed for use in coffee shops, bars and during catering events.
- Durable, made from layers of special melamine-soaked paper bonded with synthetic resin under pressure.
- The non-slip surface ensure stability of the dishes and safety of the guests.
- Resistant to chemicals, stains and mechanical damage.
- Resistant to high temperature (from -10°C to 100°C) both cold and hot dishes can be served.

MY2026E73

- NOTE: Not recommended for use in heated carts.

- Easy storage stackable.
- Hand washing recommended (dishwasher safe only for very short cycles).

code	shape	mm	€
MY3343E73	rectangular	330x430	17,50
MY3646E73	rectangular	360x460	19,50
MY3253E73	rectangular	325x530	21,50
MY3753E73	rectangular	370x530	23,00
MY4361E73	rectangular	430x610	34,50
MY3800E73	round	ø380	17,00
MY2026E73	oval	200x265	7,80
MY2129E73	oval	210x290	8,35

SERVING TRAYS, NON-SLIP

- Laminated trays with rubber non-slip coating.
- Resistant to chemicals, stains, and scratches.





NON-SLIP SERVING TRAY, PRINTED

code	mm	€
507971	ø380x(H)15	19,50







508022



NON-SLIP SERVING TRAY, PRINTED

code	mm	€
508008	330x430	19,50
508015	330x430	19,50
508022	330x430	19,50







RESTAURANT CALLING SYSTEM

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- Controller with a touch keypad.
- Built-in antenna in the controller ensuring no signal interference from other devices.
- 3 notification modes: vibration, sound, LED light.
- Combine notification modes all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Reach: 500 m.
- Pager dimensions: 65x65x15 mm.
- Max. pagers programmable into 1 controller: 998.
- Included in set: controller, 10 pagers, charging station, charger.
- Pagers are also sold separately 10 pcs. (code: 201640).

code	mm	€
201633	210x130x(H)40	500,00

RESTAURANT PAGERS - SET OF 10 PCS.

- Digital displays on pagers for marking order/table number (programmable numbers from 001 to 998).
- 3 notification modes: vibration, sound, LED light.
- Combining notification modes all switched off with one click.
- Space-saving charging: pagers are stacked on the charger.
- Reach: 500 m.
- Pager dimensions: 65x65x15 mm.
- Included in set: 10 pagers, charging station, USB-C cable.
- Pagers operate only with the controller from the HENDI
- Restaurant calling system sold separately (code: 201633).

code	mm	€
201640	80x80	278,00

C

t

Ř

B

-

1

Ľ,

<section-header>

BUFFET TABLE FOLDABLE

- Foldable to suitcase model for easy transporting and storage.

code	mm	€
810927	1520x700x(H)740	90,00
810910	1830x750x(H)740	109,00

AMER *** BOX**°



BUFFET TABLE

 Max. load up to 150 kg with even load distribution 			
code	mm	€	
810347	870x870x(H)740	64,00	
810897	1800x740x(H)740	106,00	

TROLLEY FOR TABLES

- Eases transport of round and square tables.
- Can hold up to 10 round tables upright or 20+ rectangular tables stacked.

code	mm	€
811221	1800x850x(H)990	272,00

Ē





ROUND BAR TABLE

code	mm	€
810958	ø800x(H)1100	86,00



TABLE COVER SYMPOSIUM, ROUND

- Fabric: plain jersey 160 g/m².
- 90% micro polyester, 10% elastan.
- No ironing needed.
- Excellent color fastness.
- Fits tables with table top diameters ø800-850.

code	colour	mm	€
813157	White	ø850x(H)1150	24,00
813164	Black	ø850x(H)1150	24,00

TABLE COVER SYMPOSIUM, RECTANGULAR

- Fabric: plain jersey 160 g/m².
- 90% micro polyester, 10% elastan.
- No ironing needed.
- Excellent color fastness.

code	colour	-	mm	€	
814369	White	810934	1200x760x(H)730	30,50	
814376	Black	810934	1200x760x(H)730	30,50	
814390	White	810927	1500x760x(H)730	35,00	
814406	Black	810927	1500x760x(H)730	35,00	
814420	White	810910 810897	1830x760x(H)730	37,50	
814437	Black	810910 810897	1830x760x(H)730	37,50	



BUFFET TABLE

- Max. load up to 130 kg with even load distribution

code	mm	€
810934	1220x610x(H)740	72,00



TABLE COVER SYMPOSIUM, ROUND Ø70-85 CM

- Fabric: plain jersey 160 g/m². - 90% micro polyester, 10% elastan.

OEKO-TEX®

- No ironing needed.

OEKO-TEX ®

- Excellent color fastness.
- Fits tables with table top diameters Ø700-850.

code	colour	mm	€
813829	White	ø850x(H)1150	23,00
813836	Black	ø850x(H)1150	23,00



HENDI

579



R

(

f

Å

नि

ကြိ

.,

AMER*BOX®

AMER*BOX[®]



- Foldable to suitcase model for easy transporting and storage.

code	mm	€
810996	ø1500x(H)740	181,00
810941	ø1800x(H)740	267,00

- Fabric: Plain Jersey 160 g/m².
- 90% micro polyester / 10% elastan.
- No ironing needed.
- Fits round buffet tables.

code	colour	-	mm	€
814468	Black	810941	ø1800x(H)760	50,00
814451	White	810941	ø1800x(H)760	50,00

OEKO-TEX @



 Foldable to suitcase model for easy transporting and storage. 								
code	mm	€						
811191	1830x300x(H)430	69,50						

CATERING CHAIR - LIGHT GREY

– Max. load	 Max. load up to 180 kg with even load distribution 							
code	mm	€						
810965	540x440x(H)840	41,50						

CATERING CHAIR - BLACK

-	Max.	load	up	to	180	kg	with	even	load	distribution	
---	------	------	----	----	-----	----	------	------	------	--------------	--

code	mm	€
810989	540x440x(H)840	44,50









RETRACTABLE BELT BARRIER BARRIER POST MIRROR SILVER FINISH

- Barrier system with integrated retractable Made of stainless steel, very stable and belt.
- with a clip system.
- Belt: length approx. 2.7 m, width 5 cm.

- sturdv.
- Easy to set up, belt is connected to the post For use in combination with barrier ropes.

BARRIER POST GOLD FINISH

- Made of stainless steel, very stable and sturdv.
- For use in combination with barrier ropes.

code		mm	€	code	-	mm	€	code	-	mm	€
810378	post + base	ø360x (H)1010	72,00	810392	post + base	ø360 x(H)1010	73,50	810385	post + base	ø360 x(H)1010	71,00
810422	post	ø64x(H)935	46,00	810446	post	ø51x(H)935	32,00	810439	post	ø51x(H)935	41,50
810484	base	ø360x(H)65	39,00	810484	base	ø360x(H)65	39,00	810491	base	ø360x(H)65	39,00



Ř

B

ကြိ

"

Ć

R

f

CORKSCREWS & BOTTLE OPE	NERS	0	2.0	cutter	ABS plastic S.S. staivless steet
596807 ABS Cr	SS 597200				597323
District Groups parts Plant Other Plant Chrome plated, with. ABS handle 4 functions With separate bottle-opener code mm Code Tm 596807 [L]140 3,65	WAITER'S CORKSCRE - Curved model 3 functions. code mm 597200 (L)110	€ 3,90	 Made of sta – 3 functions 	S CORKSCR ainless steel, AB ever, spiral for lo mm 37x130x(H)14	S grip.
597507 CCC CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	594018 594018 S.S. PP Depresent WAITER'S FRIEND CORKSCRW blade and bottle cap opener. code mm	€	S.S. BAR BLA code 596746	596746 DE 179x40x(H)2	<u>е</u> 2.80
597507 [L]170 8,35	594018 110x25	2,80			2,80
PPP 643914	596883	S.S. taritess steel			Watch the video
BOTTLE OPENER WITH CATCHER BIN - This bottle opener is intended to be mounted on the wall. - Bin can be easily removed to ease	WALL MOUNTED BOT OPENER code 596883	€ 3,90	 WAITER' With metal 3 functions With extra for long co 	kink in lever	EW S.S. stainless steel

	* 907			Ì	SLOW POU	RER WITH F	LIP TOP	18/8 stainless steel	÷
				ITP-	 6 PIECES For use in bar Facilitates pre Made of stainl 	s, pubs and resta	urants ober stoppe	r	Ê
M	M				up to ø20 mm ^{code} p 599334	acked per i	mm Dx120	€ 8,65	R
			5993			C M			
			5995			5993	72		
Π		Ť		- EVA plas code 599372		packed per		€ 8,35	
C			2		593363				
100		100		 Made of 	OURER, LON	IG COPPER - stainless steel	12 PCS	S.S. stainless steel	
				code 593363		packed per 12		€ 33,50	j=j
5994 FREE-FLC	599464 DW POURER	59947				593	3363		101
code 599488 599464 599471	- Fast flow Slow flow With flip top	packed per 6 6 6	€ 10,00 10,00 10,00		LOW POURI stic stopper.	ER - LONG		€ 1,85	Ē
	200		KONH	10/01		V POURER -		ES	Ĩ
11	-			stainless steel	 Durable stainl Counterbaland the nozzle to compare the state of the st	s, pubs and resta ess steel constru ced pouring flap, pen and close au	ction which caus		B
h))))))		holes up to ø2	cise dispensing andard 0.5 - 1.5 l 0 mm in diamete	r		Ĵ
		599327			code p 599327		mm Dx120	€ 7,50	ŢŢ
Prices net of	TAV		Фн	ENDI				583	



FREE-FLOW POURER SET - 4 PCS

- EVA plastic.

code	-	packed per	€
599402	Blue	4	4,20
599419	Red	4	6,70
599426	Transparent	4	6,70
599433	Yellow	4	4,20





599440

599457

FREE FLOW POURERS - Made of EVA material.

code	-	packed per	€
599440	2 black, 2 white, 2 red	6	2,75
599457	2 blue, 2 red , 2 green	6	2,50





NON-DRIP POURER

code	ml	€
598009	25	6,70
598207	35	6,70
598405	50	6,70



ABS	
-----	--

BALL MEASURING POURER

code	-	€
599006	25 ml	3,35
599105	35 ml	3,35
599204	50 ml	3,35



BAR



NON-DRIP BRACKET

- Bottle height: 240-350 mm.

- For shelves up to 35 mm thick.

code	-	€
598719	shelf mounted	16,50
598818	wall mounted	16,00





BOTTLE STOPPER - 3 PCS.

- Prevents leaks and spills of the beverage
- Hermetic seal extends the life of the product in an already opened bottle
- Made of nylon with a very durable ABS lever
- Integrated silicone ring that seals the bottle tightly when the lever is pressed
- Suitable for standard bottles with a capacity of 0.5 1.5 litres, holes up to ø20 mm in diameter
- |

 Includes 3 caps in green, white and red 				
code	packed per	mm	€	
55204	49 3	ø36x81	5,60	59

€

4.75



BOTTLE CAP PERFORATOR

- "Prikit"
- _ Peforates bottlecaps and cans easily with a Ø 6,5 mm hole.
- Passing a straw through the hole keeps insects out of the drink. -
- Reduces spillage if a drink is knocked over. _
- ouitable for 6 mm biodegradable straws.

code	mm	€
595572	ø45x(H)80	16,50



CHAMPAGNE STOPPER

- For storing opened bottles.
- With silicone gasket.

code

595589



STOPPER - 6 PCS.

595558

- For use in bars, pubs and restaurants
- Made of hard and flexible black EVA
- Protect against spillage of open bottles
- Sealed closure to extend product life

6

with holes up to ø20 mm in diameter code packed per mm €

ø31x31

3.35



STOPPER WITH CAP - 6 PCS.

- For use in bars, pubs and restaurants
- Protect against spillage of open bottles
- Made of hard and flexible EVA
- Sealed closure to extend product life
- Suitable for standard 0.5 1.5 liter bottles Suitable for standard 0.5 1.5 liter bottles with holes up to ø20 mm in diameter

code	packed per	€
595565	6	4,45



M H E N D I

585

ති

f

नि

I

INGREDIENT BOXES

- For use in bars, pubs and restaurants
- Made of premium plastics
- HIPS enclosure and transparent ABS lid to protect food from contamination or insects
- Each container can be easily removed from the holder, e.g. to replenish the product
- Dishwasher safe containers







INGREDIENT BOX -3 CONTAINERS

- 3 polypropylene containers to store fr separat

store frui separate	store i separa		
code	mm	€	code
552018	480x150	19.50	55202

INGREDIENT BOX -4 CONTAINERS

- 4 polypropylene containers to fruit or spice additives ratelv

- 5 CONTAINERS - With 5 polypropylene storage

CONDIMENT HOLDER

552131

containers.

552032

INGREDIENT BOX -6 CONTAINERS

- 6 polypropylene containers to store fruit or spice additives separately

mm	€	code	mm	€	code	mm	€	code	mm	€
480x150 x(H)100	19,50	552025	480x150 x(H)100	19,50	552131	480x150 x(H)100	27,50	552032	480x150 x(H)100	20,00





CONDIMENT HOLDER

- Made of top-quality materials.
- Stainless steel with transparent polypropylene lid to protect food from contamination or insects.
- Polypropylene storage containers for storing additives or spices separately. The containers can be easily lifted out of the holder.
- Containers are dishwasher safe.

code	-	mm	€
552100	5 containers	375x140x(H)90	32,00



HENDI



NAPKIN HOLDER WITH 3 COMPARTMENTS

- For use in any food and beverage establishment
- Made of polystyrene
- Large napkin compartment 135x135mm
- Two smaller compartments measuring 24x115 mm for straws, stirrers, etc.

code	mm	€
596890	193x143x(H)136	5,60



BAR CADDY

- 6 compartments for organizing straws, napkins, stirrers etc.
- Container for napkins 130x130 mm, 2 compartments 51x48 mm, 2 compartments 51x44 mm, 1 compartment 102x46 mm.
- Made of ABS plastic.

code	mm	€
596760	240x145x(H)105	11,50

596777







CUTTING BOARD WITH HANDLE

- Made of polyethylene HDPE.

- Both sides suitable for cutting.

code	colour	mm	thickness (mm)	€
826348	White	250x150	10	5,00
826478	Black	250x150	10	5,30
826355	White	300x200	10	8,35
826485	Black	300x200	10	6,95

3-TIER GLASS RIMMER

- For decorating glass rims.

- 3 appropriately labelled tiers: lime juice, salt, sugar.
- Sponge in lime juice container to prevent spilling.
- Made of ABS plastic.

code	mm	€
596777	200x160x(H)75	9,45

"

55

Ć



ABS

plastic









code	
596685	



- Made of copper-plated stainless steel.

code	mm	€
593370	75x25x(H)160	6,40

BAR

Ì



S.S.

€

2,50



589

						1		
	/	~		/	/			/
Ø BAR SPO	593097	S.S. stainless steel	BAR SPO	593325	S.S. stainless steel		596968 DN TWISTEI	S.S.
 Made of sta 	•••			pper-plated stainl	ess steel.	code	mm	£
code 593097	mm 27x27x(H)266	€ 3,90	code 593325	mm 27x20x(H)450	€ 15,00	596968	(L)380	3,90
		-	4	59	6753	C	8118	
ICE CUBE - Packed per code 523520		523520 S.S. starless steet E 3,65	STRAINE - Made of st code 596753	R	6753 S.S. stanless steel € 5,00	BAR SIEV - For use in bi- patisseries - Made of stai - Thin mesh w	E ars, pubs, restau nless steel vith wire handle	s steel
 Packed per code 	2	S.S. stainless steel	- Made of st	R ainless steel mm	S.S. stainless steel	BAR SIEV - For use in ba patisseries - Made of stai	E ars, pubs, restau nless steel vith wire handle	Es stel rants and E 1,40
 Packed per code 	2	S.S. stainless steel	- Made of st	R ainless steel mm	S.S. stainless steel	BAR SIEV - For use in bi- patisseries - Made of stai - Thin mesh w - Dishwasher code	E ars, pubs, restau nless steel with wire handle safe mm	€
 Packed per code 523520 BAR SIEV For use in I patisseries Stainless s PVD coatin Thin mesh 	2. mm [L]180 638149 S. 638149 S. FE PVD COATI bars, pubs, restaur teel finished with e g with wire handle	ED ants and	 Made of st code 596753 BAR SIEV COATED For use in patisseries Stainless e PVD coatin 	ER ainless steel mm 82x28x(H)165	E 5,00 E S. U V V D V D V D V D V D V D V D V D V D	BAR SIEV - For use in bi- patisseries - Made of stai - Thin mesh w - Dishwasher code 638118 - Code - Cod	E ars, pubs, restau nless steel vith wire handle safe ø65x220 638163 E CONICAL ars, pubs, restau inless steel with wire handle safe	E 1,40 S.S.S. universities
 Packed per code 523520 BAR SIEV For use in I patisseries Stainless s PVD coatin Thin mesh 	2. mm [L]180 638149 S. S. S. S. S. S. S. S. S. S. S. S. S.	ED ants and	 Made of st code 596753 596753 BAR SIEV COATED For use in patisseries Stainless 5 PVD coatin Thin mesh 	ER ainless steel mm 82x28x(H)165	E 5,00 E S. U V V D V D V D V D V D V D V D V D V D	BAR SIEV - For use in bi- patisseries - Made of stai - Thin mesh w - Dishwasher code 638118 - Code - 638118 - Code - 757 - 7	E ars, pubs, restau nless steel vith wire handle safe ø65x220 638163 E CONICAL ars, pubs, restau inless steel with wire handle	E 1,40 S.S. unress oreit urrants and E
 Packed per code 523520 523520 BAR SIEV For use in l patisseries Stainless s PVD coatin Thin mesh NOTE: Not 	2. mm [L]180 638149 S. 638149 S. FE PVD COATI bars, pubs, restaur teel finished with e g with wire handle dishwasher safe	ED S.S.S. S. S.S. S. S. S	 Made of st code 596753 596753 BAR SIEV COATED For use in patisseries Stainless 5 PVD coatin Thin mesh 	ER ainless steel mm 82x28x(H)165	E 5,00 E S. U V V D V D V D V D V D V D V D V D V D	BAR SIEV - For use in bi- patisseries - Made of stai - Thin mesh w - Dishwasher code 638118 - Code - Cod	E ars, pubs, restau hless steel with wire handle safe mm ø65x220 638163 E CONICAL ars, pubs, restau inless steel with wire handle 'safe mm	E 1,40 S.S.S. universe oriet







Ì

B

Ö



ICE CUBE MOULDS ASSORTED GEMS

- Ideal for cocktails, a must have for bar professionals.
- Consists of 2 moulds, each creating 6 gem-shaped ice cubes.

 Made of durable, food-grade silicone. 			
code	mm	€	
679012	190x105x(H)30	8,90	



ICE CUBE MOULD MINI CUBE

For preparing 15 small ice cubes (±3x3x3 cm).

Made of durable, food-grade silicone.				
code	mm			

code	mm	£
679043	190x120x(H)35	7,80



ICE CUBE MOULD XL CUBE

- For preparing 6 large slow-melting ice cube balls (±5x5x5 cm).
- Made of durable, food-grade silicone.

679050

Creates 6 shot glass shaped ice cubes.
Made of durable, food grade silicone.

code

679050

- Ideal for serving shots, a must have for bar professionals.

mm

125x190x(H)60

code	mm	€
679036	170x110x(H)52	8,10



ICE CUBE BALL MOULD

- Ideal for whisky, a must have for bar professionals.
- Creates 6 big spherical shaped (± Ø 4,5 cm), slow melting ice cubes.
- Consists of 2 parts with locking ring so the balls can be made without leaking.
- Made of durable, food grade silicone.

code	mm	€
679029	180x125x(H)50	12,50



ICE SHOT GLASS MOULD

- For preparing 4 shot glass-shaped ice cubes.
- Made of durable, food-grade silicone.

code	mm	€
679067	122x122x(H)60	11,00



SIL

€

20.00

À



Prices net of VAT



	600
	0
594742	

ICE BUCKET WHITE

code	liters	mm	€
594742	5	ø190x(H)200	21,00
594759	10	ø292x(H)220	64,00



WINE COOLER

- Double-walled stainless steel.
- For use without ice cubes.
- Inside diameter: 105 mm.

code	mm	€
593806	ø120x(H)180	17,00





WINE COOLER EPP

- Made of EPP, highly insulating.
- Stable heavy bottom, unbreakable.
- The temperature of the wine rises at about 1.5°C per hour, keeps wine cool longer than regular steel coolers.

code	mm	€
593813	ø142x(H)210	16,50





JUICE DISPENCER 2X12L

- Two 12 liter containers with quick dispense tap.
- With temperature controller, temperature can be set between 0°C and 10°C.
- Containers can be removed to ease cleaning.
- Refrigerant: R290.
- Drip tray included.

code	liters	V	W	mm	€
425206	24	230	370	430x430x(H)640	917,00











SLUSH MACHINE

- 12 liter container with quick dispense tap, the lids are lit.
- Digital temperature controller with cold beverage and slush modes.
- Efficient compressor, in slush mode temperature varies between -7°C and -2°C.
- Containers can be removed to ease cleaning.
- Day and night mode.
- Refrigerant: R290.
- Drip tray included.

code	liters	٧	W	mm	€
274255	12	230	740	470x520x(H)810	1 670,00

SLUSH MACHINE 2X12L

- Two 12 liter containers with quick dispense tap, the lids are lit.

S.S.

PC

- Digital temperature controller with cold beverage and slush modes.
- Efficient compressor, in slush mode temperature varies between -10°C and -2°C.
- Containers can be removed to ease cleaning.
- Day and night mode.
- Refrigerant: R290.
- Drip tray included.

code	liters	V	W	mm	€
274224	24	230	740	470x520x(H)810	2 670,00

Š



SODA SIPHON

- Stainless steel soda siphon.
- Makes fresh carbonated water in no time.
- Requires carbon dioxide chargers for use.

code	liters	mm	€
588574	1	ø100x(H)320	83,50



SODA CHARGERS - 10 PCS

- Contains 8 grams of CO₂, a single filling of a 1L soda siphon.

code	packed per	€
588406	10	5,00



CREAM WHIPPER

- Matte black coated aluminium bottle and head.
- Not suitable for preparing hot sauces.
- Supplied with: 3 different polypropylene nozzles and a cleaning brush.
- To be used with cream whipper chargers (N₂0) (chargers not included).

code	liters	mm	€
588420	0.5	ø80x(H)260	44,50



CREAM WHIPPER CHARGERS

- Suitable for commercially available cream dispensers.
- N₂O Best before 5 years after production date.

code	packed per	€
588208	10	4,45
588215	24	10,00
586907	50	21,00





R

f

नि

I



BEER BREWING KETTLE - Housing made of AISI 304 stainless steel.

- Designed for homebrew from malt.
- Automatic mode the appliance memory allows to save up to 9 recipes made of 9 steps each.
- Manual mode for brewing specialists to enable them to work on their own accord.
- Intuitive control panel with a digital display of operating parameters.
- Heating temperature range: from 25°C to 100°C, with the accuracy to 0.1°C.
- Pump ensuring smooth and efficient mixing of the mash.
- The scale inside the container (5 l scale) and the external gauge in the form of a glass tube (1 l scale) enable checking the filling level.
- Bottom separating the fermenter from the pump and the control section - made of AISI 304 stainless steel.
- Tap.
- Tempered glass cover.

code	liters	V	W	€
289952	40	230	2500	511,00
289969	60	230	3000	653,00



HOP SPIDER

- Perfect solution for boiling hops in wort.

S.S.

289952

- Keeps the hop inside while allowing the
- wort to circulate freely through the walls. - Handle for hanging the spider inside the mash tun
- Made of AISI 304 stainless steel
- Micro sieve with 60 meshes/1 cm².
- Dimensions: Ø150/Ø100x(H)360 mm.
- Total height of the hop spider including handle: (H)380 mm.
- Net weight: 250 g.
- Accessory for beer mash tun (289952, 289969].

- **10 COIL IMMERSION CHILLER**
- Designed to cool the mash during the brewing process.
- Tube made of AISI 304 stainless steel.
- Number of coils: 10.
- Height: coils 100 mm, total height of
- the chiller 360 mm.
- Diameter: outer dia 255 mm.
- Tube: length 8.8 l.m., diameter 9.5 mm.
- Net weight: 1.25 kg.
- Accessory for beer mash tun (289952, 289969].

16 COIL IMMERSION CHILLER

- Designed to cool the mash during the brewing process.
- Tube made of AISI 304 stainless steel.
- Number of coils: 16.
- Height: coils 290 mm, total height of the chiller 485 mm
- Diameter: outer dia 255 mm.
- Tube: length 13 l.m., diameter 9.5 mm.
- Net weight: 1.85 kg.
- Accessory for beer mash tun (289952, 2899691.

code	mm	€	code	mm	€	code	mm	€
289990	ø150x(H)380	37,50	289976	ø255x(H)360	85,00	289983	ø255x(H)485	102,00





TABLE BEER TAP

Plexiglas.With strong non-drip tap.

code	liters	mm	€
598955	3	ø100x(H)815	90,50
598962	5	ø100x(H)1150	114,00



EER SKIMM White, made of pl		SAN
code	mm	€
565360	235x26	7.50

565360

PMMA





516751



HENDI

BEER BUCKET- With bottle opener integrated in the handle.

code	mm	€
516751	ø230x(H)180	15,50

THE REAL

Ì



GLASS BRUS – Polypropylene v – Bottom plate fit		
code	mm	€
696002	190x100x(H)180	13,00

PP €



Ē

Ć

B

E

 $|\bigcirc|$

Ê

À

B

Ö

(II)


 Polypropylene w Bottom plate fitt 	PP	
code	mm	€
696040	190x100x(H)250	16,50





GLASS BRUSH ROUND - Aluminium with nylon brush. - Bottom plate fitted with 4 suction pads.		AL	
code	mm	€	
552681	ø150x(H)190	19,50	

code	mm	€
597989	300x150x(H)9	6,15
597965	610x85x(H)15	9,45
597972	453x305x(H)15	14.00



DRAINAGE MAT - Made of white polypropylene.	PP

- Connectable. maliant HACCD

HENDI

HACCP compliant.						
code	packed per	mm	€			
597958	5	313x209	15,50			





Ŷ





221105

CENTRIFUGAL JUICE EXTRACTOR- For making juice of hard and soft fruits or vegetables.

- With a large, 7 liter, pulp container.
- Very powerful, can juice up to 120 kg per hour.
- Housing, bowl, juicer basket and grating disk made of stainless steel.
- Feeder tube and pusher made of ABS, pulp container and lid made of polypropylene.
- Motor spins the grating disk at 3000rpm.
- Safe in operation, will only work if the lid and safety arm are locked into place.
- Very easy to disassemble and clean.
- Not suitable for ice or frozen fruits/vegetables.
- code ٧ W mm 221105 230 700 246x480x(H)531 889,00

€

B

ා

BLENDER WITH NOISE COVER



- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel blades with titanium coating.
- Noise cover made of polycarbonate, for safety the blender only works when the cover is completely closed.
- Comes with 2,5L break-resistant BPA free Tritan jug, firm lid

made of polypropylene and a small BPA free Tritan lid cover.

- Detachable jug can withstand temperatures of -40°C up to 90°C.
 Hi-speed motor with variable speed and pulse function drives
- the blades from 8350 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.



BLENDER WITH NOISE COVER

- Manual control panel power setting knob and a pulse switch.

code	٧	W	mm	€
230688	230	1680	252x258x(H)547	459,00




DIGITAL BLENDER WITH NOISE COVER

- Digital control panel has touch control for three power settings, three time settings and a pulse function.

code	V	W	mm	€
230695	230	1680	252x258x(H)547	500,00

Solid construction of the gear





Stainless steel knife



Durable metal gear socket





HIGH POWER BLENDER

- This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.
- Replaceable stainless steel knife with titanium coating.
- Manual control panel, power setting knob and a pulse switch.
- Comes with 2,5L break-resistant polycarbonate jug, firm lid made of ABS and a small polycarbonate lid cover.
- Detachable jug can withstand temperatures of -40°C up to 90°C.
- Hi-speed motor with variable speed and pulse function drives the blades from 16000 RPM up to 24800 RPM (without load).
- Equipped with over-heat and over-current protection.

code	V	W	mm	€
230718	230	1680	270x250x(H)550	278,00

Comes complete with 2,5L break-resistant jug, pusher and firm lid

Very powerfull, can even crush ice

230718

Ć

R

A

C

Ĥ

Å

B

ကြိ

ABS	BPA	S.S.
plastic	free	stainless steel

BLENDER JAR BPA FREE

- Replacement jar for blender 230718/230695/230688/23021 3/230602/230664.
- 2,5L break-resistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free Tritan lid cover.
- Fitted with blades made of stainless steel with titanium coating.



933688

code	mm	€	code
933688	200x170x(H)360	128,00	943489

230718/230695/230688/230213/ 230602/230664. - 2,5L break-resistant

polycarbonate jug, firm lid made
of polypropylene and a small
polycarbonate lid cover.
The jar is fitted with blades

Replacement jar for blender

PC S.S.

COATED BLADE

 The jar is fitted with blades made of stainless steel with titanium coating.

titanium coating. 943489

mm

200x170x(H)360

BLENDER JAR WITH TITANIUM

rices	net	∩f	VAT	

Pr

HENDI



£

120,00



SLOW JUICER

- Ideal for: fresh juices, mousses, paste and fruit cocktails.
- Suitable for soft as well as hard fruit and vegetables, herbs, grass, sprouts.
- When compared to traditional juicers, this appliance squeezes much more juice - the remaining fruit and vegetable pulp is almost completely dry, which proves the exceptional efficiency of the appliance
- The juice squeezing process is similar to mechanical coldpressing.
- Speed: 45 rpm.
- Reverse function to unblock the auger.
- Powerful DC induction motor for high power and durability.
- Quiet operation: 65 dB.
- Magnetic protection against switching on if the head is incorrectly mounted.
- Maximum continuous operation time: up to 20 min.









- Large feed chute with mechanism preventing the insertion of hands Ø83 mm (e.g. for apples, pears, turnip).
- Small feed chute ø42 mm with a pusher for long vegetables.
- Juice spout with a practical and tight cap.
- Inner strainer made of AISI 304 steel.
- Auger, strainer frame and strainer elements made of Tritan -BPA free.
- Housing with a practical handle made of satin aluminium and ABS.
- Easy to use and clean.
- Weight: 7.2 kg.
- 2 polycarbonate containers for pulp and juice, 850 ml each.
- Supplied with a cleaning brush with nylon bristles.

code	V	W	mm	€
221044	230	250	260x175x(H)545	167,00

À





221204



- Made of rust-resistant material.
- With stainless steel squeeze bowl.
- Including 3 interchangeable.
- ABS cones for small and large citrus fruit.
- ABS sieve.
- Speed 1500 RPM.
- Manually operated by means of on/off switch.
- Including polycarbonate anti-splash cover.
- All elements except the body are dishwasher safe.

code	V	W	mm	€
221204	230	180	308x218x(H)463	220,00



CITRUS JUICER ELECTRIC

- Top with lever provides easy and safe operation.
- Removable bowl and cone of stainless steel.
- With splash screen.
- RPM: 980/min.

code	V	W	mm	€
221099	230	230	280x200x(H)470	428,00



3 cones for different sizes of fruit



Splash screen

Stainless steel bowl

HENDI



Top with lever provides easy and safe operation

Prices net of VAT



Ô

/ _____

ß

À

B

ා

1

, T





design by Robert Bronwasser

Powerful motor with two speeds. 15,000 and 19,000 rpm.

HENDI



2 sets of replaceable polycarbonate stirrers (2 pieces each)

2 cups: made of stainless steel (capacity: 0.95 l) and of polycarbonate (capacity: 0.9 l)

MILKSHAKE MIXER - DESIGN BY BRONWASSER

- Designed by Dutch Designer Robert Bronwasser and available in 6 attractive colours.
- Make Freddo cappuccinos, Frappés and of course milkshakes without effort.
- The housing is made from ABS plastic.
- The base is weighted for extra stability and is fitted with rubber feet.
- The motor can spin the agitator disc at two speeds, 15.000 and 19.000 RPM.
- Control the milkshake mixer with the two-speed switch on the top which is easily accessible.
- The milkshake mixer is fitted with a micro switch so it can only operate when the cup is properly placed.
- Choose between two different stirrers to control the level of aeration.
- Very complete, comes with a stainless steel mixing cup (0.95 liter) and polycarbonate mixing cup (0.9 liter) and 2 sets of 2 stirrers.
- Cups and stirrers are dishwasher safe.

code	colour	V	W	mm	€
221617	White	230	400	170x196x(H)490	195,00
221600	Black	230	400	170x196x(H)490	195,00
221624	Caramel	230	400	170x196x(H)490	195,00
221631	Yellow	230	400	170x196x(H)490	195,00
221648	Red	230	400	170x196x(H)490	195,00
221655	Blue	230	400	170x196x(H)490	195,00

À





221617

221600

PC 961124

POLYCARBONATE MIXING CUP STAINLESS STEEL MIXING FOR MILKSHAKERS – DESIGN BY BRONWASSER

- Made of durable polycarbonate.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.



CUP FOR MILKSHAKERS -DESIGN BY BRONWASSER

- Made of stainless steel.
- To be used with milkshakers:
- 221600, 221617, 221624, 221631, 221648, 221655.
- Dishwasher safe.



221624

STIRRERS FOR MILKSHAKE **MIXERS - DESIGN BY** BRONWASSER

- Made of polycarbonate.
- The set includes 2 pieces: single and double stirrer.
- Specially created for the HENDI Milkshake mixers - Design by Bronwasser: codes 221600, 221617, 221624, 221631, 221648, 221655, 221495,

-	Dishwasher :	safe.
---	--------------	-------

code	mm	€
961131	32x27x(H)50	11,00

code	mm	€	code	mm	€
961124	ø116x(H)161	11,00	961117	ø113x(H)160	22,00





''

R

A

Ř

नि

ကြိ





R



€.



ICE CUBE MACHINE - 12 KG

- Tabletop model.
- Body made of stainless steel, lid made from black ABS.
- Capacity of 12 kg per 24 hours, buffer stock of 3,2 kg 9 cubes per cycle.
- No fixed water connection coolant: R600A.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.

mm

297x367x(H)378

W

120

- Stores 100 ice cubes.

V

230

rode


271568

- Body made of stainless steel. - Capacity of 15 kg per 24 hours, buffer stock of 4,5 kg - 12 cubes

- per cycle.
- No fixed water connection coolant: R290.
- Choice of 3 ice cube sizes, cubes are formed around cooling rods.
- Holds 150 ice cubes.

- Tabletop model.

code	٧	W	mm	€
271551	230	130	380x435x(H)431	409,00



€.

322.00

Ì



R

f

ø

Ĥ

Ą

नि

Ö

<u>____</u>





BACK BAR REFRIGERATORS

- Powder coated housing, embossed aluminium chamber, plastic lockable door(s) with toughened glass.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.
- Chamber fitted with LED lighting.
- Digital display and temperature control.
- Fitted with 4 adjustable non-slip feet.Refrigerant: R600a.



Arktic 🛠





À



DISPLAY REFRIGERATORS WITH LIGHTBOX

- Made of stainless steel, aluminium and polypropylene.
- Doors fitted with triple glazing of which one layer is tempered.
- Forced air cooling with auto-defrost, compressor placed underneath the chamber.

Arktic 🛠 AL PP S.S.

Ê

R

Ê

(

Ĥ

Å

नि

ကြိ

''

<u>555</u>

- With LED lighting in the chamber and in the lightbox.
- Fitted with 4 castors of which 2 have brakes.
- Digital temperature controller and display.
- Climate class: N-ST.





Fitted with 4 castors of which 2 have brakes.



HENDI



WINE COOLERS, DUAL ZONE

- Two cooling zones with the possibility to set different temperatures in each of them.
- Black powder-coated housing, frameless tempered glass door with stylish stainless steel handle.
- Static cooling supported with a fan, automatic defrosting,

THE IDEAL TEMPERATURE OF SPECIFIC WINES (FROM REDS TO WHITES):

Temperature	Types of wine
18°C	Bordeaux, Cabernet Sauvignon, Shiraz
16°C	Rioja, Pinot Noir
15°C	Chianti, Zinfandel
14°C	Chinon, Porto, Madeira
10°C	Chardonnay, Sauternes
9°C	Sauvignon Blanc
6°C	Champagne Non Vintage, Prosecco, Cava, Asti



chiller located at the back of the cooler.

- LED light at the top of the chamber.
- Digital display and electronic thermostat.
- Temperature displayed in degrees Celsius, possibility to switch to Fahrenheit.
- 4 adjustable non-slip feet.
- Climatic class: N-ST.
- Refrigerant: R600a.





000

R600a

code	237588	237557	237564	237595
capacity	133 L max 46 bottles of wine	232 L max 72 bottles of wine	387 L max 135 bottles of wine	447 L max 160 bottles of wine
dimensions	595x588x(H)820 mm	595x605x(H)1225 mm	595x680x(H)1625 mm	595x685x(H)1795 mm
shelves	5 wooden	9 wooden	13 wooden	15 wooden
range	5/22°C	5/22°C	5/22°C	5/22°C
coolant	R600a	R600a	R600a	R600a
energy class	G	G	G	G
climate class	N-ST	N-ST	N-ST	N-ST
power/voltage	90 W/230 V	110 W/230 V	130 W/230 V	150 W/230 V
€	1 030,00	1 590,00	2 120,00	1 950,00

G ^A G



ICE MAKER

- The appliance is designed for use in bars, pubs, cafes, and restaurants.
- Robust housing made of AISI 304 stainless steel.
- Plastic interior.
- Air vents on the front of the housing to allow for under-counter installation of the ice maker.
- The appliance uses spray method to mould perfectly clear cubes with the hexagonal hole that have larger cooling surface and ensure longer cooling time – while minimising beverage thinning.

Ć

R

ø

f

नि

I

Ľ,

- Innovative method of heat exchange via an additional condenser
 compressor heat recovery used for defrosting the spray plate.
- Extended compressor performance and life.
- Effective operation in ambient temperature of up to 42°C.
- Low energy consumption.
- Adjustment of the ice bin fill level.
- Adjustable feet.
- Easy cleaning thanks to removable parts.
- Inlet & outlet hoses and ice scoop included..





NEW





209073

COFFEEMATIC AUTOMATIC COFFEE MACHINE WITH TOUCHSCREEN

- Housing and removable brewing unit made of stainless steel.
- 2 ceramic grinders with flat burrs ensure even workload distribution – higher efficiency and longer service life of the coffee machine.
- Water tank with 4 L capacity which can be connected to an external water supply system.
- 2 separate bean hoppers with approx. 1.2 kg capacity of coffee beans each - it's possible to choose between 2 different coffee types by configuring a chosen program.
- Separate hot water dispenser.
- 2-boiler heating system.
- Spacious dispensing area with regulated dispenser height.
- Possibility to prepare 2 coffee cups at once (beans are drawn from one hopper).
- Automatic self-cleaning and rinsing system.
- Integrated maintenance and cleaning programs.
- Dual pumps.
- Secure lock protecting against reaching the appliance's interior.
- 10-inch touchscreen control panel.
- Multi-language menu.
- 30 programs for preparing various coffee types including black coffee (espresso, ristretto, etc.), milk coffee (cappuccino, latte, etc.), iced coffee - and also the possibility to pour only hot water or hot milk. For each coffee program it's possible to choose from which hopper the beans should be drawn (left/right).
- Additional customisation of every program: coffee grammage, water amount, milk froth size, etc.

code	V	W	mm	€	
209073	230	2500-2900	340x540x(H)830	5 280,00	



R

f

Ą





MILK FRIDGE WITH CUP WARMER

- 2 heated shelves for cups and a frame made of AISI 430 stainless steel.
- 3,5 l milk container made of SAN.
- Glazed door with double tempered glass.
- Fridge housing made of ABS, with tempered glass panels.
- 4 stable aluminium legs (H: 60 mm).
- A small opening on the side to connect a milk tube directly with every automatic coffee machine.
- LED light in 7 colours.
- 3 independent switches for: LED light, fridge, warmer.
- Refrigerant: R600A environmentally friendly.
- Static cooling.
- Temperature range: 0-10°C
- Shelf dimensions: 260x380 cm

code	V	W	mm	€
209080	230	168	313x442x(H)613	1 390,00

Ľ,

Large fresh water container: 6 L





AUTOMATIC COFFEE MACHINE WITH TOUCHSCREEN

- Modern and fully automated coffee machine designed for small and medium sized cafés, hotels, motels, hostels, fuel stations, offices, canteens, catering establishments and anywhere one wants delicious and fast-brewed coffee.
- Thanks to a simple and easy-to-read selection panel, the machine is ideal for self-service.
- One-touch coffee brewing.
- Digital controls, large 7-inch, colour touch screen.
- Up to 14 programmable beverages: espresso, americano, cappuccino, latte, latte macchiato, hot milk, hot frothed milk, hot water, double espresso, double cappuccino, double latte, double latte macchiato, double hot milk, double frothed milk.
- Parameters of each of the programmes beverages may be individually adjusted for each customer.

- Adjustable parameters:

- coffee strength from weak to very strong, adjusted by reducing or increasing the amount of ground coffee per cup from 8 to 14 g
- volume of coffee, by reducing or increasing the amount of hot water added
- coffee temperature, by adjusting the brewing water temperature
- "PRE-BREW" option which additionally boosts coffee strength and aroma
- hot water amount for preparing other hot beverages, e.g. tea, chocolate
- hot water temperature, important when brewing e.g. green teas which require lower temperature





- hot milk dispensing time, e.g. for cocoa
- hot frothed milk dispensing time, e.g. to prepare delicious cappuccino
- brewed coffee and milk dispensing time.
- Double heating unit system with two pumps makes it possible to dispense brewed coffee and hot milk to two cups in less than 50 s, which facilitates efficient and fast service.
- Hot milk and hot frothed milk temperature adjustment function offers the possibility of serving even the most refined beverages.
- Possibility to brew as much as 2 cups at the same time boosts the device's efficiency.
- Movable coffee dispenser for cup of up to 165 mm in height.

- Large, 1 kg coffee grains container assures the making of over 140 espressos without topping up.
- Large, 6 L fresh water container makes it possible to dispense up to 240 espressos without topping up.
- The coffee machine may be connected to water supply which assures continuous operation without pouring water.
- Vibration pump offering 19 bar brewing pressure.
- Coffee grounds container: up to 35 portions depending of coffee type.
- Condensate container: 2 L.
- Power cable length: 1.5 m.
- Weight: 21 kg.

code	V	W	mm	€
208540	230	2700	390x511x(H)582	2 560,00

Ć

R

A

ø

Ê

Ř

ස

ကြိ

ÿ





Watch the video

Coffee beans

container can

Digital control panel and display makes this machine easy to use



208984

FULLY AUTOMATIC COFFEE MACHINE ,ONE TOUCH'

- Programmable beverages include: espresso, long coffee, cappuccino, latte, hot milk, milk froth, hot water.
- One touch cappuccino and latte macchiato.
- Digital control panel and display of functions, commands and errors.
- Built-in grinder with adjustable grind options.
- Built-in coffee beans container: 250 g.
- Suitable also for ground coffee.
- Fresh water tank: 1,8 L.
- Drip tray Adjustable coffee dispenser with scope of 80-140 mm.
- Adjustable coffee strength: 7–14 g/portion.
- Adjustable volume of beverage: 25-240 ml.
- Adjustable volume of hot water: 25-450 ml.
- Adjustable steam time: 3-120 s.
- Coffee grounds container: 15 portions.
- Individual and total beverages counter.
- Automatic cleaning program.

code	colour	V	W	mm	€
208984	Silver	230	1400	302x450x(H)370	1 230,00

Digital control panel and display makes this machine easy to use Coffee beans container can contain 750 g



208953

FULLY AUTOMATIC COFFEE MACHINE

- Programmable beverages include: espresso, long coffee, cappuccino, latte, hot milk, milk froth, hot water.
- One touch cappuccino and latte macchiato.
- With large coffee grounds container and waste water tank.
- Digital control panel and display of functions, commands and errors.
- Built-in grinder with adjustable grind options.
- Built-in coffee beans container: 750 g.
- Suitable also for ground coffee.
- Fresh water tank: 1,8 L (external larger tank can be connected).
- Drip tray: 2 L.
- Adjustable coffee dispenser with scope of 80-140 mm.
- Adjustable coffee strength: 7-14 g/portion.
- Adjustable volume of beverage: 25-240 ml.
- Adjustable volume of hot water: 25-450 ml.
- Adjustable steam time: 3-120 s.
- Coffee grounds container: 50 portions.
- Individual and total beverages counter.
- Automatic cleaning program.

		P 9			
code V W			mm	€	
208953	230	1400	302x450x(H)590	1 570,00	



FULLY AUTOMATIC COFFEE MACHINE XXL

- Programmable beverages include: espresso, long coffee, cappuccino, latte, hot milk, milk froth, hot water.
- With large coffee grounds container and waste water tank.
- Digital control panel and display of functions, commands and errors.
- Built-in grinder with adjustable grind options.
- Built-in coffee beans container: 1000 g.
- Suitable also for ground coffee.
- Fresh water tank: 6 L.
- External larger tank can be connected Adjustable coffee dispenser with scope of 100-160 mm.
- Adjustable coffee strength: 7-14 g/portion.
- Adjustable volume of beverage: 15-240 ml.
- Adjustable volume of hot water: 25-450 ml.
- Adjustable steam time: 3-120 s.
- Individual and total beverages counter.
- Automatic cleaning program.
- Vibration pump: 19 bar.
- Power cable: 1.8 m

code	V	W	mm	€
208991	230	1400	391x506x(H)581	1 920,00

Suitable also for ground coffee



R

f

Å

ਫ

Ö



MILK FRIDGE

- Compact, cost-effective and efficient appliance for cooling and storing milk.
- Ideal for home and office.
- Cools down to 12-15°C below ambient temperature.
- Opening for tube connecting the milk in the fridge with milk frother integrated with a coffee machine.
- Integrated thermostat preventing the freezing of milk.
- The fridge holds a 2 liter milk container.
- Chamber dimensions 163x140x(H)283 mm.
- Gross capacity: 6 liter.
- Polyurethane-insulated interior.

-	Note:	place	only	pre-chilled	milk in	the	fridge.
---	-------	-------	------	-------------	---------	-----	---------

code	colour	V	W	mm	€
943434	Black	230	50	213x275x(H)343	197,00



HENDI TOP LINE BY WEGA MANUAL COFFEE MACHINES

- Professional pump coffee machine made of high-quality varnished stainless steel
- Electronic control
- Programming of up to 4 coffees per group in a volumetric system
- Ergonomic, horizontal coffee selection keyboard
- Steam nozzles insulated with a rubber sleeve to protect

against burns

- Built-in rotary pump
- Automatic filling the boiler with water indicated by a light
- Cup warmer using boiler temperature
- Main power switch with option of switching off single heaters
- Adjustable feet for easy levelling





code	208915	208922	208939	208946
control	electronic	electronic	electronic	electronic
number of group	1	1	2	2
colour	white	black	white	black
dimentions	530x555x(H)515 mm	530x555x(H)515 mm	740x555x(H)515 mm	740x555x(H)515 mm
hot water nozzle	1	1	1	1
steam nozzle	1	1	2	2
maximum cup height	85 mm	85 mm	140 mm	140 mm
boiler water pressure gauge	-	-	YES	YES
pump brewing pressure gaug	-	-	YES	YES
power/voltage	2900 W/230 V	2900 W/230 V	3700 W/400 V	3700 W/400 V
weight	48 kg	48 kg	62 kg	62 kg
€	2 370,00	2 370,00	3 030,00	3 030,00

VERONA COFFEE MACHINES

- Professional piston coffee machines made of stainless steel
- Automatic control (models 207499 and 207642), Semi-automatic control (model 207598)
- Manual coffee batching
- Automatic water refilling
- Automatic washing (model 207499)
- Built-in cup heater (model 207499)







€	1 640,00	1 890,00	2 830,00
weight	30,5 kg	30,5 kg	53 kg
power/voltage	1800 W/230 V	1800 W/230 V	2700 W/230 V
functions	Boiler automatically refilled with water Built-in vibration pump Mechanical water temperature control	Boiler automatically refilled with water Mechanical water temperature control	Controlled by user-friendly, abrasion-resistant and illuminated control panels Built-in rotary pump
maximum cup height	80 mm	80 mm	140 mm
boiler capacity	3 l	3	
steam nozzle	1	1	1
hot water nozzle	1	1	1
dimentions	375x530x(H)485 mm	375x530x(H)485 mm	475x563x(H)530 mm
number of group	1	1	2
type	semi-automatic	automatic	automatic
model	Romeo Easy	Romeo	Julia Compact
code	207598	207642	207499

Ř

B

Ő

1

Ľ,


Ĥ

ß

 ج

R

S



B



Ć

R

(

f

Ą

ति

ကြိ



207659

6.9

VER®NA

VERONA ROMEO PRO ESPRESSO MACHINE, 1-GROUP, AUTOMATIC, WITH A ROTARY PUMP

- Small and elegant manual espresso machine ideal for cafes, bars, restaurants and companies that appreciate high quality freshly prepared coffee.
- The fully equipped machine allows you to serve a wide range of modern espresso-based drinks.
- The compact stainless steel housing accommodates a 3-litre boiler.
- The machine features easy-to-use mechanical water temperature control, automatic water refill in the boiler and a built-in vibration pump.
- Maximum height of the cup/glass: 80 mm.
- Net weight: 33.5 kg.

code	V	W	mm	€
207659	230	1950	375x530x(H)485	2 190,00



VERONA JULIA ESPRESSO MACHINE, 2-GROUP, AUTOMATIC

- A reliable and efficient manual espresso machine designed to make perfect coffee.
- Built with high quality components and materials to ensure durability.
- Built-in mechanism ensuring that brewed coffee is tender and balanced every time.
- Individual groups can be independently controlled with easy-touse, wear-resistant, illuminated control panels.
- Professional, manual espresso machine made of stainless steel.
- Automatic control.
- Manual dosing.

VERSINA

207581

- Automatic water refill.
- Automatic group cleaning.
- Maximum height of the cup/glass: 140 mm.
- Boiler capacity: 11 L.
- Number of groups: 2.
- Number of boiling water nozzles: 1.
- Number of steam nozzles: 2.
- Net weight: 59 kg

MHENDI

	·····			
code	V	W	mm	€
207581	230	3700	665x563x(H)530	3 110,00

COFFEE GRINDERS



VER MACCHINE



- Intended for all premises which value their time, quality and precision in preparation of ideal coffee.
- Sensitive touch panel made of tempered glass.
- Large bean container for up to 1.65 kg of coffee.
- Grinding head with flat stainless steel blades.
- Easy head removal and cleaning allows the device to be kept clean.
- High bean grinding speed head speed: 1,420 rpm.
- 4 grinding methods: standard, automatic, using a pre-set, with direct selection.
- Backlit ground coffee outlet.
- Automatic recording of ground coffee quantities (portions).
- Anti-electrostatic function improves grinding efficiency.

code	٧	mm	€
207451	230	230x400x(H)600	722,00



Prices net of VAT

F









TAMPING MAT

- Made of silicone, with recess for placing a portafilter during tamping.
- With a socket to place the tamper in.
 [
 code mm €
 208670 100x150x(H)45 11.00
 10x150x(H)45
 11.00
 10x150x(H)45
 11.00
 10x150x(H)45
 10x150x(H)45



TAMPING MAT DOUBLE

- Made of silicone, with recess for placing 2 portafilters during tamping.
- With two sockets to place the tampers in.
 <u>code mm €</u>
 208649 205x150x(H)45 14.00



TAMPING STAND

- With recess for placing a portafilter during tamping.
- With a socket to place the tamper in.

code	mm	€
208687	93x142x(H)60	19,50



GROUP HEAD CLEANING BRUSH

 Easily brush coffee residue from the group head and portafilter of espresso machines.

208724

- Tough brush made of nylon.
- Measuring spoon for cleaning agents.
- Splash screen keeps the handle dry.

- Set of 2 pcs.

PA

code	mm	€
208724	(L)225	10,00



KNOCK BOX RECTANGULAR

- Drawer model made from carbon steel.
- Fitted with removable knock bar and perforated top.

code	mm	€
208694	350x250x(H)90	89,00



KNOCK BOX GN

sleeve

code

208342

208335

18/10

- Made from stainless steel.

MILK JUG BLACK

liters

non-stick coating.

458198 0.6

code

- Made from stainless steel with a black

mm

ø90x(H)112

- Removable knock bar fitted with silicone

mm

265x162x(H)100

176x162x(H)100

€

25,00

19,50

458198

€

24.00



KNOCK BOX IN WOODEN FRAME

- Frame made from dark wood, with a stainless steel GN 1/4 knock box.
- Removable knock bar fitted with silicone sleeve.

code	mm	€
208380	275x175x(H)110	41,50



ති

(

Ĥ

Ą

नि

Ö

MILK JUG - MATT BLACK

- Made of extra thick stainless steel, helps keep the content hot.
- V-shaped spout gives extra control during pouring.

code	liters	mm	€
451045	0.7	ø84x(H)130	22,00



MILK FROTHING THERMOMETER

- With a clip to fasten the thermometer to the milk jug.
- Green marking indicates the perfect milk temperature for cappuccino etc.
- Temperature adjustable from -10°C to 110°C.
- 1°C gradation, accuracy: ±2% .
- Stainless steel probe, cover with clip.
- Easy to read.

code	range	mm	€
271247	-10/110°C	ø44x(H)140	7,50



ROUND KNOCK BOX

- Made from stainless steel.
- Fitted with removable knock bar.

code	mm	€
208618	153x185x(H)165	42,00



MULTIPURPOSE JUGS


code	liters	mm	€
451502	0.35	ø76x(H)93	8,10
451519	0.6	ø90x(H)112	11,00
451526	0.9	ø102x(H)125	13,50
451533	1.5	ø112x(H)161	19,50



MILK FROTHING JUG

-	With	handle.	

code	liters	mm	€
458211	0.5	ø85x(H)110	12,50









208533

0 0



PP

208304

€.

COFFEE MACHINE

S.S.

- Top and bottom hotplate, indicator light.
- Fast filtering system with flow-through element 1.8 litres in 5 minutes.
- Continuous temperature of 93 96°C.
- Casing and filter holder made of stainless steel.
- 2 x 1.8 l decanters and 25 (90/250) filters are included.
 code V W mm

208304	230	2100	195x370x(H)430	334,00
		-	-	
			-	
		3		
	- /			
	1			
	//5005	6		
	445907	-		
DECANT				PP
 Toughened 	l glass wi	th polypro	opylene handle and lid	. polypropylene
code	liters		mm	€
445907	1.8		ø160x(H)185	14,00

COFFEE MACHINE

- Makes a can of coffee in about 6 minutes.
- Design casing made of polypropylene with black rubber coating.
- With 1.8 liter glass decanter, polypropylene filter holder and lid.
- With 2 separately operated warming plates.
- With indicator light that shows when the coffee is ready.
- Suitable for 110/250 filters.

code	V	W	mm	€
208533	230	2020	204x380x(H)425	196,00



COFFEE FILTERS Ø 25 CM - 1000 PCS

- For i.e. Hendi, Bravilor and Animo coffee machines.
- Diameter of the entire filter 250 mm.
- Bottom diameter of the filter 110 mm.

code	packed per	mm	€
208656	1000	ø250x(H)70	35,00



B





HENDI

ELECTRIC MILK FROTHER

- Housing and milk jug made of stainless steel with a handle made of ABS.
- 6 functions: hot thick milk foam, hot thin milk foam, cold milk foam, warm milk, hot chocolate, tea with hot milk.
- The milk jug is detachable for easy pouring.
- Capacity frothing: 300 ml / heating: 600 ml.
- Jug diameter: 130 mm.
- For use with cold milk.
- Lid and whisk are dishwasher safe.
- Included in the set: lid, whisk accessories.
- The frothing effect also can be achieved with vegan milks, such as oats, almond, soya; preferably "Barista" type. The effect may vary depending on the milk producer.

code	V	W	mm	€
209097	220-240	500	200x167x(H)245	111,00



631

Ř

ස

Ő





PP

18/8

€

47.00

18/8

code	liters	mm	€
624302	6	ø245x(H)290	49,00





€

30.50



Ê

R

f

f

Ř

B

ကြိ

Control panel with digital display





ELECTRIC KETTLE - 2,5 L

- Perfect for intensive use.
- With fast-boil.
- Separate power base for easier kettle handling, enabling full 360° rotation of the kettle.
- Fitted with ergonomic polypropylene handle.
- With heating indicator light.
- Heater placed under the bottom, protected against limescale.
- Automatic switch-off when water boils.
- With dry-boil protection, doesn't work without water.
- AISI 304 stainless steel housing and bottom.
- Weight: 1.12 kg

code	liters	٧	W	mm	€
209936	2.5	230	2150	225x168x(H)288	33,50

CORDLESS ELECTRIC KETTLE WITH TEMPERATURE CONTROL

- For preparing beverages with indicated brewing conditions, such as green tea, white tea, or yerba mate.
- AISI304 stainless steel housing and heater.
- Polypropylene handle, lid, and base.
- Temperature regulation and maintenance water can be heated to one of these temperatures: 40°C, 60°C, 80°C, 100°C.
- Heater placed under the bottom, protected against scale.
- Control panel with digital display.
- Thermostat indicator light.
- Internal maximum water level indicator.
- Automatic shut-off function after the water boiled.
- Double protection against switching on an empty kettle.
- Kettle can be rotated 360° base.
- CAUTION: intended for boiling water only, boiling other liquids may damage the kettle.

code	liters	V	W	mm	€
209943	1.8	230	1800	225x168x(H)288	47,00





Bain-Marie heating system prevents hot chocolate from being burned to the bottom





HOT CHOCOLATE DISPENSER

- Bain-Marie heating system prevents hot chocolate from being burned to the bottom.
- Bottom of the container is made of stainless steel.
- Side walls are made of Polycarbonate.
- Drip tray with float indicator warning when full.
- Protection against overheating.
- Continuous stirring guarantees homogeneous consistency of chocolate.
- Special anti-drip tap.
- Temperature range: 65 to 85°C.
- Required temperature of environment: 10 to 32°C.

code	liters	V	W	mm	€
274125	5	230	1006	410x280x(H)465	584,00
274149	10	230	1006	410x280x(H)580	667,00



274149



HOT DRINKS BOILER

- Kettle made from stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling ± 75 min.
- Not suitable for chocolate milk.

code	liters	V	W	mm	€
240700	25	230	2500	447x441x(H)485	191,00



PP polypropylene

HOT DRINKS BOILER

- Kettle made from coated stainless steel.
- Fitted with polypropylene insulated handles and non-drip tap.
- Thermostat adjustable up to 110°C.
- Ideal for mulled wine or hot water.
- Time needed for boiling ± 75 min.
- Not suitable for chocolate milk.

code	liters	٧	W	mm	€
240601	25	230	2500	447x441x(H)485	178,00





F

AUTOMATIC FILL BOILER

- Made from brushed stainless steel with polypropylene lid and handles.
- The double walled kettle increases heating efficiency and insulation.
- When connected to the water mains the boiler will refill automatically.
- Fitted with two waterlevel sensors.
- Control panel fitted with digital display and heating and keep warm indicator lights.
- Temperature can be set from 30°C up to 100°C.

S.S. PPP

/ ____

R

f

(

Ĥ

Å

B

ကြိ

Ľ,

- With keep warm function, stanless steel polycopylene temp in auto power down and overflow prevention sensor.
- The non-drip tap is made from stainless steel, has a cool touch handle, and is installed so a pot can be placed underneath it.
 Lid fitted with a twist-lock and cool touch handles.
- Comes with a removable drip tray.
- Available in 2 sizes:
- Available in 2 sizes
- 240717 max. capacity 8.5 l, can boil up to 23 l/h.
- 240724 max. capacity 17.5 l, can boil up to 33 l/h.



code	liters	٧	W	mm	€
240717	8.5	230	2000	300x285x(H)503	426,00
240724	17.5	230	2600	353x345x(H)598	486,00





HOT DRINKS BOILERS DOUBLE-WALLED

- Ideal for mulled wine and boiling water for tea, operates automatically and keeps drinks at serving temperature.
- Heat loss and energy consumption are reduced by the insulated double-walled polished stainless steel housing.
- Lid with safe "Twist-lock" system.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.
- Clear level indicator in litres.
- Maximum cup height: 130 mm (without drip tray).



With silicone protected power switch and indicator lights for heating and keep warm.

- Temperature can be set from 30°C to 100°C.
- Scale-protected heating element under the tank with overheat protection.
- Drip tray included.
- Not suitable for chocolate milk.



B

HOT DRINKS BOILER SINGLE-WALLED

- Ideal for mulled wine and boiling water for tea, operates automatically and keeps drinks at serving temperature.
- Single-walled brushed stainless steel housing and lid with safe "Twist-lock" system.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.
- Clear level indicator in liters.
- Maximum cup height: 130 mm (without drip tray).

PP polypropylene S.S. stainless steel

Ć

R

f

C

Ĥ

Å

B

ကြိ

''

<u>555</u>

- With silicone protected power switch and indicator lights for heating and keep warm.
- Temperature can be set from 30° to 100°C.
- Scale-protected heating element under the tank with overheat protection.
- Not suitable for chocolate milk.



HOT DRINKS BOILER MATT BLACK - DESIGN BY BRONWASSER



- Designed with your guests in mind by renowned Dutch designer Robert Bronwasser.
- The unique design and attention for details make this appliance an eye-catcher on any buffet.
- Single walled matt black coated stainless steel body, with stylish polypropylene handles and lid.



- The drip tray is magnetic, it can be removed without lifting or spilling.
- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.



HOT DRINKS BOILER MATT BLACK - DESIGN BY BRONWASSER

- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.
- Not suitable for chocolate milk.


code	liters	V	W	mm	€
211458	9	230	950	307x330x(H)450	146,00
211465	16	230	1650	357x380x(H)502	182,00



PERCOLATOR MATT BLACK - DESIGN BY BRONWASSER

- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.

code	liters	٧	W	mm	€
211489	14	230	1750	357x380x(H)502	179,00
211472	7	230	1050	307x330x(H)450	162,00







The boiler keeps the drink at serving temperature after heating





PERCOLATORS SINGLE-WALLED

- Designed with your guests in mind by renowned Dutch designer Robert Bronwasser.
- The unique design and attention for details make this appliance an eye-catcher on any buffet.
- Single walled stainless steel body, with stylish polypropylene handles and lid.



PERCOLATOR - DESIGN BY BRONWASSER

- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.

code	liters	٧	W	mm	€
211441	14	230	1750	357x380x(H)502	158,00
211434	7	230	1050	307x330x(H)450	130,00

PP polypropytene S.S.

R

f

Ą

नि

ကြိ

- Unique non-drip tap design with integrated graduated glass.
- The drip tray is magnetic, it can be removed without lifting or spilling.
- The boiler keeps the drink at serving temperature after heating.
- The indicator light signals the end of the heating process and if descaling is needed.



HOT DRINKS BOILER - DESIGN BY BRONWASSER

- The boiler keeps the drink at serving temperature after boiling.
- The indicator light signals the end of the boiling process and if descaling is needed.
- Not suitable for chocolate milk.

code	liters	V	W	mm	€
211410	9	230	950	307x330x(H)450	127,00
211427	16	230	1650	357x380x(H)502	141,00

Unique non-drip tap design with integrated graduated glass





The boiler keeps the drink at serving temperature after heating





PERCOLATORS DOUBLE-WALLED

- Inner filter for coarse ground coffee made of stainless steel, use of paper filters is recommended.
- Heat loss and energy consumption reducing insulated double-walled polished stainless steel housing.
- Lid with safe "Twist-lock" system.
- Fitted with cool-touch grips, cover handle and anti-drip spout, all made of polypropylene.
- Clear level indicator in litres, with indication of number of cups remaining.
- Maximum cup height: 110mm.
- Reaches up to 90°C during coffee brewing, keeps the temperature at 70°C (±5°C) afterwards.
- With silicone protected power switch and indicator lights for heating and keep warm.
- Scale-protected heating element under the tank with overheat protection.
- Drip tray included.



SYSTEM the water slowly flow down dripping lines which improves the flavour and aroma of coffee






code	usable capacity [l]	V	W	mm	time to boil the wholebowser (min)	filter diameter (mm)	€
211342	4,2	230	950	310x330x(H)395	21 ±5	ø204	164,00
211359	9,5	230	1650	360x380x(H)462	31 ±5	ø254	204,00
211366	13	230	1650	360x380x(H)532	37 ±5	ø254	227,00

Double walled - up to 20% lower energy consumption





Filter cover with holes

Easily removable dripping tray



CHENDI

SINGLE-WALL COFFEE PRESS

- Lid with a secure "Twist-Lock" closing system.
- Internal stainless steel coarse ground coffee filter, paper filters recommended.
- Non-heating handles, lid handle and non-drip faucet made of polypropylene.
- User-friendly water level indicator (0.5 l scale).
- Maximum height of the cup: 110 mm (without drip tray).
- It reaches a brewing temperature of up to 96°C and then automatically switches to the keep warm function: 90°C (± 5°C).
- On/off power switch with silicone cover, indicator light lets you know when the brewing process is complete and when to descale.
- Heater placed under the bottom, protected against scale and with overheating protection.



code	usable capacity [l]	V	W	mm	time to boil the wholebowser (min)	filter diameter (mm)	¢
211311	7	230	950	310x330x(H)442	31 ±5	ø188	120,00
211335	15	230	1650	360x380x(H)532	40 ±5	ø246	181,00
211298		drip	ping tra	/			11,50

Lid with safe "Twist-lock" system fitted with cooltouch, polypropylene grips



With non-drip tap



HENDI

Built-in filter for coarsely ground coffee





PP S.S.

/ ____

R

f

Ĥ

Ř

B

ကြိ

1

Š





PERCOLATOR

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.



PERCOLATOR

- Single walled stainless steel body.
- Filter pan has built-in filter for coarsely ground coffee, filter paper not needed.
- The percolator keeps the coffee at serving temperature after brewing.
- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed

- With graduated glass, non-drip tap and fitted with automatic reset.
- The indicator light signals the end of the brewing process and if descaling is needed.



HOT DRINKS BOILER

- Single-walled.
- Ideal for mulled wine and boiling water for tea.
- Time to boiling: 209882 - 9 liter ± 23 min / 209899 - 18 liter ± 52 min.
- Maximum temperature 94-99°C.
- Protected against boiling dry.
- Not suitable for hot chocolate.

anu n ues	cauliy is ne	eueu.			
code	usable capacity (l)	V	W	mm	€
208007	6	230	1500	340x227x(H)468	137,00
208106	10	230	1500	387x275x(H)530	189,00
208205	16	230	1500	387x275x(H)595	206,00

code	usable capacity (l)	V	W	mm	€
209882	9	230	2200	340x227x(H)468	120,00
209899	18	230	2200	387x267x(H)595	165,00
209905	28	230	2200	500x465x(H)490	188,00



HENDI

F



PERCOLATOR DOUBLE WALLED

- Insulated double-wall polished stainless steel structure reduces heat loss through conduction, convection and radiation.
- Up to 20% lower energy consumption compared to similar single-walled percolators.
- Body and tank made of stainless steel.
- Welded stainless steel handles with silicone grip.



- Glass gauge.
- Descaling indicator.
- Dripping tray with stainless steel grid.
- Easy disassembly of parts for cleaning.



PERCOLATOR DOUBLE WALLED

code	liters	٧	W	mm	€
211106	6	230	1500	345x343x(H)517	164,00
211205	10	230	1500	386x393x(H)576	206,00
211304	16	230	1500	386x393x(H)641	226,00



HOT DRINKS BOILER DOUBLE-WALLED

- Thermostatic temperature control adjustable up to 110°C.

- Not suitable for chocolate milk.

code	liters	V	W	mm	€
211403	9	230	2200	343x345x(H)517	167,00
211502	18	230	2200	386x393x(H)641	215,00



HENDI

/ ____

ß

A

Ê

Ř

ස

ကြိ

''

_____ ____

AVE ENERGY

<u>S.S</u>.

DISHWASHER 50X50 - ELECTRONIC CONTROL

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays
- Electronic control, touch control, electronic panel
- Detergent and rinse aid dispensers and pump as standard
- AISI 304 stainless steel housing
- Bottom rotating, separate plastic washing and stainless steel rinsing arms
- At the top stationary plastic wash arms, rotating stainless steel rinse arms
- Robust double-skinned door with microswitch for operation at opening
- Maximum height of glass to be cleaned: 325 mm
- Maximum height of plates to be washed: 335 mm
- Washing water temperature 60°C
- Flushing water temperature 85°C
- Boiler (capacity/power): 6 l / 6 kW
- Bath (capacity/power): 35 l / 2.8 kW
- Washing pump: 0,75 kM
- Safety thermostat for boiler/bath: up to 105°C / 99°C
- Electronic boiler and bath water thermometer
- Sealing factor of the pump: IP 44
- Vertically adjustable feet ±10 mm, ø40 mm
- Weight: 55 kg

FUNCTIONS:

- Three washing programs: 60, 120, 180 s. [The washing program can be automatically extended by the time of warming up the rinsing water to +85°C]
- Dishwasher compartment washing programme
- Can be rinsed with cold water especially suitable for glass washing
- THERMO-PROTECTOR" system to prevent cold flushing water guarantees the start of rinsing at temp. 85°
- SOFT START" system starts the water pump at a lower level pressure
- and a gradual increase in pressure to protect delicate vessels
- 8-point self-diagnostic system
- ECO system for reduced power consumption

EQUIPMENT:

- 1 universal glass basket 500×500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5×8 pcs, 500×500×(H)105 mm
- 1 cutlery basket 110×110x(H)130 mm
- Electric detergent and rinse aid dyspenser
- Water hose 1.5 m long, with 3/4" female thread connection
- Drain pump
- Drain hose
- Electric cable without plug



HENDI



GLASS DISHWASHER 40X40



electromechanical control



419

⊃ max H ⊑ 290 mm

electronic control

Separate stainless steel washing and rinsing arms at the top





Separate stainless steel washing and rinsing arms at the bottom

DISHWASHER 50X50

₩ \ \ \ \ max H 335 mm



electromechanical control



electronic control

Separate stainless steel washing and rinsing arms at the top





Separate plastic washing arms and stainless steel rinsing arms at the bottom

code	control	basket size	voltage [V]	rinse aid dispenser	dispenser of washing detergent	drain pump	€
230299	electromechanical	40x40	230	YES			1 250,00
233009	electromechanical	40x40	230	YES	YES		1 340,00
233016	electromechanical	40x40	230	YES		YES	1 320,00
233023	electromechanical	40x40	230	YES	YES	YES	1 340,00
230268	electronic	40x40	230	YES	YES	YES	1 720,00
230305	electromechanical	50x50	400	YES			1 440,00
230220	electromechanical	50x50	230	YES			1 450,00
233030	electromechanical	50x50	400	YES	YES		1 500,00
230237	electromechanical	50x50	230	YES	YES		1 480,00
233047	electromechanical	50x50	400	YES		YES	1 560,00
233054	electromechanical	50x50	400	YES	YES	YES	1 620,00
230251	electromechanical	50x50	230	YES	YES	YES	1 700,00
231753	electronic	50x50	400	YES	YES	YES	2 060,00

Ĵ



		GLASS DISHW	ASHER 40X40	DISHWASHE	R 50X50	
CONTROL		electromechanical	electronic	electromechanical	electronic	
INTENDED USE		mugs, cups, glass	es, cutlery, plates	plates, cutlery, glass	ses, mugs, trays	
WASHING PARAMETERS						
Washing cycles number/duration	S	1 - 1201]	3/60, 120, 1801)	1 - 1201)	3/60, 120, 180 ^{1]}	
Capacity	baskets/h	30	60/30/20	30	60/30/20	
Maximum height	mm	plate 290 /	glass 295	plate 325 / g	lass 335	
Water consumption per cycle	l	2-2,5	1,7	2-2,5		
Washing water temperature	°C	6	-	62		
Rinse water temperature	°C	8	-	85		
Boiler (capacity/power)	l/kW	3,5/	/2,5	6/6 (400 V) or 6/3 (230 V)	6/6	
Tank (capacity/power)	l/kW	17/2,5		35/2,8 (400 V) or 35/3,6 (230 V)	35/2,8	
Safety thermostat for boiler	°C	105		105		
Safety thermostat for tank	°C	99		99		
STANDARD EQUIPMENT						
Water thermometer in the boiler			electronic	analog	electronic	
Separate washing/rinsing arms		washing and rinsing	stainless steel arms	plastic washing arms, stain	less steel rinsing arn	
Rinse aid dispenser		YES		YES		
Dispenser of washing detergent		OPTION	YES	OPTION	YES	
Drain pump		OPTION	YES	OPTION	YES	
Equipment		1x cutlery basket 1 water supply hose length 1 inner t	1x basket with pins 400x400x 110 mm for plates 1x cutlery basket 110x110x 130 mm water supply hose length 1,5 m, with connection 3/4" inner thread drain hose length 2 m, Ø25 mm		Dx(H)105 mm for plate: x110x(H)130 mm · length 1,5 m, 4″ inner thread 2 m, Ø25 mm	
TECHNICAL PARAMETERS						
Dimensions	mm	470x510	x(H)710	570x600x(H)830		
Power	kW	2.		6 (400 V) or 3,6 (230 V)	6,6	
Pump power	KM	0.1	0,3	0,75		
Pump leakage rate	TAPI	IP		U,75		
Voltage	V	23		400 or 230	400	
Weight	kg	3		57	55	
FUNCTIONS	ng		,	0,		
Dishwasher self-cleaning programme			YES		YES	
'SOFT START" system 2			YES		YES	
THERMO-PROTECTOR system 3			YES		YES	
Self-diagnosis system 4)			YES		YES, 8-point	
ECO system					YES	
CONSTRUCTION					.20	
Housing made of AISI 304 steel		YE		YES		
Double-layer insulated doors		YE		YES		
/	mm	t		±10		
Vertically adjustable feet ø40 mm FLOOR STAND	mm		10 1980	2310	50	
Dimensions	mm	470x500				
	mm	4/0X300	N(11)300	560x560x(H)500		
Capacity		For 2 baskets 400x400x(H)150 mm		For 2 baskets 500x500x(H)105 mm		

¹ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

²¹ "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes

HENDI

^{3]} "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

⁴⁾ Self-diagnosis system for a quick check of the dishwasher condition



/ _____

N

Ř

ස

Ő

HOOD DISHWASHER - ELECTRONIC CONTROLLER

- Extremely easy to use, clean and service
- Ideal for washing plates, cutlery, glassware, cups, trays, GN 1/1 containers
- Electronic control
- Detergent and rinse aid dispensers and drain pump as standard
- Maximum height of washed plates 400 mm
- Maximum height of glass to be cleaned 395 mm
- Touch electronic control panel
- AISI 304 stainless steel housing
- Stainless steel upper and lower washing and rinsing arms
- Lifting of the hood facilitated by built-in springs
- Washing water temperature 60°C
- Temperature of rinsing, scalding water 85°C
- Boiler capacity and output 13.5 l / 7.5 kW
- Tank capacity and power 68 L / 6.0 kW
- Cleaning pump power 1,5 kM
- Electronic water thermometers for the boiler and bath separately
- Safety thermostat for boiler/bath up to 105°C / 99°C
- Sealing factor of the pump: IP 44
- Corner installation of dishwasher possible
- Water connection: ³/₄"
- Weight: 131.5 kg
- Adjustable stainless steel feet from 100 to 150 mm

FUNCTIONS:

- Three washing programs: 60, 120, 240 s
- Dishwasher compartment washing programme
- Possibility of a final rinse with cold water especially useful when washing glass
- "THERMO-PROTECTOR" system to prevent rinsing with cold water
- 8-point self-diagnostic system
- "SOFT START" function to start the water pump at a lower pressure and raise it gradually so as not to damage delicate dishes
- Door with microswitch for operation when hood is raised
- EC0 function reduces power consumption when the device is not used for more than 15 minutes


EQUIPMENT:

DISHWASHERS AND HYGIENE

- 1 universal glass basket 500×500x(H)105 mm
- 1 basket with pins for deep and shallow plates with 5×8 pcs, $500\times500\times(H)105~mm$
- 1 cutlery basket 110×110x(H)130 mm
- Rinse aid and detergent dispenser
- Drain pump
- Water hose 1.5 m long, with ¾" female thread connection.
- Drain hose
- Electric cable without plug



HENDI



HOOD DISHWASHER 50X50



code	control	basket size	voltage (V)	rinse aid dispenser	dispenser of washing detergent	drain pump	€
230312	electromechanical	50x50	400	YES			3 060,00
233061	electromechanical	50x50	400	YES	YES		3 250,00
231340	electronic	50x50	400	YES	YES	YES	3 690,00

Ö

650



Prices net of VAT

CONTROL		electromechanical	ASHEER 50X50 electronic	
INTENDED USE		plates, cutlery, glasses, mugs, trays, GN containers		
WASHING PARAMETERS		·····, ····, ····, ····,		
Washing cycles number/duration	S	1 - 1201	3/60, 120, 1801)	
Capacity	baskets/h	30	60/30/15	
Maximum height	mm		5 / plate 400	
Water consumption per cycle	l	2-2,5	1,7	
Washing water temperature	°C		62	
Rinse water temperature	°C		85	
Boiler (capacity/power)	l/kW	7.4/7.5	13,5/7,5	
Fank (capacity/power)	L/ kW	, , , ,	10,0,7,0	
Safety thermostat for boiler	°C		105	
Safety thermostat for tank	0°C		99	
TANDARD EQUIPMENT	0		11	
Electronic touch control panel			YES	
Vater thermometer in the boiler		analog	electronic	
and the basin			a fan anna at tha hattan 19	
Separate washing/rinsing arms			nsing arms at the bottom and top	
Rinse aid dispenser			/ES	
Dispenser of washing detergent		OPTION	YES	
Equipment		1x basket with pins 500>	500x(H)105 mm for glasses <500x(H)105 mm for plates 110x110x(H)130 mm	
Surface filters above water evel in the basin		4	pcs	
Additional screen in front of he pump inlet		Y	/ES	
Nater supply hose, length 1.5 m, with 3/4" female thread		Y	/ES	
Power cord without plug		Y	/ES	
ECHNICAL PARAMETERS				
limensions	mm	750x880x(H)1390/1830	
'ower	kW		8,6	
Pump power	KM		1,5	
Pump leakage rate	kW	IF	р 44	
/oltage	V	1	400	
Veight	kg	111	131,5	
UNCTIONS				
)ishwasher self-cleaning Irogramme			YES	
SOFT START" system 2			YES	
HERMO-PROTECTOR system 3			YES	
elf-diagnosis system 4			YES, 8-point	
CO system			YES	
Door with microswitch for operation				
vith the hood raised			YES	
CONSTRUCTION				
Housing made of AISI 304 steel			/ES	
Double-layer insulated doors		Y	/ES	
/ertically adjustable feet	mm	from 100	to 150 mm	

¹ Indicated time may be extended due to the time needed for the water in the boiler to reach 85°C

DISHWASHER FUNCTIONS

^{al} "SOFT START" – activates the water pump at a lower pressure and gradually raises the pressure to avoid damaging delicate dishes ^{al} "THERMO-PROTECTOR" system – prevents rinsing with cold water – guarantees that rinsing will start at 85°C

⁴ Self-diagnosis system for a quick check of the dishwasher condition



Å

ß

٢

N

C

Ř

B

Ő

50X60 DISHWASHER FOR TRAYS AND POTS – ELECTRONICALLY CONTROLLED, WITH DETERGENT DOSING SYSTEM AND DRAIN PUMP

OHEND



- 3 electronically controlled washing cycles: 120s, 180s, 240s.
- Scalding temperature: 82°C.
- Washing temperature: 60°C.
- Electronic touch panel.

236574

- Automatic cleaning system.
- Pump tightness coefficient: IP 44.
- Large basket: 500x600 mm.
- Two-layer housing made of AISI 304 stainless steel.
- Washing and rinsing arms made of stainless steel.
- Weight: 57 kg.

EQUIPMENT:

- Detergent dispenser.
- Rinse aid dispenser.
- Electronic thermometer in boiler.
- Electronic thermometer in basin.
- 1,2 kW washing pump.
- Drain pump.
- Plate basket 500x600x(H)105 mm.
- Universal basket 500x600x(H)105 mm.
- Cutlery basket 110x110x(H)130 mm.

code	V	W	mm	boiler capacity/power	basin capacity/power	€
236567	400	5000	595x730x(H)1340	7,4 l/4 kW	58 l/4 kW	4 890,00
236574	400	7100	595x730x(H)1340	7,4 l/6 kW	58 l/6 kW	4 890,00



ů



B10163 B10163 BASIN TAP WITH SHOWER - Tap made of polished stainless steel - Single hole, rotary spout - Stream control - Stream control - Required table opening: 30 mm - Connector hoses: 3/8", length: 400 mm		810170 BASIN TAP WITH EXTENDIBLE SP - Single hole, rotary spout - Stream control - Required table opening: 30 mm - Connector hoses: 3/8", length: 350 mm - Tap height: 445 mm	IOWER
– Spout range: 190 mm – Tap height: 370 mm		- Tap made of polished stainless steel	
code	€	810170	309
810163	255,00		
A		T O	

€

LONG LEVER BASIN TAP

- Tap made of stainless steel
- Single hole, rotary spout
- Stream control
- Required table opening: 27 mm
- Connector hoses: 1/2", length: 400 mm
- Spout range: 180 mm
- Tap height: 225 mm

code

810248	79,00

810248



PULL-OUT BASIN TAP

- Made from stainless steel
- Single hole, rotary spout
- Stream control
- Shower length: 150 cm
- Required table opening: 32 mm
- Connector hoses: 3/8", length: 350 mm
- Spout range: 230 mm
- Tap height: 230 mm

code	€
810255	156,00





ADJUSTABLE WASH LIQUID DISPENSER

- Electronic wash liquid dispenser
- Cycle adjustable with a timer

code	V	W	mm	€
231142	230	8	82x103x(H)92	91,50



ADJUSTABLE WASHING LIQUID DISPENSER

- Screw for flow adjustment 0 to 1.5 l/h

code	V	W	€
235973	230	5	72,50



235973

R

f

Ĥ

Ą

ति

ကြိ

''

€ 309.00







€

S.S.

SINK TAP

- Single-hole, separate knobs for hot and cold.
- Connection hoses: 1/2".
- Mounting hole required: ø30 mm.
- Swivel spout, radius 250 mm.

code	

970508	86,00

SINGLE PEDESTAL PRE-RINSER

- Single pedestal pillar tap.
- Rinser resistant to high pressure water flow.
- Maximum water flow: 17 L/min.
- at a pressure of 4 bar.
- Plastic rinser handle.
- Adjustable column support.
- Wall mount (optional shortening).
- Connection hoses: 1/2", 400 mm long each.
- Table hole required: Ø 27 mm.

code	€
970300	211,00

SINK TAP WITH LONG LEVER - Long lever for mixing hot and cold water. - Connection hoses: 3/8".

- Mounting hole required: ø35 mm.
- Swivel spout, radius 215 mm.

· · · · · · · · · · · · · · · · · · ·	
code	€
970522	100,00



810323

970300

- Recommended supply water pressure: 3 bar.
- Operating pressure of supply water: 0.5 to 7 bar.
- PA66 nylon housing, metal parts made of chrome-plated steel.
- Water supply connection: 1/2" inner diameter.

code	mm	€
810323	56x42x(H)2000	61,00

and surfaces. - A 2 meter long hose brings many objects into range.

- Ergonomic handle with valve lever is comfortable to hold.

HOSE WITH RINSE HEAD FOR APPLIANCES
- Ideal for any chef to keep their appliances spotless.
- Suitable for cleaning any number of waterproof appliance parts

- Supplied with a dedicated holder that can be placed on oven housing (as indicated by technician) or on the wall using 3 screws.
- Jet is divided into a number of smaller ones using a strainer which increases the cleaning area covered.
- Water temperatures from 5°C to 85°C are ideal.
- Maximum water flow rate up to 11 L/m at pressure of 3 bar.

Prices net of VAT



655



f

Å

ලි

Ö

Stainless steel swivel impellers & cutting



ő





GREASE TRAP

- Prevents grease from blocking the sewer system.
- For indoor use (dishwashing areas, kitchens).
- Compact size, completely made from stainless steel.
- The gasketed lid secured in place with four clamps.
- Water in & out connections Ø50 mm.
- Two vertical interior baffles separating grease and silt.
- Grease removal drain fitted with a ball valve.

code	-	liters	mm	€
975718	300l/h	30	650x346x(H)308	326,00
975725	600l/h	60	728x416x(H)398	423,00
979945	1800l/h	180	903x548x(H)629	649,00





HAND DRYER

- Electric activation by motion detector.
- Fitted with lead and plug Impact resistant metal casing in white epoxy finish.

code	V	W	mm	€
221808	230	1500	240x210x(H)265	139,00



WASHBASIN KNEE OPERATED

- Made of stainless steel, button made from chrome plated plastic and the valve from copper.
- The basin has a diameter of 350 mm and a depth of 123 mm.
- Easy to operate with a knee.
- Connecting materials included.

code	mm	€
810316	400x400x(H)450	269,00



With kneeoperated faucet

810309

KITCHEN SINK - WITH KNEE-OPERATED FAUCET

- Turn on the water in a hygienic way by simply pressing your knee against the front panel.
- _ Equipped with hot and cold water mixer which is located under the front panel.
- Basin and backsplash made of 18/10 stainless steel.
- Comes with spout and soap dispenser.
- Front panel dimensions: 285x(H)185 mm.
- Sink dimensions: 330x230x(H)120 mm.
- Water connection: 1/2", drain hole Ø 52 mm.

code	mm	€
810309	400x335x(H)570	243,00

S.S.

18/10

R

A

(

Ĥ

Ř

B

ကြိ

''

<u>555</u>



S.S.

CONTACTLESS, WALL-MOUNTED WASHBASIN, RECTANGULAR BASIN

- Easy and hygienic knee operation by pressing the front panel.
- The water stream flows for 4-6 s.
- The entire kit is made of AISI 304 stainless steel.
- Chamber dimensions: 340x230x(H)115 mm.
- Anti-splash wall shield (H)100 mm.
- A single mixed (hot and cold) water outlet; G 1/2" connector.
- The kit includes: an outlet (H)185 mm and a knee-operated starting mechanism with a return valve.
- NOTE: The delivery does not include hoses, seals, a siphon and a wall mounting set for the washbasin.

- Net weight: 5.5 kg.

J	J	
code	mm	€
809976	400x315x(H)470	336,00



CONTACTLESS WASHBASIN, FREE-STANDING ON A CUPBOARD, TRAPEZOID BASIN

- Easy and hygienic washbasin operation using the leg mechanism.
- The washbasin is installed in a handy cupboard, where cleaning agents may be stored.
- Open rear cupboard wall.
- Door with a knob provided as a convenient depression along the entire level.
- Adjustable feet: 130 to 195 mm.
- The entire kit is made of AISI 304 stainless steel.
- Chamber dimensions: 440x286x(H)125 mm.
- Rear edge (H)100 mm.
- Two separate hot and cold water inlets; 3/8" connector.
- The set includes: an otlet (H)185 mm and a knee-operated starting mechanism with a return valve.
- NOTE: The delivery does not include hoses, seals, a siphon and a wall mounting set for the washbasin.

- Net weight: 16.1 kg.

code	mm	€
809983	400x500x(H)995	786,00

ണ്





CONTACTLESS WASHBASIN, FREE-STANDING ON A CUPBOARD, ROUND BASIN

- Easy and hygienic keen operation by pressing a button in front of the washbasin.
- The water stream flows for 4-6 s.
- The washbasin is installe inside a convenient cupboard, where cleaning agents may be stored.
 Open rear cupboard wall.
- The door with a handle formed as a convenient depression along the entire height.
- Adjustable feet: 130 to 195 mm.
- The entire kit is made of AISI 304 stainless steel.
- Chamber dimensions: Ø340x125 mm.
- Rear edge (H)100 mm.
- Single mixed (hot and cold) water inlet; G 1/2" connector.
- The kit includes: an outlet (H)185 mm and a knee-operated starting mechanism with a return valve.
- Note: The delivery does not include hoses, seals, a siphon and a wall mounting set for the washbasin.
- Net weight: 13.4 kg.

code	mm	€
809990	400x400x(H)995	697,00



WALL-MOUNTED, INDUSTRIAL DISPENSER FOR A LARGE ROLL OF PAPER TOWELS

- Intended as an accessory at any and all workplaces with high demand for paper towels.
- Convenient and quick paper drawing thanks to the toothed limiting element.
- The frame and the limiting element are made of AISI 304 stainless steel.
- The paper roll fixture made of yellow polypropylene.
- Maximum roll size: up to Ø350x(H)300 mm.
- Net weight: 1.1 kg.
- A wall mounting set is included in the kit.

code	mm	€
809952	400x250x(H)280	117,00





ති

Ē

नि

ကြီ

WALL-MOUNTED SOAP DISPENSER

- For public toilets in restaurants, hotels, schools or office buildings.
- Elegant and durable housing made of AISI 304 steel.
- Lock, lever and pump made of POM plastic.


809921

- Transparent ABS plastic window enables control of dispenser levels.
- The key lock protects access to the liquid.
- Volume: 1.2 l.
- Single soap dose: 1.6 ml.
- Net weight: 1.4 kg.
- A wall mount set included in the kit.

code	mm	€
809921	110x105x(H)320	142,00


UNIVERSAL DISHWASHER RACK CAMRACK® 500X500 MM.

CAMBRO



- For sale storage and enricient washing or distles or any size.
- Robust and durable construction made of polypropylene (PP).
 Withstands high temperatures (up to 93°C) and chemicals.
- withstands high temperatures (up to 93°C) and chemicals
- Closed outer walls and grid bottom ensure good water circulation and fast drying of dishes.
- Easy transport thanks to special handles and compatibility with other Cambro items.
- Universal dimensions: 500x500x(H)101 mm.
- Available in 6 colours: black, grey, green, red, blue and cranberry.
- You can attach an Extender ID clip (CECBL6000) to the rack clip not included.

code colour mm € 500x500x(H)101 22,50 BR258119 Green Black 500x500x(H)101 BR258110 22,50 BR258151 Light grey 500x500x(H)101 22,50 Red 500x500x(H)101 BR258163 22,50 BR258186 Blue 500x500x(H)101 22,50 BR258416 Cranberry 500x500x(H)101 22.50







ကိ

660



Prices net of VAT



9 compartments 150x150 mm 9E1151

16 compartments 111x111 mm 16E1151

25 compartments 89x89 mm 25E1151 36 compartments 73x73 mm 36E1151 49 compartments 62x62 mm 49E1151

FULL DROP RACK EXTENDER 500X500 MM GREY, E1 MODEL.

- The extender provides adequate protection for the dishes during washing, storage and transport.
- Made of chemical and heat resistant (up to 93°C) polypropylene.
- It has an open bottom, thanks to which the glass placed inside is thoroughly cleaned and dried.
- Universal size.
- Available in 5 construction versions, which allows for individual selection of the extender to the size of the dishes.
- The extender can be combined with:
- Camrack® universal rack (BR258)

9 compartments

150x150 mm

9F2151

code	mm	€
9E1151	499x499x(H)51	12,00
16E1151	499x499x(H)51	12,50
25E1151	499x499x(H)51	12,50
36E1151	499x499x(H)51	13,50
49E1151	499x499x(H)51	18,50

25 compartments 36 cc 89x89 mm 7

25F2151





36 compartments 73x73 mm 36E2151

62x62 mm 49E2151

HALF DROP RACK EXTENDER 500X500 MM GREY, E2 MODEL.

 The extender provides adequate protection for the dishes during washing, storage and transport.

16 compartments

111x111 mm

16F2151

- Made of chemical and heat resistant (up to 93°C) polypropylene.
- It has an open bottom, thanks to which the glass placed inside is thoroughly cleaned and dried.
- Universal size.
- Available in 5 construction versions, which allows for individual selection of the extender to the size of the dishes.
- The extender can be combined with:
- Camrack® universal rack (BR258).

code	mm	€
16E2151	499x499x(H)51	12,00
9E2151	499x499x(H)51	11,50
25E2151	499x499x(H)51	12,00
36E2151	499x499x(H)51	12,50
49E2151	499x499x(H)51	17,00





FR258151

CAMRACK® DISHWASHER FLATWARE RACK 500X500 MM, GREY.

- Intended for storing and washing flatware and small kitchen utensils in commercial dishwashers.
- Made of durable polypropylene, resistant to chemicals and high temperature (up to 93°C).
- Side walls retain water and detergents for efficient washing.
- Grating bottom prevents small items from falling out of the basket, while also making them easier to wash and dry.
- Ergonomic handles for easy transport.
- Space-saving stackable racks.
- Designed place for label or a clip with description enables guick identification of the rack contents.
- Weight: 2.0 kg.

code	colour	mm	€	
FR258151	Light grey	500x500x(H)101	23,50	



CAMRACK® DISHWASHER PLATE RACK 500X500 MM, GREY.

- Designed to hold and wash both shallow and deep plates or howls
- Made of durable polypropylene, resistant to chemicals and high temperature (up to 93°C).
- Side walls retain water and detergents for efficient washing.
- Grid bottom for easy washing and drying.
- Ergonomic handles for easy transport.
- Great stability of the dishes thanks to the support pegs that allow loading of:
 - 10 pcs. of deep plates, bowls, epergnes up to ø25,4 cm.
 - 18 flat plates of ø25,4 cm.
 - 12 flat plates of ø30.5 cm.
 - 27 flat plates of ø19 cm.
 - 9 travs ø36x46 cm.
- Space-saving stackable racks.
- Designed place for label or a clip with description enables guick identification of the rack contents.
- Weight: 1.95 kg.


code	colour	mm	€
PR59314151	Light grey	500x500x(H)101	24,00

ကိ

LID FOR 500×500 MM RACKS

- Protects dishwasher racks from any undesirable external factors
- Improves the hygiene of the dishes during storage by minimalising the risk of contamination with dust and dirt.
- Dishwasher safe.

code	colour	mm	€
877791	Light grey	500x500x(H)35	16,50



AMER*BOX*

ß

 ٢

ß

CART FOR CAMRACK[®] 500×500 MM UNIVERSAL RACKS

- Designed to transport Camrack[®] 500×500 mm universal racks.
- Made of polypropylene resistant to cracking, rust and corrosion.
- Easy to move thanks to 4 swivel castors.

code	colour	mm	€
877807	Light grey	500x500x(H)180	83,50







DISHWASHER BASKET FOR GLASSWARE

code	-	mm	€
877050	9 compartments	500x500x(H)104	20,00
877043	16 compartments	500x500x(H)104	24,00
877036	25 compartments	500x500x(H)104	24,00
877029	36 compartments	500x500x(H)104	24,00
877012	49 compartments	500x500x(H)104	24,00



DISHWASHER UNIVERSAL BASKET

- Suitable for cups, pots, bowls, etc.
- The structure allows for maximum flow of water between the dishes in all directions With coarse mesh bottom



DISHWASHER BASKET FOR PLATES

- The structure allows for maximum flow of water between the dishes in all directions.
- With pre-shaped pins.

code

877104

- The spaces between separators create the optimum tilt of plates necessary for effective washing. mm

€

19,00

	500		500	PP
100	and the second	A SUBSIDIA	Aller	polypropytene
877302	1111	1000	Con a	
1000		and the second	the	
877548	110	111. 23	-	
No.	1254254	A Real Prove	an you	
877531	10.01	1. 8.8.4		
Nerro	and and the	and the second s	They	
877524	1.11	10.2	12	
10252	15.45.45.40	- University	14	
877517	A and	A 10 10	2021	
1000		- Contraction		
	333	142 144	12	
877500	1000			

EXTENDER FOR DISHWASHER BASKET

code	-	mm	€
877302	1 compartment	500x500x(H)45	8,10
877548	9 compartments	500x500x(H)45	12,50
877531	16 compartments	500x500x(H)45	12,50
877524	25 compartments	500x500x(H)45	12,00
877517	36 compartments	500x500x(H)45	12,00
877500	49 compartments	500x500x(H)45	12,50



DISHWASHER BASKET FOR CUTLERY

- The structure allows for maximum flow of water between the dishes in all directions.
- The fine mesh bottom prevents cutlery from falling through.


code	mm	€	
877203	500x500x(H)100	20,00	

code	mm	€	
877005	500x500x(H)100	20,00	

664



500x500x(H)100



877128



DISHWASHER BASKET FOR CUPS

- The structure allows for maximum flow of water between the dishes in all directions 16 sections.

code	mm	€
877128	500x500x(H)100	22,00



DISHWASHER BASKET FOR TRAYS

- The structure allows for maximum flow of water between the trays in all directions.

PP

- With pre-shaped pins.
- With one open end for trays and other long items.

code	mm	€
877111	500x500x(H)100	17,00




DISHWASHER BASKET FOR GLASSES

- The structure allows for maximum flow of water between the glasses in all directions.

code	-	mm	€
871331		400x400 x(H)150	17,00
871348	with 20 support pins	400x400 x(H)110	17,00



- Made of durable polypropylene, resistant to chemicals and high temperature (up to 90°C).
- The open design allows water to flow freely between dishes or flatware in every plane for efficient dishwashing.
- Grating bottom prevents small items from falling out of the basket, while also making them easier to wash and dry.
- Profile handles for easy transport.
- Space-saving stackable racks.



code

DISHWASHER BASKET FOR PLATES 400X400 MM

- Intended for storing and washing (deep) plates, bowls and trays in commercial dishwashers
- High stability of the plates thanks to large number of supporting posts (6 rows of 6 posts). mm

€.

14.50



DISHWASHER BASKET UNIVERSAL 400X400 MM

code	mm	€
815847	400x400x(H)120	14,50



DISHWASHER BASKET UNIVERSAL 500X500 MM

code	mm	€
815687	500x500x(H)100	14,50

400x400x(H)120 815854 14,50 500 500




DISHWASHER BASKET FOR PLATES 500X500 MM

- Intended for storing and washing (deep) plates, bowls and trays in commercial dishwashers.
- High stability of the plates thanks to large number of supporting posts (8 rows of 8 posts). code mm €

500x500x(H)100

HENDI



815700

DISHWASHER BASKET FOR FLATWARE 500X500 MM

code	mm	€
815700	500x500x(H)100	14,50

815694



ති

f

नि

ကြီ





LID FOR RAG	CKS	
code	mm	€
877180	500x500	16,00

CUTLERY BASKET

- 8 sections with handle.

code	mm	€
871102	425x205x(H)150	11,00



MOBILE TROLLEY FOR **DISHWASHER BASKETS -**7 X 500X500 MM

- For dishwasher baskets 500x500 mm.
- Keep the work area around the dishwasher organised.
- 7 layers basket supports interspaced at 200 mm.
- Fitted with basket locks on both sides.
- Fitted with four castors of which two have brakes.
- Flatpack delivery.
- Permissible cart load capacity with uniform weight distribution - 100 kg.







CUTLERY BASKET

code	mm	€	code	mm	€	
871324	125x84x(H)135	5,00	871300	110x110x(H)140	4,45	



code

877173

code	mm	€	code	
810583	615x560x(H)1700	280,00	877197	575

mm € 5x545x(H)920 137,00

€ 90,00

mm

575x545x(H)210

ကိ



EGG STERILIZER

- Indispensable for each kitchen in school, hotel, restaurant, canteen or pastry shop.
- Disinfects 30 eggs (281208) or 10 eggs (218253) at a time.
- UV resistant grid fixed in bearing drawer.
- Eggs get sterilized in a process of irradiation with waves of 253,7 nm length.
- Irradiation (sterilization) takes around 2,30 minutes.
- Eggs can be used right after the disinfection process.

- Lamps are turned off automatically when opening the drawer.
- Stainless steel casing.
- Bearing-mounted egg rack made of polyester powder-coated steel (281253)
- UV radiator life: 7500 h.

code	-	٧	W	mm	€
281253	10 eggs	230	32	422x228x(H)188	175,00
281208	30 eggs	230	78	358x512x(H)255	333,00





Watch the video

ΡΜΜΔ

S.S.

UV STERILIZER

- Perfect for sterilizing knives, capacity for 14 knives.
- Made of stainless steel with plexiglass door.
- Fitted with stainless steel knife holder.
- Sterilizes by means of bactericidal ultraviolet light.
- Equipped with a microswitch to prevent operation while the door is open.
- Integrated timer adjustable up to 60 minutes.
- Accommodates the maximum size knives:
 - handle length max 150 mm,
 - blade length max 350 mm,

|--|

code	V	W	mm	€
281246	230	25	510x160x(H)610	244,00





HENDI 30 KNIFE STERILIZER

- Perfect for sterilizing knives, capacity up to 30 knives
- Disinfection with bactericidal UV radiation
- Stainless steel casing
- Wall-mounted
- Built-in timer, up to 120 minutes
- Weight: 8 kg

code	V	W	mm	€
281215	230	15	482x155x(H)613	288,00





Ś

R

f

(

Ĥ

Å

नि

ကြိ





668

CUTLERY POLISHERS

- Compact appliances perfect for use in both large and small hotels and restaurants.
- The fully automatic process of drying, polishing, and removing water marks deposited on cutlery after washing – saving work time of the staff.
- The round shape of the drum and the rounded cutlery trough

facilitate the smooth movement of cutlery throughout the cycle without creating blockages.

P

/ _____

R

A

C

Ĥ

Ř

B

ကြိ

''

<u>555</u>

Body and polishing tank made of top grade stainless steel.
 UVC germicidal lamp to sterilise both the cutlery and the polisher.



code	performance (pcs./h)	amount of polishing agent as standard (kg)		engine cooling (50 W)	bactericide lamp UVC (8 W)	engine brake	V	W	mm	kg	€
1370043	3000	3	table	YES	YES	-	230	683	484x664x(H)410	43	5 250,00
1370042	up to 8000	5	free-standing	YES	YES	-	230	1208	633x791x(H)778	130	8 060,00
1370046	up to 8000	5	free-standing	YES	YES	-	400	1208	633x791x(H)778	130	7 740,00
1370044	up to 8000	5	free-standing	YES	YES	YES	230	1258	633x791x(H)778	130	9 070,00
1370048	up to 8000	5	free-standing	YES	YES	YES	230	1258	633x791x(H)778	130	8 840,00

ACCESSORIES

code		€
976562	Biodegradable polishing granulate for cutlery polishing machines	27,50
2379015	A set of front wheels for stand-alone packaging machines – 2 pcs.	450,00

CHEF'S HAT - 10 PCS

- Pleated nonwoven PP material.
- Perforated crown.
- Adjustable size

€
5,60

976562





560044

HENDI Tools for Chefs EXTREME PROFESSIONAL





231388

EXTREME OVEN CLEANER PROFESSIONAL COMBI OVEN CLEANER

- Strongly alkaline concentrate for periodical and daily cleaning of combi ovens.
- Recommended for devices with CIP option.
- Effectively removes burnt oily and tarry residues, hardened grease, as well as organic deposits and discolorations occurring while baking or cooking.
- Contains corrosion inhibitors.
- Rinsing required.
- pH 14.

code	-	liters	€
231388	canister	10	61,00





 \bigcirc





EXTREME CLEAN PROFESSIONAL. **MULTI-PURPOSE KITCHEN CLEANER, 1L**

- Ready-to-use de-greasing and stain removing cleaner for daily cleaning.
- Effectively removes stubborn oily deposits of animal, plant and industrial origin.
- Recommended for cleaning kitchen surfaces (walls, equipment). as well as at home, garage, garden.
- Also suitable for removing stains from textiles.

code	-	liters	€
975466	bottle	1	6,95



ති

F

ਬਿ

I

EXTREME STEEL PROFESSIONAL STEEL POLISH AND CLEANER, 1L

- Streak-free, ready-to-use, product for care and de-grease of matte (brushed) and glossy stainless steel.
- Removed fingerprints and daily grease vapours.
- When used daily, it brings out the depth and leaves a mirror effect
- Recommended for external structures of kitchen equipment, lift cabins, hoods.
- No rinsing required.

– pH 7.

code	-	liters	€
979761	bottle	1	9,45



- A multi-purpose, concentrated cleaning and de-greasing agent to remove organic residues.
- Cleans, washes, removes stains and de-greases in one operation.
- May be used in food and catering industry, for both thorough and daily cleaning.
- Recommended for cleaning floors, walls, elements of equipment, washing work wear as well as stain removal.
- Dedicated for manual, pressure washing and scrubbing machinery.
- USE: Prepare a working solution washing, daily laundry: 10-50 ml/10 l of water, additional cleaning: 100-500 ml/10 l of water; stain removal, de-greasing 1:1 to 1:3 with water.
- Apply the solution on the surface, wait a while, scrub, wipe away the dirt, rinse the surface with clean water.
- In the case of hard grease removal wash the surface with clean, hot water,

code	-	liters	€	
979778	bottle	1	6,95	









EXTREME WASH PROFESSIONAL DISHWASHING DETERGENT FOR COMMERCIAL DISH-WASHER

- Strongly alkaline concentrate for machine dishwashing in commercial and industrial dishwashers.
- Wets and effectively removes food-based residues, deposits and discolorations.
- No pre-soaking required.
- Anti-corrosive properties.
- Neutral as solution.
- Recommended for all domestic and industrial dishwashers.
- pH 14.

code	-	liters	€
975053	canister	10	46,50
975046	canister	20	83,50



975022

EXTREME SHINE PROFES-SIONAL RINSE AID FOR TABLEWARE AND CATERING EQUIPMENTS

- Highly concentrated rinse aid for dishwashers, assuring shiny tableware.
- Removes minerals (calcium and iron compounds etc.) contained in water thus eliminating streaks and traces occurring on dishes.
- Suitable for all commercial and industrial dishwashers.
- Recommended for glass, ceramic, faience, teflon, enamel-coated, metal (silver, aluminium, steel etc.) dishes.
- Safe for hand-painted dishes.
- Perfect shine.
- Contains organic acids.
- No wiping required.
- pH1

pin.				
code	-	liters	€	
975015	canister	10	41,00	
975022	canister	5	27,00	



EXTREME WASH & SHINE PROFESSIONAL SET FOR WASHING AND RINSING DISHES IN GASTRONOMIC DISHWASHERS (975053 + 975022)

- Set includes dishwashing detergent 975053 and rinse aid 975022.

code	€
979792	58,50

DISHWASHERS AND HYGIENE

ကိ



699317

EXTREME ALU WASH PROFESSIONAL DETERGENT FOR WASHING ALUMINIUM **DISHES IN COMMERCIAL** DISHWASHERS

- Special developed detergent for use in commercial dishwashers.
- Ideal for washing kitchen and bakery equipment and utensils like: containers, trays, pans, grids, kitchen utensils and cutlerv.
- Effectively removes protein, fat, starch and Guarantees excellent density and viscosity. oil residues
- Safe to use on aluminium, stainless steel. plastic and porcelain.
- Effectively removes the residues of fat, protein, starch and oil.
- It doesn't foam, ensuring that no detergent residues are left at the end of the cycle.
- Not suitable for every type of anodized aluminium, to check the effects apply a bit of detergent to a small spot.

code	-	liters	€	
699317	canister	20	97,00	



EXTREME PURE PROFES-SIONAL CONCENTRATED SOLUTION FOR MANUAL **DISHWASHING - 5L**

- Concentrate for hand washing up.
- Safe for every dish glass, ceramics, enamel-coated, steel, plastic, precious and non-ferrous metals.
- Softens and removes food residues, grease and discolorations.
- Leaves natural shine.
- Lemon fragrance.
- Hands and environment friendly, works with hard water.

HENDI

code	-	liters	€	code	-	liters	
975145	canister	5	11,00	975008	bottle	1	



R

f

Ą

नि

ကြိ

PROFESSIONAL DESCALER FOR COMMERCIAL DISHWA-SHERS

- For thorough and daily removal of mineral deposits and limescale from professional catering equipment (boilers, sterilisers, dishwashers etc.).
- Recommended for all dishwasher types - hood, undercounter, module, glass and industrial dishwashers.
- Contains phosphoric acid.
- Eliminates streaks.
- Ragrance-free, surface friendly, requires rinsina.

liters	£	code	-	liters	€
5	11,00	975008	bottle	1	6,40







976678

976661

EXTREME MILK SYSTEM CLEANER NEW FORMULA, A PROFESSIONAL MILK FROTHER LIQUID CLEANER FOR AUTOMATIC COFFEE MACHINES.

- For cleaning of the milk frother in all coffee machines with foaming systems or attachments.
- Removes old, crystallised proteins and fat.
- Continuously purges the lines.

		<i>'</i> '	5	
-	A bottle with	a	convenient dispense	r.

code	liters	€		
976661	0,25	8,90		
976678	1	13,50		



EXTREME_MILK FROTHER CLEANER PROFESSIONAL LIQUID MILK FROTHER CLEANER

- Cleaner for milk frothers in any coffee machines equipped with frothers or frothing attachments.
- Removes old, crystallised protein and grease.
- For daily clearing of milk tubes.
- Contains phosphoric acids.
- Has a descaling effect.
- pH 1.

P			
code	-	liters	€
231296	bottle	1	6,70

ത്

EXTREME COFFEE TABLETS NEW FORMULA, PROFESSIONAL COFFEE MACHINE **CLEANING AGENT**

- For removal of various contaminations accumulated in outlets, filters and spoons of coffee machines.
- The product also cleans vacuum flasks, hot water urns and coffee pots.
- Cleaning using the product should be repeated every 2 weeks or 250 coffee cups.
- NOTE: This product does not remove scale.
- Use the Extreme Descaler scale remover to remove scale.

code	packed per	€
976630	25 tablets	8,35
976654	10 tablets per blister pack	4,45
976647	40 blister packs of 10 tablets	103,00

976685

EXTREME COFFEE LAB NEW FORMULA.

A PROFESSIONAL CLEANING POWDER

FOR BEAN TO CUP COFFEE MACHINES.

- For cleaning of coffee machine interiors (grind and brew,

- Removes hard coffee deposits, also preferred for periodic

cleaning - removes stains from china, faience, glaze and internal

weight (kg)

0 75







EXTREME DESCALER NEW FORMULA, A PROFESSIONAL SCALE REMOVER -**30 TABLETS IN A PACK**

- For removal of scale and limestone infiltrations, as well as other mineral deposits from household appliances.
- Recommended for use in coffee machines, kettles, vacuum bottles, furnaces and other devices where scale deposits form.



EXTREME DECALCIT PROFESSIONAL **POWDER DESCALER/DELIMER**

- Descaler and delimer power to remove lime residues and other mineral deposits from kitchen equipment.
- Recommended for coffee machines, kettles, containers, chafing dishes, ovens and other devices susceptible to limescale.

code		€	
979754	packaging 0.5 kg	11,00	



pressure, bean to cup types).

code

976685

surfaces of vacuum bottles and heaters.

€.

13,50

00

f

R

ကြီ

NEW

EXTREME NATURAL GRILL CLEANER PROFESSIONAL GRILL AND SAUSAGE **ROLLING GRILL CLEANER**

- For professional use in gastronomy and food industry.
- Ideal for: fast food restaurants, gas stations, food trucks, grocery stores, bistros,
- Easy and fast removal of organic and non-organic impurities, _ including oils.
- For removing greasy stains, but not burnt stains.
- Non-invasive cleaning and degreasing without any risk of damaging or discolouring the non-stick coating on rolling grills.
- Odourless, non-toxic safe to use in small rooms. -
- 100% natural composition.
- It doesn't contain VOC (volatile organic compounds) and hydrocarbon solvents.
- Certified by NSF N8 attesting safety of use on food processing equipment.

code	liters	€
976814	1	25,00



Watch the video

PROFESSIONAL GRILL AND OVEN CLEANER

- Ready-to-use, strongly alkaline product for daily removal of oily and tarry deposits, burnt grease and organic discolourations.
- Cleans and degreases.
- Recommended for daily washing of grill, ovens, hoods. -
- Helps keep the natural shine of surface.
- Fragrance free.
- pH 14.

code	liters	€
976807	1	27,50
975039	5	6,95



EXTREME

PROFESSIONAL

MHENDI



676

DISHWASHERS AND HYGIENE





947012

FILTER WITH A HEAD FOR ICE CUBE MAKERS 3.0

- Complete water filtration station for ice cube makers and underworktop peelers
- Periodic performance: 12 months or 30,000 litres
- The station has a wall-mount system

code	-	mm	€
947012		180x90x(H)340	120,00
947029	replacement cartridge	180x90x(H)340	18,50



Ê

ß

 ٢

N

VENDING MACHINE FILTER

- Prevents scaling
- Improves the taste and smell of water
- Removes chlorine, pesticides and their derivatives
- Active carbon element
- Mechanical filter
- Slow-dissolving food polyphosphate
- Maximum operating temperature: 38 °C

code	ø	length (mm)	€
235928	ø50	(L)280	21,00



WATER SOFTENERS (SEMI-)AUTOMATIC

- Using water softeners helps extend the life cycle of catering equipment.
- The softeners are based on an ion-exchange process wherein the calcium and magnesium ions that cause water hardness are captured by ion exchange resin inside the softener.
- It helps reduce maintenance costs thanks to effective prevention of lime scale deposits The device is fitted with a control head that makes it possible to configure working parameters of the water softening system as required.
- The elements inside the head are made of high quality ceramics, resistant to abrasion, corrosion and build-up of impurities (e.g. iron).
- This technology assures perfect seal inside the controller and

therefore long and trouble-free operation.

- Navy blue housing.
- Water connection diameter 3/4".
- Working pressure: 1.5-6.0 bar.
- Working ambient temperature: 5 38°C.
- Max.supply water temperature: 38°C.
- Regeneration time: 37 min.
- Output for 10°dH 1200 L.
- Resin bed 4,0 L.
- Regeneration tank: 8 kg.
- Maximum water flow: 5 L/min.
- Regeneration salt consumption per 1 cycle: 0.5 kg.



WATER SOFTENER, SEMI-AUTOMATIC

- The semi-automatic resin bed regeneration process using brine is initiated manually.

- Weight: 8 kg.

code	V	W	mm	€
230442	230	18	195x360x(H)510	250,00





WATER SOFTENER, AUTOMATIC

- The automatic resin bed regeneration process using brine is initiated automatically.
- Using the control panel the working time, regeneration time and water amount to be treated can be set.
- Automatic lock prevents unwanted access.

- Weight: 7.7 kg.

code	٧	W	mm	€
230459	230	18	206x380x(H)480	334,00

SALT TABLETS FOR WATER SOFTENING

- Ingredients: sodium chloride NaCl.
- Bag 25 kg.

code	weight (kg)	€
231265	25	22,00

ന്

WATER SOFTENERS MANUAL

- Hard water contains dissolved minerals calcium and magnesium compounds, among others. Calcium and magnesium ions cause scale build-up, which is risky for objects and tools in contact with water or steam.
- Water softening is a process in which all calcium and magnesium compounds causing water hardness are removed.
- When passing through the resin column, calcium and magnesium ions are absorbed by resin particles.
- When ion-exchange ability of the resin wears off, it ought to be restored in an appropriate regeneration process with the use of a salt solution.
- Water softener may be installed wherever water temperature is below 45°C and the water input pressure does not exceed 2 bars
- Regeneration: uniodised salt only.
- For drinking water only.
- Suitable for softening water for coffee makers, combi steamers, dishwashers and ice cubers.
- Thanks to its small size it is perfect for bars and restaurants.
- Thanks to highest quality components used, the device remains fail-safe and operational for many years.
- Optimum working water pressure: 1-2 bar.



WATER SOFTENER

- During softener regeneration the connected machine must not be used.
- Maximum/minimum water pressure: from 1 to 8 bar.
- Nominal flow: 1000 L/h.
- Ambient temperature: from 4 °C to 35 °C.
- Supply water temperature: from 4 °C to 25 °C.
- Connection size: 3/8".

code	filter capacity (20°F/30°F/40°F)	liters	mm	€
231210	1200/1000/900	8	ø185x(H)400	103,00
231227	2520/1680/1260	12	ø185x(H)500	122,00
231234	3360/2240/1680	16	ø185x(H)600	139.00



231210

R

Ĥ

Ą

ति

I

HENDI

INSECT KILLERS FOR USE IN THE KITCHEN & RESTAURANT



270080

INSECT KILLERS FOR INDOOR USE



270097

INSECT KILLER WITH ADHESIVE PLATE 100 M²

+

- Suitable for use in food preparation and serving areas.
- Metal casing including wall mounting.
- 2x15 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Maximum range approx. 100 m².
- Adhesive plate included.

code	V	W	mm	€
270080	230	30	480x100x(H)285	111,00
270028	230	2x15	2 replacement lamps	30,50

INSECT KILLER 300 M²

- Makes use of durable UV-A LED light, avarage working life of 20.000 hours.
- Body made of fire resistant.
- ABS for high safety.
- Insects are electrocuted with 4000 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	V	W	mm	€
270097	230	13	470x100x(H)263	73,50







Removable collection tray

HIGH VOLTAGE INSECT KILLER

- For indoor use.
- Body made of special treated aluminum alloy and ABS, fire resistant materials for high safety.
- 2x UV-A tubes.
- Insects are electrocuted with 2000 2500 V.
- Removable collection tray, easy to clean.
- Can be mounted to ceiling by chain or used free standing.

code	٧	W	mm	€
270158	230	26	335x90x(H)260	55,50
270165	230	40	485x90x(H)310	64,00
270172	230	45	640x90x(H)360	69,50



DISHWASHERS AND HYGIENE

ത്



INSECT KILLER WITH ADHESIVE PLATE 120 M²

- Suitable for use in food preparation and serving areas.
- ABS fire-resistant casing, back panel of metal, suitable for wall mounting.
- 1x36 W UV-A shatter-proof fluorescent tubes.
- Adhesive plate at the rear to catch the insects.
- Lamp and adhesive plate are easily replaceable.
- Maximum range approx. 120 m².
- Adhesive plate (390x270 mm) included.

code	V	W	mm	€
270196	230	36	475x80x(H)283	75,00
270233	Adhes	36,00		
270240	Replacement lamp for Insect killers			21,00



 ٢

R

Ħ

(

Ĥ

Å

नि

ကြိ



INSECT KILLERS FOR OUTDOOR USE



Chain

included

INSECT KILLER WATER RESISTANT

- ABS fire proof material for high safety.
- 2x UV-A tube.
- Insects are electrocuted with 2000 V.
- IPX4 waterproof, can be used indoor or outdoor.
- Removable collection tray, easy to clean.
- Chain mounting.

	5				
code	-	V	W	mm	€
270066	100 m ²	230	40	510x105x(H)315	92,00
270141	150 m ²	230	45	680x135x(H)310	120,00
935286	Replacement lamps for fly killers			19,50	

REPLACEMENT LAMP FOR FLY KILLERS

- UV-A fluorescent tube.

code	for	٧	W	mm	€
934159	270158	230	8	285x15x(H)15	8,10
934166	270172 - 270141	230	20	570x20x(H)20	8,10





Removable collection tray

934159



AMER *** BOX**®





ROUND LID

code	-	mm	€
691045	for 691038	ø580	24,50
691410	for 691403	ø500	21,50

PP polypropylene

691045



691052



691069



	COVED	

code	-	mm	€
691052	for 691038	ø580x(H)80	40,50
691427	for 691403	ø500x(H)100	33,50

FLIP OPEN COVER

code	-	mm	€
691069	for 691038	ø580x(H)190	54,00
691434	for 691403	ø500x(H)190	35,00

ROUND TROLLEY

code	-	mm	€
691076	for 691038	ø580x(H)130	55,50
691441	for 691403	ø500x(H)130	39,50



ROUND CONTAINER BODY

code	liters	mm	€
691038	120	ø580x(H)700	100,00
691403	80	ø500x(H)620	82,00

DISHWASHERS AND HYGIENE

Ö

Prices net of VAT



IJ

E

 $|\bigcirc|$

Ť

B

))

ļ





SLIM RECTANGLE CONTAINER 60L


code	liters	mm	€
691137	60	440x320x(H)580	55,50

691137



BINS AND ASHTRAY STANDS

- Stainless steel body
- Polished surface finish
- Comfortable, hygienic opening
- Anti-slip pedal Innovative "click-lock"



 Polypropylene inner bin - flexible, with a double handle to keep the bin liner in place



ROUND PEDAL WASTE BIN WITH INNER BIN

code	liters	mm	€
691311	5	ø210x(H)280	16,50
691335	20	ø300x(H)440	36,00
691342	30	ø300x(H)650	47,00

Anti-slip pedal





STANDING WASTE BIN WITH ASHTRAY

code	liters	mm	€
691380	15	ø200x(H)700	48,00



STANDING WASTE BIN WITH ASHTRAY

code	liters	mm	€
691397	33	ø240x(H)660	91,50



WET FLOOR SIGN

	ning			

code	mm	€
663950	300x460x(H)615	13,50



Â

/ _____

N

A

LAUNDRY TROLLEY

- Stainless steel structure with removable laundry bag.
- The laundry bag is made of oxford fabric and it is washable.
- 4 wheels of which 2 are castor wheels.

code	mm	€
691083	900x650x(H)850	167,00





Ľ,

Stainless steel furniture for self-assembly. Fast and easy fastening. Compact packaging - low shipping costs.



HENDI



STORAGE RACK WITH 4 SHELVES - FOR SELF-ASSEMBLY

- Made of AISI 430 stainless steel
- Feet made of 30×30 mm profiles
- Approximate maximum load per shelf 70 kg/m²
- Adjustable feet 25 mm upwards or 5 mm downwards

code	mm	€
812556	1000x600x(H)1800	318,00
812501	600x400x(H)1800	222,00
812518	800x400x(H)1800	273,00
812525	1000x400x(H)1800	304,00
812532	1000x500x(H)1800	335,00
812549	1200x500x(H)1800	319,00
812563	1200x600x(H)1800	394,00



BOLTED RACK, 5-SHELF, PACKED IN CARDBOARD BOX, FOLDING LEGS

- For use in professional catering.
- Made of high-quality AISI 430 stainless steel.
- Robust, bolted construction.
- 5 non-adjustable shelves.
- Robust 30x30 mm profile legs.
- Approximate load capacity of shelves: approx. 70 kg/m².

- Adjustable feet: +25/-5 mm.

HENDI



/ ____

ß

f

Ř

ස

ů

1

, T

WORK TABLES SELF-ASSEMBLY

- Made of AISI 430 stainless steel.
- Screwed.
- Legs made of 40×40 mm profiles.
- Worktop filled from below with waterproof laminated board that reinforces the item and forms a soundproofing layer.
- With a 40 mm backsplash to maintain hygiene.
- Rear legs moved from the wall by 150 mm to ensure easy wall-mounting.
- Adjustable feet 25 mm upwards or 5 mm downwards.





WORK TABLE HEAVY DUTY

 Approximate maximum load per worktop and per shelf – 70 kg/m².

mm	€
LF, DEPTH 600 MM	
800x600x(H)850	219,00
1000x600x(H)850	190,00
1200x600x(H)850	205,00
1400x600x(H)850	220,00
	LF, DEPTH 600 MM 800x600x(H)850 1000x600x(H)850 1200x600x(H)850

Worktop filled from below

with waterproof laminated board that reinforces the item and forms a soundproofing layer

WORK TABLE HEAVY DUTY

- Stainless steel shelf mounted at 200 mm, non-adjustable, welded.
- Approximate maximum load per worktop and per shelf 70 kg/m².

code	mm	€
WITH SHELF,	DEPTH 600 MM	
816189	800x600x(H)850	170,00
811511	1000x600x(H)850	227,00
811528	1200x600x(H)850	256,00
811535	1400x600x(H)850	289,00
811542	1600x600x(H)850	317,00
811559	1800x600x(H)850	335,00

WITH SHELF,	DEPTH 700 MM	
815830	800x700x(H)850	281,00
810705	1000x700x(H)850	301,00
810712	1200x700x(H)850	312,00
810729	1400x700x(H)850	324,00
810736	1600x700x(H)850	332,00
810743	1800x700x(H)850	352,00

HENDI

Prices net of VAT



WORK TABLES SELF-ASSEMBLY

- Made of AISI 430 stainless steel.
- Screwed.
- Legs made of 40×40 mm profiles.
- Worktop filled from below with waterproof laminated board that reinforces the item and forms a soundproofing layer.

430 stainless steel

> ٢

ß

A

Ĥ

Å

B

Ľ,

- With a 40 mm backsplash to maintain hygiene.Rear legs moved from the wall by 150 mm
- to ensure easy wall-mounting.
- Adjustable feet 25 mm upwards or 5 mm downwards.





 Approximate maximum load per worktop and per shelf – 70 kg/m².

code	mm	€
DEPTH 600 M	М	
811238	800x600x(H)850	154,00
811245	1000x600x(H)850	189,00
811252	1200x600x(H)850	220,00
811269	1400x600x(H)850	226,00

DEPTH 700 MM

812679	1000x700x(H)850	207,00
812686	1200x700x(H)850	221,00
812693	1400x700x(H)850	247,00



WALL WORK TABLE WITH UPSTAND AND SHELF

- Both the worktop and shelf have a spread load capacity of 70 kg/m².
- Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.

code	mm	€
DEPTH 600 M	1M	
811450	800x600x(H)850	203,00
811467	1000x600x(H)850	227,00
811474	1200x600x(H)850	256,00
811481	1400x600x(H)850	289,00
811498	1600x600x(H)850	317,00
811504	1800x600x(H)850	335,00

DEPTH 700 N	1M	
812716	800x700x(H)850	281,00
812723	1000x700x(H)850	301,00
812730	1200x700x(H)850	312,00
812747	1400x700x(H)850	324,00
812754	1600x700x(H)850	332,00
812761	1800x700x(H)850	352,00

SINK TABLES - SCREWED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the worktop
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm
- Tap opening Ø30 mm
- Worktop with 10 mm recess to prevent water from flowing out
- Screwed
- Feet made of 40×40 mm profiles
- 40 mm backsplash prevents the walls from being stained
- Feet legs moved from the wall by 50 mm to ensure easy wall-mounting
- Adjustable feet 25 mm upwards or 5 mm downwards



811870

SINGLE SINK TABLE - FOR SELF-ASSEMBLY

- Approximate maximum load per worktop - 70 kg/m².

code	mm	sink location	€
DEPTH 60	0 MM		
811849	600x600x(H)850	in the middle	272,00
811573	1000x600x(H)850	on the right	366,00
812648	1000x600x(H)850	on the left	366,00

DEPTH 700 MM

812877	600x700x(H)850	in the middle	309,00
812884	1000x700x(H)850	on the right	394,00
812891	1000x700x(H)850	on the left	394,00

SINGLE SINK TABLE WITH SHELF -FOR SELF-ASSEMBLY

- Approximate maximum load per worktop - 70 kg/m².

code	mm	sink location	€
DEPTH 60	10 MM		
811856	600x600x(H)850	in the middle	298,00
811863	800x600x(H)850	on the right	340,00
812495	800x600x(H)850	on the left	340,00
811870	1000x600x(H)850	on the right	363,00
812631	1000x600x(H)850	on the left	363,00

DEPTH 700 MM

812938	1000x700x(H)850	on the right	394,00
812945	1000x700x(H)850	on the left	394,00









SINK TABLES - SCREWED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the worktop
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm
- Tap opening Ø30 mm
- Worktop with 10 mm recess to prevent water from flowing out
- Screwed
- Feet made of 40×40 mm profiles
- 40 mm backsplash prevents the walls from being stained
- Feet legs moved from the wall by 50 mm to ensure easy wall-mounting
- Adjustable feet 25 mm upwards or 5 mm downwards



TWO SINK TABLE - FOR SELF-ASSEMBLY

- Approximate maximum load per worktop - 70 kg/m².

code	mm	sink location	€
DEPTH 60	IO MM		
811580	1000x600x(H)850	in the middle	411,00
DEPTH 70	10 MM		
812952	1000x700x(H)850	in the middle	474,00

DOUBLE SINK TABLE WITH SHELF -FOR SELF-ASSEMBLY

- Approximate maximum load per worktop - 70 kg/m².

code	mm	sink location	€
DEPTH 60	IO MM		
811887	1000x600x(H)850	in the middle	414,00

DEPTH 700 MM

812969	1000x700x(H)850	in the middle	502,00



SINK

- Made of durable stainless steel (AISI 304).
- Intended for wall-mounting.
- Internal dimensions 350x250x(H)100mm.
- ø35mm opening for tap instalment, fits HENDI 970522 tap.

- ø52mm drain compatible with standard traps

code	mm	€
811818	400x295x(H)145	105,00



 ج

R

f

(

Ĥ

Ř

B

ကြိ

Y

430



Υł

430

BUDGET LINE TABLES - SCREWED

- Robust construction made entirely of AISI 430 stainless steel.
- Worktop reinforced from the bottom with a longitudinal profile.
- With a 40mm upstand.
- Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Both the worktop and shelf have a spread load capacity of 70 kg/m².

430

- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery for self-assembly.



811276



BUDGET LINE WORK TABLE WITHOUT SHELF - SCREWED, DEPTH: 600 MM

code	mm	€
817056	600x600x(H)850	148,00
817063	800x600x(H)850	157,00
817070	1000x600x(H)850	166,00
817087	1200x600x(H)850	175,00

CENTRAL WORK TABLE WITH A SHELF BUDGET LINE - SCREWED, DEPTH: 600 MM

code	mm	€
817094	600x600x(H)850	179,00
817100	800x600x(H)850	193,00
817162	1000x600x(H)850	209,00
817179	1200x600x(H)850	224,00



BUDGET LINE WALL WORK TABLE WITHOUT SHELF - SCREWED, DEPTH: 600 MM

code	mm	€
817186	600x600x(H)850	156,00
817193	800x600x(H)850	165,00
817209	1000x600x(H)850	175,00
817216	1200x600x(H)850	183,00



WALL WORK TABLE WITH SHELF BUDGET LINE - SCREWED, DEPTH: 600 MM

code	mm	€
817223	600x600x(H)850	186,00
817261	800x600x(H)850	202,00
817278	1000x600x(H)850	217,00
817285	1200x600x(H)850	233,00



BUDGET LINE TABLES – SCREWED

- Durable construction made entirely of AISI 430 stainless steel.
- 2 sink bowls (400x400x(H)250 mm), each pressed from a single sheet of stainless steel, seamlessly welded into the worktop.
- With a 40mm upstand. Shelf mounted at 160 mm from the floor, leaving plenty of space for larger appliances and boxes.
- Both the worktop and shelf have a spread load capacity of 70 kg/m².
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).

430

 ٢

R

f

C

- ø30 mm opening for tap instalment, fits HENDI 970515 and 970508 taps.
- ø52 mm drain compatible with standard traps.



816790

BUDGET LINE TABLE WITH 1 SINK BOWL, WITHOUT SHELF – SCREWED, DEPTH: 600 MM

mm	€
600x600x(H)850	255,00
800x600x(H)850	268,00
800x600x(H)850	268,00
1000x600x(H)850	281,00
1000x600x(H)850	281,00
	600x600x(H)850 800x600x(H)850 800x600x(H)850 1000x600x(H)850



TABLE WITH 1 SINK BOWL AND A SHELF -SCREWED, DEPTH: 600 MM

code	mm	€
816806	600x600x(H)850	281,00
816998	800x600x(H)850	307,00
817001	800x600x(H)850	307,00
817018	1000x600x(H)850	330,00
817025	1000x600x(H)850	330,00



TABLE WITH 1 SINK BOWL AND A SHELF - SCREWED, DEPTH: 600 MM

code	mm	€
817049	1000x600x(H)850	356,00



DOUBLE SINK TABLE WITH SHELF BUDGET LINE – SCREWED

code	mm	€
817032	1000x600x(H)850	407,00

SINK TABLES - WELDED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the worktop
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm
- Tap opening Ø30 mm
- Worktop with 10 mm recess to prevent water from flowing out
- Welded
- Feet made of 40×40 mm profiles
- 40 mm backsplash prevents the walls from being stained
- Feet legs moved from the wall by 50 mm to ensure easy wall-mounting
- Adjustable feet 25 mm upwards or 5 mm downwards

WALL WORK TABLE CABINET WITH SLIDING DOORS - WELDED

- Made of durable stainless steel (AISI 430).
- With welded frame.
- Worktop reinforced with a steel profile.
- With a 40 mm high upstand.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- With 1 removable shelf, non-adjustable.
- Sliding doors with vertical handle, all on roller bearings.



code	mm	€
811641	800x600x(H)850	431,00
811658	1000x600x(H)850	477,00
811665	1200x600x(H)850	525,00
811672	1400x600x(H)850	573,00
811689	1600x600x(H)850	615,00

WALL MOUNTED CABINET WITH SLIDING DOORS - WELDED, DEPTH: 300 MM.

sink location

in the middle

£.

475.00

815007

SINK TABLE - WELDED, 1 SINK BASIN,

- Approximate maximum load per worktop - 70 kg/m².

mm

1000x600x(H)850

DEPTH: 600 MM.

code

815007

- Made of durable stainless steel (AISI 430).
- Equipped with sliding doors with plastic handle, all on roller bearings.
- The smooth internal surface eases cleaning.
- Maximum spread load capacity per shelf: 70 kg/m².
- Welded for high durability and stability.
- Delivered with special strip brackets for mounting on the wall.

code	mm	€
DEPTH 300 I	1M	
814154	800x300x(H)600	298,00
811207	1000x300x(H)600	335,00
DEPTH 400 I	4M	
814178	800x400x(H)600	324,00
814185	1000x400x(H)600	363,00
811214	1200x400x(H)600	366,00





SINK TABLE WITH CABINET - WELDED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals.
- Sink bowl seamlessly welded into the worktop.
- Sink dimensions: 400×400×(H)250 mm
- Drain compatible with standard traps: Ø50 mm.
- Tap opening Ø30 mm.
- Worktop with 10 mm recess to prevent water from flowing out.
- Welded for high durability and stability.

- Approximate maximum load per worktop 70 kg/m².
- 40 mm backsplash prevents the walls from being stained.
- Door handles made of plastic.
- Cabinet body moved from the wall by 100 mm, no rear wall to ensure access to water and sewage connection.
- Feet height: 160 mm, adjustable feet 25 mm upwards or 5 mm downwards.



SINGLE SINK TABLE WITH CABINET -WELDED, DEPTH: 600 MM.

- Hinged doors, hinges on the left.
- Doors are kept shut with magnetic latches.

code	mm	€
SINGLE SINK	, DEPTH 600 MM	
813492	500x600x(H)850	458,00
813522	600x600x(H)850	492,00

SINGLE SIN		
813539	500x700x(H)850	478,00
813546	600x700x(H)850	512,00



DOUBLE SINK TABLE WITH CABINET -WELDED.

- Sliding doors.

code	mm	€
813690	1000x600x(H)850	720,00

EXTREME CLEAN PROFES-
SIONAL, MULTI-PURPOSE
KITCHEN CLEANER, 1L

code	-	liters	€
975466	bottle	1	6,95

EXTREME STEEL PROFESSIO- NAL STEEL POLISH AND CLEANER, 1L			
code	-	liters	€

	40
979761 bottle 1 9.	- 45



Prices net of VAT

695

Ć.

R

F

f

Å

नि

I



SINGLE BASIN TABLE - WELDED

- Basin welded, made of AISI 304 stainless steel for high resistance to food acids and chemicals.
- Embossed area drop towards the trap, envelope-shaped.
- Drain compatible with standard traps: ø50 mm.
- 40 mm backsplash to prevent water from flowing out.
- Framework and body made of standard AISI 430, dimensions 40x40 mm.
- Basin table front cover made of AISI 430 steel.
- Welded for high durability and stability.
- Adjustable feet: +25/-5 mm.

-	Tap	opening:	ø30	mm.

code

-		
mm	basin size (mm)	€

SINGLE BASIN, DEPTH 600 MM, HEIGHT 300 MM

813294	600x600x(H)850	486x443x(H)300	285,00
811825	800x600x(H)850	686x443x(H)300	309,00
811832	1000x600x(H)850	886x443x(H)300	347,00

SINGLE BASIN, DEPTH 600 MM, HEIGHT 400 MM

813423	1000x600x(H)850	886x443x(H)400	477,00	
813430	1200x600x(H)850	886x443x(H)400	518,00	

SINGLE BASIN, DEPTH 700 MM, HEIGHT 300 MM

812853	800x700x(H)850	686x540x(H)300	392,00	
812860	1000x700x(H)850	886x540x(H)300	416,00	

TWO BASINS, DEPTH 600 MM, HEIGHT 300 MM

	813485	1200x600x(H)850	2x 541x443x(H)300	552,00	
--	--------	-----------------	-------------------	--------	--

BUDGET LINE SINGLE BASIN TABLE WITHOUT FRONT COVER – WELDED, DEPTH: 600 MM

- Basin made of stainless steel (AISI 304), frame made of stainless steel (AISI 430).
- Basin depth: 300 mm.
- Embossed area water flow towards the sink, envelope-shaped.
- With a 40mm upstand.
- Distance from the upstand to the basin: 100 mm.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- ø30mm opening for tap instalment, fits HENDI 970515 and 970508 taps.
- ø52mm drain compatible with standard traps.
- Flat pack delivery for self-assembly (wrench included).

code	mm	€
816707	800x600x(H)850	298,00
816714	1000x600x(H)850	332,00



304 430

R

Ê

C

Ĥ

Ř

B

ကြိ

''

Ľ,



SINGLE SINK TABLE BUDGET LINE -SCREWED, DEPTH: 600 MM

- Basin made of stainless steel (AISI 304), frame made of stainless steel (AISI 430).
- Basin depth: 300 mm.
- Embossed area water flow towards the sink, envelope-shaped.
- With a 40mm upstand.
- Distance from the upstand to the basin: 100 mm.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- ø30mm opening for tap instalment, fits HENDI 970515 and 970508 taps.
- ø52mm drain compatible with standard traps.
- Flat pack delivery for self-assembly (wrench included).

	, , , , , , , , , , , , , , , , , , , ,	
code	mm	€
811009	800x600x(H)850	311,00
811023	1000x600x(H)850	345,00



EXTREME CLEAN PROFES-SIONAL, MULTI-PURPOSE **KITCHEN CLEANER, 1L**

code	-	liters	€
975466	bottle	1	6,95

EXTREME STEEL PROFESSIO-NAL STEEL POLISH AND CLEANER. 1L

code liters € 979761 bottle 1 9,45



975466 979761





SINGLE ADJUSTABLE WALL SHELF, WITH 2 STEEL BRACKETS

- Made of AISI 430 stainless steel.
- Welded for high durability and stability.
- Approximate maximum load per shelf 25 kg/m².
- 30 mm backsplash prevents the goods from falling down.
- Removable shelf with smooth surface for easy cleaning.
- Delivered with 2 steel brackets for wall-mounting.

code	mm	€
811719	800x300x(H)600	65,00
811788	1000x300x(H)600	76,50
811795	1200x300x(H)600	78,50
811801	1400x300x(H)600	84,00



DOUBLE ADJUSTABLE WALL SHELF, WITH TWO STEEL BRACKETS

- Made of AISI 430 stainless steel.
- The backsplash prevents the goods from falling down.
- Removable shelf with smooth surface for easy cleaning.
- Maximum load per shelf (provided that the load is distributed evenly): 25 kg.
- Welded for high durability and stability.
- Delivered with 2 steel brackets for wall-mounting.

mm	€
1	
800x300x(H)600	139,00
1000x300x(H)600	156,00
1200x300x(H)600	159,00
1400x300x(H)600	170,00
1	
1000x400x(H)600	189,00
	4 800x300x(H)600 1000x300x(H)600 1200x300x(H)600 1400x300x(H)600 4



POT STAND

- Made of durable stainless steel (AISI 430).
- Robust welded construction guarantees stability and high durability of the stand.
- Worktop reinforced with a steel profile.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Approximate maximum load per worktop (when evenly distributed): 100 kg/m².

code	mm	€
812044	550x550x(H)450	149,00



WALL SHELF. WITH TWO STEEL BRACKETS

- Made of AISI 430 stainless steel.
- Welded for high durability and stability.
- Approximate maximum load per shelf 25 kg/m².
- 30 mm backsplash prevents the goods from falling down.
- Delivered with 2 steel brackets for wall-mounting.

code	mm	€
816486	800x300x(H)250	69,00
816493	1000x300x(H)250	76,50
816509	1200x300x(H)250	82,50
816516	1400x300x(H)250	90,00





811108

PASS-THROUGH CUPBOARD WITH PARTITION AND SLIDING DOORS

- Made of durable stainless steel (AISI 430).
- Fitted with 2, non adjustable, removable shelves and 2 fixed shelves (bottom and middle shelf).
- Equipped with 8 sliding doors with vertical handle, all on roller bearings.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assembly.

code	mm	€
811634	800x500x(H)1800	1 070,00
811108	1000x600x(H)1800	1 270,00

WALL-MOUNTED EXTRACTOR HOOD

- Made of durable stainless steel (AISI 430).
- Equipped with a set of stainless steel labyrinth filters which can be washed in dishwashers.
- With collection pan for catching fat and grime that comes from the filters.
- Fitted with an ø200 mm ventilation connection at the top.
- The hood isn't equipped with a fan, this needs to be done separately.

code	light	mm	kg	€
229286	-	1000x700x(H)450	32	*229286*
229293	-	1200x700x(H)450	36	553,00
229309	YES	1000x700x(H)450	35	567,00
229316	YES	1200x700x(H)450	39	593,00



R

f

नि

ကြိ

PASS-THROUGH CUPBOARD WITH SLIDING DOORS

- Made of durable stainless steel (AISI 430).
- Fitted with 2, non adjustable, removable shelves and 2 fixed shelves (bottom and middle shelf).
- Equipped with 4 sliding doors with vertical handle, all on roller bearings.
- The legs are adjustable in height to guarantee level installment (+25/-5 mm).
- Flat pack delivery, needs assembly.

code	mm	€
812402	800x700x(H)1800	1 020,00





UNLOADING TABLE FOR DISHWASHER, WITHOUT BACKSPLASH - SCREWED

- Made entirely of top-quality AISI 430 stainless steel.
- Worktop reinforced from the bottom.
- Profiles on the longer edges of the worktop hold the dishwasher rack firmly in place and serve as guides for its easy movement on the table.
- Profiles connected to the worktop along the entire length of the leak-proof, polished weld prevent water splashing and facilitate safe and easy cleaning of the table.
- Designed for 500x500 mm dishwasher racks.
- Legs made of 40x40 mm profiles.
- The latch easily connects the worktop to the hood dishwasher, facilitating trouble-free transport of dishwasher racks (please specify the dishwasher model when placing an order).
- Versatile model connection to dishwasher possible on the front, left or right side – you only need to turn the unloading table around!
- Adjustable feet: +25/-5 mm allow for tilting the worktop towards the dishwasher – this position of the table causes water to drain back into the dishwasher.

mm

Approximate maximum load per worktop (when evenly distributed): 70 kg/m².

1100x600x(H)850	334,00
/70 kg/m²	
70 kg/m ²	



811924

LOADING TABLE WITH SINK FOR DISHWASHER - SCREWED

- Sink bowls pressed from a single sheet of stainless steel characterised by high resistance to food acids and chemicals
- Sink bowl seamlessly welded into the stainless steel worktop.
- Sink dimensions: 400x400x(H)250 mm.
- All the remaining elements made of AISI 430 steel.
- Drain compatible with standard traps: ø52 mm.
- Worktop with 19 mm recess to prevent water from flowing in.
- Available in right-hand and left-hand versions.
- Screwed.
- Feet made of 40x40 mm profiles.
- Approximate maximum load per worktop 70 kg/m².
- Adjustable feet 25 mm upwards or 5 mm downwards.

code	-	mm	€
811917	Right	1000x600x(H)850	518,00
811924	Left	1000x600x(H)850	518,00



MOVABLE TABLES WITH SHELF

- Made of AISI 430 stainless steel.
- Feet made of 40×40 mm profiles.
- Worktop filled from below with waterproof laminated board that reinforces and soundproofs the item.
- Steel wire shelf mounted at 200 mm, non-adjustable.
- Approximate maximum load per worktop and per shelf 70 kg/m².
- Worktop without backsplash allows the user to use the table regardless of where they stand.
- 4 low-noise, swiveling castors Ø125 mm, two of which are equipped with a brake

code	mm	€
815786	1000x700x(H)850	340,00
815793	1200x600x(H)850	343,00



code



€





EXTREME CLEAN PROFES-SIONAL, MULTI-PURPOSE **KITCHEN CLEANER, 1L**

- Ready-to-use de-greasing and stain removing cleaner for daily cleaning.
- Effectively removes stubborn oily deposits of animal, plant and industrial origin.
- Recommended for cleaning kitchen surfaces (walls, equipment), as well as at - When used daily, it brings out the depth home, garage, garden.

liters

1

€

6,95

- Also suitable for removing stains from textiles.

hottle

EXTREME STEEL PROFES-SIONAL STEEL POLISH AND CLEANER, 1L

- Streak-free, ready-to-use, product for care and de-grease of matte (brushed) and alossy stainless steel.
- Removed fingerprints and daily grease vapours.
- and leaves a mirror effect.
- Recommended for external structures of kitchen equipment, lift cabins, hoods. - No rinsing required.

hottle

liters

1

€.

9,45

979761

- pH 7.

code

979761

PROFESSIONAL, ALKALINE CONCENTRATE TO REMOVE GREASE DIRT- FOR WALLS, FLOORS AND GASTRONOMY EQUIPMENT

979778

OHENDI

- A multi-purpose, concentrated cleaning and de-greasing agent to remove organic residues.
- Cleans, washes, removes stains and degreases in one operation.
- May be used in food and catering industry, for both thorough and daily cleaning.
- Recommended for cleaning floors, walls, elements of equipment, washing work wear as well as stain removal.
- Dedicated for manual, pressure washing and scrubbing machinery.

code	-	liters	€
979778	bottle	1	6,95

code

975466

minim

R

f

नि

ကြိ



GRILL BARBECUE GREEN FIRE

- Much less sensitive to wind thanks to the improved air supply.
- Easy to clean, due to e.g.fully removable burners
- and removable Gastronorm 2/1 dripping tray.
- Improved burners grant 90% of the surface useful heat.
- Technical parts mounted out of sight.
- Very clean burning, low CO2 emissions.
- Removable legs.



149508

GREEN FIRE WITH 2 BURNERS

- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability

code	-	kW[HS]	mm	€
149621	2 Stainless steel Gastronorm 1/1 barbecue grids	11.6	740x612x(H)825	972,00
149508	Enamelled cast iron Gastronorm 1/1 griddle and grid	11.6	740x615x(H)825	853,00



Ø

GREEN FIRE WITH 3 BURNERS

- Enamelled cast iron griddle and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	kW[HS]	mm	€
149591	17.4	1078x612x(H)825	1 520,00







GREEN FIRE WITH 4 BURNERS

- 2 Enamelled cast iron griddles and 2 Gastronorm 1/1 grids included.
- Supplied with wind screen.
- Elevated stainless steel grid for keeping warm sauces and finished food.
- Gas hose with quick connector fitting to the barbecue.
- Gas hose and regulator attach to gas bottle improved portability.

code	-	kW[HS]	mm	€
149614	on wheeled base	22	1400x612x(H)825	1 690,00

MHENDI





00

C

Ř

ස

ා

ſ

ÿ





CHURRASCO RECTANGULAR GRILL ATTACHMENT

 Attachment with burner cap. 					
code	mm	€			
26500055	530x350x(H)117	139,00			





CAST IRON GRIDDLE

- Suitable for all Green Fire Profi Line barbecues.
- Both sides usable, one side smooth, one side ribbed.

code	GN	mm	€
932001	GN 1/1	325x530	64,00





CAST IRON GRID

 Suitable for all Green Fire Profi Line barbecues. 							
code	GN	mm	€				
932018	GN 1/1	325x530	61.00				







GRID & FLAME TAMER

- Place the flame tamer over the burner element to prevent fat dripping directly on the burner element.
- Chrome plated grid.
- Flame tamer made of stainless steel.
- Suitable for all Green Fire Profi Line barbecues.

code	-	mm	€
939949	Grid	325x530	27,50
939956	Flame tamer	650x530	34,00

Ä





152706

OHENDI LAVA ROCKS - COARSE

LAVA ROCKS - FINE

CHENDI LAVA ROCKS -

- Suitable for various types of gas barbecues.

-	Fine, re	latively	small	l rocks.	
---	----------	----------	-------	----------	--

code	-	weight (kg)	€
152706	box	3	8,90

LAVA ROCKS - COARSE

- Suitable for various types of gas barbecues.
- Coarse, relatively large rocks.

152805

170328

170120

code

BARBECUE SKEWERS

packed per

code	-	weight (kg)	€
152904	bag	5	19,00
152805	box	9	16,50



BARBECUE SKEWERS

code	packed per	mm	€
170045	24	(L)210	6,70



29810126

CHURRASCO NARROW BARBECUE SKEWER, WITH WOODEN HANDLE

- Made of AISI 430 stainless steel.

- Wooden handle (FSC cert.).

code	thickness (mm)	blade length (mm)	length (mm)	€
29810126	3	515	650	12,50

170120	6	(L)250	5,85
170328	6	(L)350	8,35

mm

TRAMONTINA

18/0

€

29810130

CHURRASCO WIDE BARBECUE SKEWER, WITH WOODEN HANDLE

- Made of AISI 430 stainless steel.
- Wooden handle (FSC cert.).

code	colour	mm	€
29810130	Brown	(L)750	15,00

नि

ကြိ

Ć

BAKE- & GRILL-MASTER



154601

BAKE-MASTER MINI

- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m3/h.

code	kW[HS]	mm	€
154601	5.8	340x540x(H)300	239,00



154700

GRILL-MASTER MINI

- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 290x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,215 m³/h.

code	kW[HS]	mm	€
154700	5.8	340x540x(H)840	300,00



BAKE-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With enamelled frying pan.
- Inner dimensions of frying pan 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m3/h.

code	kW[HS]	mm	€
154618	11.6	650x540x(H)300	361,00





GRILL-MASTER MAXI

- Frame made of 18/0 stainless steel.
- With chrome plated grid and enamelled frying pan.
- Inner dimensions of frying pan 590x480x(H)55 mm.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane and butane gas.
- Consumption 0,430 m3/h.

	, .		
code	kW[HS]	mm	€
154717	11.6	650x540x(H)840	500,00



Ä



ROAST-MASTER MAXI

- With chrome plated grid and heavy duty flame tamer.
- Frame and flame tamer made of 18/0 stainless steel.
- Electronic ignition and thermocouple.
- Gas hose and pressure regulator included.
- Suitable for propane or butane gas.
- Consumption 0,430 m³/h.

code	kW[HS]	mm	€
154878	11.6	650x540x(H)840	278,00
144923	Protective cover	720x560x(H)360	18,50



 ج

R

Ê

ø

Ĥ

Ř

B

ကြိ

''









GRILL-MASTER QUATTRO

- Fully stainless steel frame with 2 dripping trays.
- Suitable for propane and butane gas and fitted with 4 burners which can be regulated independently.
- Supplied with 2 nickel-plated grids and 1 enamelled griddle (590x480x(H)55 mm internal dimensions).
- Thermocouple and electronic ignition.
- Gas hose and pressure regulator included.
- Consumption 0,8 m3/h.
- On a base with bottom shelf and 4 wheels for easy moving.

code	kW[HS]	mm	€
154908	22	1330x600x(H)920	825,00



154908

inner unnension		
code	mm	€
154656	700x520x(H)55	97,00

HENDI







Burner unit can be removed for easy cleaning



FIESTA 600

- Stainless steel base and sheet steel paella pan Ø 600 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 6 kg.

 Suitable for 	Suitable for propane gas, consumption 334 g/h.			
code	kW[HS]	mm	€	
146002	4.8	600x600x(H)870	778.00	

FIESTA 800

- Stainless steel base and sheet steel paella pan Ø 800 mm.
- Includes gas hose, electronic ignition and pressure regulator.
- With thermocouple and a round burner.
- Burner unit can be removed for easy cleaning.
- The space underneath is suitable for gas cylinders of 5 or 11 kg.

-	Suitable for	propane	gas,	consumption	489	g/h.	
---	--------------	---------	------	-------------	-----	------	--

code	kW[HS]	mm	€
146804	7	800x800x(H)900	1 000,00



PAELLA PAN

- Top-quality frying pans made of sheet steel.
- With 2 handles.

code	Suitable for Fiesta gas grill	mm	€
622100		ø340x(H)40	16,00
622308		ø460x(H)40	23,00
622407	146002	ø600x(H)40	50,00
622605	146804	ø800x(H)50	111,00

BARBECUE APRON

- Canvas 280 g/m².
- Flame retardant coating.

code	mm	€
556696	810x660	15,00





Ä







TAMPA GAS GRILL

- The Tampa has excellent cooking properties due to the optimal heat distribution and hot air circulation inside the burner enclosure.
- The high temperature sears meat evenly and quickly, reducing adhesion to the grid even when the grid hasn't been greased.

É

R

Ħ

(

Ĥ

Ą

ति

ကြိ

- The burner assembly is made entirely of stainless steel and can be completely disassembled for easy cleaning.
- The single lengthwise burner is adjustable, has thermocouple security and piezo ignition.
- The Tampa has a completely black epoxy coated frame with four wheels, two of which are caster wheels, and a secure gas bottle holder.
- Grease which is drained from meat during cooking is led through a special channel to a grease collector.
- Thanks to the deep gas bottle holder you can place the gas bottle safely under the barbecue.
- Griddle surface: 1022 x 500 mm.

code	kW[HS]	mm	€
700044	10	1260x580x(H)900	2 780,00



M H E N D I



XENON PRO

- This stainless steel power grill with folding base is easy to move thanks to its wheels and can be flatpacked into a compact unit during transport.
- The burner develops a high temperature in the windproof unit and therefore this barbecue is suitable for high volume production.
- The unit itself is easy to clean thanks to these high temperatures.
- The grill is fitted with a thermocouple and electronic ignition, gas hose and pressure regulator are included.
- Suitable for propane gas.
- Grid surface area 860x260 mm (2 grids of 430x260 mm).
- Folding and mobile base.
- Gas hose, electronic ignition and pressure regulator included.
- Consumption 536 g/h.

cod	e kW[HS]	mm	€
148	105 7.5	1120x410x(H)900	688,00



CHARCOAL BARBECUES

- 18/0 stainless steel with removable stands.





CHARCOAL BARBECUE PATIO

- Fitted with 2 grids of 345x345 mm each.
- Inside dimensions basin: 710x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm	€
150603	770x380x(H)760	220,00

CHARCOAL BARBECUE RESTO

- Fitted with 3 grids of 345x345 mm each.
- Inside dimensions basin: 1070x350x(H)max110 mm.
- Double bottom for ash collection.

code	mm	€
150801	1145x380x(H)770	339,00



Ä

710

HENDI

BIG CHUNKS

- Intended for medium to high temperatures
- Ideal for pizza ovens, outdoor ovens and barbecues direct to charcoal
- Unique aroma
- Strengthen the taste of your favourite dishes
 Made from the best wood or from the best aging barrels.
- Our offer includes wood chunks made from:
 - wine, whisky, or cognac barrels.
 - beech, olive, citrus, almond, or peach wood.

			K		
	PEACH	BEECH	CITRUS	OAK	ALMOND
code	199503	199459	199480	199466	199497
weight	3 kg				
€	23,50	23,50	23,50	23,50	23,50



€	23,50	23,50	23,50	23,50	
weight	3 kg	3 kg	3 kg	3 kg	
code	199473	199510	199534	199527	
	OLIVE	RED WINE	COGNAC	WHISKY	

/ ____

ß

00

Ř

B

Ö

-<u>55</u>

OVEN MITTS

- Hendi protective gloves are certified personal protective equipment and comply with the requirements of REGULATION (EU) 2016/425 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC. The regulation defines hazard categories I through III, and for each category, methods, and certification requirements are specified. Hendi protective gloves are a category II protective equipment.
- They are CE marked as certified personal protective equipment.
- All our gloves meet the requirements of the general standard EN 420 Protective gloves - General requirements and test methods.



Protection against mechanical hazards. Gloves that protect against mechanical hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g.

- The first digit indicates the abrasion resistance. the second the disc cut resistance, the third the tear resistance, and the fourth the puncture resistance. - An additional letter at the end (from A to F) indicates the degree of cut protection depending on the force applied (from 2 N to 30 N).

- They provide

- thermal protection according to EN 407 Protective gloves and other hand protection against thermal risks (heat and/or fire) and

- protection against mechanical risks according to EN 388 Protective gloves for mechanical protection, specifying levels of mechanical protection performance, and according to EN 13997 Protective clothing - mechanical properties - determination of resistance

to cutting by sharp objects.

3



Protection against thermal hazards Gloves that protect against thermal hazards are marked with a pictogram and numbers describing the degree of protection provided, e.g:

- The first digit indicates the burning behaviour, the second resistance to contact heat, the third resistance to convection heat, and the fourth resistance to radiation heat, the fifth resistance to small splashes of molten metal, the sixth resistance to large splash of molten metal.



<250°C CE

ش

R

A

C

Å

B

ကြိ

''

 $\langle \cdot \rangle$





HENDI	per -
LV. Innovatishan 6 V To Klamp, The Netherlands and au	15 miles
Size 11 Item 556603	12
100% Cotton/ mwelle/ Katoen/ wetna/ Coton/ otone/ Bumbac/ onox/ BaµBàki	
E: 2016 2018 EN 407-2004 322X 11 XX XX	556627
CE	
10/2020	

€

11,00



	HENDI Hendi Virtu Stanan, The National States Virtu Stanan, The National States Virtu States, The National States Virtu Sta
	Size 11 Item 556534 100% Azamide/ Azamide/ Azamide/ Azamide/ Bearamid/ Azamide/ Bearamid/ Azamide/ Bearamid/ Bearami
556634	+4.5298 BL402 2004 ↓ 422 X + 1210X C €
	04/2019

OVEN MITTS, COTTON - 2 PCS

packed per

2

556603

mm

(L)350

OVEN GLOVE HEAT RESISTANT - 2 PCS

- Heat resistant up to 250°C.

- Comfortable fit.

code

556603

code	packed per	mm	€
556634	2	(L)300	24,00

OVEN MITTS, FIBERGLASS - 2 PCS

code	packed per	mm	€
556627	2	(L)360	23,00



OVEN MITTS, FLAME RETARDANT COTTON - 2 PCS

- Extra long to protect the forearm.

code	packed per	mm	€
556610	2	(L)380	14,50



OVEN GLOVES LEATHER - 2 PCS

- Heat resistant up to 250 °C.
- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm	€
556689	2	(L)460	42,00

OVEN MITTS LEATHER - 2 PCS

- Heat resistant up to 250°C.

- Made from cow leather.
- Extra long to protect the forearm.

code	packed per	mm	€
556658	2	(L)460	27,50



WIRE BRUSH SET NARROW - 3 PCS

- Set of 3 different narrow wire brushes.

525524

- Consists of one brush with stainless steel bristles, one with brass bristles and one with nylon bristles.

code	packed per	mm	€
525524	3	(L)178	5,85
525531	3	(L)230	5,85



WIRE BRUSH Y-SHAPED

525555

525432

€

5,60

8,90

18/0

BRASS & STAINLESS STEEL WIRE BRUSH SET - 2 PCS

- Set of 2 different wire brushes with 4 rows of 14 bristles.
- Consists of one brush with stainless steel bristles and one with brass bristles.

code	packed per	mm	€
525555	2	(L)290	8,65



WIRE BRUSH

- Polypropylene with 8 rows of 8 stainless steel wire bristles.
- With steel scraper and long handle.

code	mm	€
525548	70x310x(H)85	5,60





WIRE BRUSH

- Comfortable black plastic handle with steel bristles.

code	mm	€
525562	150x55	4,45



WIRE BRUSH - 2 PCS

 Wood with 4 rows of 14 steel wire bristles. 				
code packed per mm €				
525517	2	(L)290	6.15	



- Stainless steel wires, with comfortable handle fitted with a loop.

mm

310x170

520x170

WIRE BRUSH

525425

code

525425

525432

18/0

- Polypropylene with 8 rows of 9 stainless steel wire bristles.

- Steel scraper for grids.

code	mm	€
525418	70x200x(H)80	3,35



code	mm	€
855201	100x320	17,00

Ä







BOLA PATIO INFRARED RADIANT HEATER

- Suitable for heating and warming up patios on cold days.
- Powerful will keep your guests comfortable even when the temperature is low.
- Designed for wall mounting, it can heat an area from about 16 to 32 $\ensuremath{m^2}$.
- The heating lamp uses modern carbon fiber, which translates into longer life and high heating efficiency with low energy consumption.
- Robust housing with protective grid made of heat-resistant aluminium.
- Supplied with remote control for easy adjustment of settings.
- You can choose between 4 heating power levels.
- With built-in timer for up to 25 hours.

code	٧	W	mm	€
272428	230	2500	879x85x(H)195	302,00

TORNADO INFRARED RADIANT HEATER

- Suitable for heating and warming up both indoor and outdoor areas.
- Powerful will keep your guests comfortable even when the temperature is low.
- Free-standing, with a stable base, it can heat an area from about 16 to 32 $m^{\text{2}}.$
- The heating lamp uses modern carbon fiber, which translates into longer life and high heating efficiency with low energy consumption.
- Robust housing with protective grid made of heat-resistant aluminium.
- Supplied with remote control for easy adjustment of settings.
- LED display indicating the current heating level.
- You can choose between 2 heating power levels.
- With built-in timer for up to 25 hours.

code	٧	W	mm	€
272435	230	2000	150x262x(H)1109	302,00



272428



R

Ê

C

Ĥ

Ř

B

ကြိ







PATIO HEATER

- Lamp for restaurant terraces.
- It can accommodate a 12 "gas cylinder with 11 kg capacity.
- Easy to transport thanks to its 2 wheels.
- Including electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Weight: 18,8 kg.

code	kW[HS]	mm	€
272602	12.5	ø770x(H)2200	334,00
144916	Protective cover	ø790x(H)2220	29,00

PATIO HEATER - RETRACTABLE

- Suitable for propane or butane gas.
- Easy to transport thanks to the 2 wheels.
- Retractable shaft to facilitate transport and storage.
- Including electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Retractable to (H)160 cm for storage and transport purposes.
- Weight: 16,5 kg.

code	kW[HS]	mm	€
272701	12.5	ø770x(H)1580	361,00
144916	Protective cover	ø790x(H)2220	29,00



Ä





Ř

B

ා

"

Š

/ ____

N

C

PATIO HEATER PYRAMID

- Heating with a real flame in a glass tube, improves ambiance.
- Aluminium structure with black metal side panels and quartz glass tube.
- Gas tank fits in the base.
- Includes electronic ignition, gas hose and pressure regulator.
- With anti-tilt protection.
- Suitable for propane or butane gas.
- Weight: 22,6 kg.

5	, ,		
code	kW[HS]	mm	€
272404	11.2	500x500x(H)2220	556,00
144909	Protective cover	480x480x(H)2220	29,00

LOUNGE HEATER

- Suitable for propane or butane gas, max. 15 liter gas bottles.
- Compact design with hinged door for easily replacing the gas bottle.
- With tilt switch, flame failure device and flame guard for enhanced safety.
- Including electronic ignition, gas hose and pressure regulator.
- Easy to transport thanks to the 2 wheels.

Weig	

J	5		
code	kW[HS]	mm	€
272411	8.5	ø556x(H)1430	445,00
144954	Protective cover	ø580x(H)1460	23,00



GENERAL INFORMATION

This product is protected by copyright. Use for commercial activities is only allowed if the original context is left intact, unless explicit permission for adaptation is given in writing by the author. In all cases of (partial) reproduction Hendi BV is to be clearly credited as source. Because of our striving for continuous product development, we reserve the right to change a product's specification, price and appearance without prior warning. Printing and typesetting errors reserved. The printed colors of products in this catalogue may have a limited deviation from the physical product. For more information see www.hendi.eu



LEGEND OF THE ICONS USED IN THIS CATALOGUE



Energy saving product



HACCP compliant



New product



For indoor and outdoor use



For indoor use only



For outdoor use only



Suitable for gas stoves



Suitable for gas stoves only



Suitable for electric stoves



Suitable for ceramic stoves



Suitable for induction stoves



Not suitable for induction stoves



Microwave proof



Not microwave proof



Diswasher proof



Not diswasher proof



Suitable for use in ovens



Stackable





Not Food Contact compliant

Food Contact compliant





- <350°C Temperature resistance
 - Temperature resistance range
- Al Aluminium

-40°C 300°C

Al Aluminium casting



Stainless steel



Stainless steel 18/0









Stainless steel 18/10



German steel X50CrMoV15



Carbon steel



















polyethylene



PP Polypropylene





Polycarbonate



POM POM plastic POM plas



Polyamide

SAN SAN plastic



Hard polymer heat resistant

SIL Silicone



Plexiglas

BPA free -**BPA** no Bisphenol A



М Melamine



Porcelain



Non slip







Ö

ARMENIA

Inter Hotel Service LLC

adress: Israyelyan street 37/147 0015 Yerevan Armenia phone: 37 410 565 699 email: interhotelservice@gmail.com





Asena MMC

adress: Ziya Bunyadov Street 19/65 Baku Azerbaijan phone: 994 772 779 085 email: horeca@asena.az



VYBAVENI-NOTELU.CZ

Oxygenic – Business Park Prague

adress:	Za Trati 235, rampa 20
	25219 Chrášťany
	Czech Republic
phone:	420 222 264 899
email:	info@oxygenic.cz
www:	vybaveni-hotelu.cz

MASO-PROFIT

GASTROFANS RationalFans s.r.o.

www:

Maso-Profit spol. s.r.o.

adress: Brnenská 23 664 47 Strelice Czech Republic phone: 420 728 870 010 email: brno@rationalfans.cz gastrofans.cz

adress: Hrdlorezska 197/6 19000 Praha Hrdlorezy 9

- Czech Republic
- phone: 420 284 000 222
- email: michal.huzvar@masoprofit.cz
- masoprofit.cz www:



Gastrovesely s.r.o.

adress: 7izkova 703/72 40001 Usti nad Labem Czech Republic phone: 420 777 190 895 email: gastrovesely@seznam.cz www: gastroveselv.cz

GAST. PACH

GAST-PRO s.r.o.

adress: Horska 60 54101 Trutnov Czech Republic phone: 420 499 846 345 email: brdicka@gastpro.cz www: gastpro.cz



GASTROART CZ. spol. s r.o.

adress: Doubek 165 251 01 Doubek Czech Republic phone: 420 702 265 266 asistentka@gastroart.cz email: gastroart.cz www:

PROMOS ALFA s.r.o.

adress: Delnicka 51/543 735 64 Havirov - Prostredni Sucha, Czech Republic phone: 420 596 413 589 email: info@promosalfa.cz www: promos-gastro.cz



PROMOS trading spol. s r.o.

adress:	Karolíny Světlé 28,
	736 01 Havířov – Podlesí
	Czech Republic
phone:	420 603 571 360
email:	jsedlacek@promos-trading.cz
WWW:	promos-trading.cz







CZECH REPUBLIC



TOMGAST Czech Republic s.r.o.

adress: Bohumínská 1876/2 735 06 Karviná - Nové Mesto Czech Republic phone: 420 596 314 571 email: info@tomgast.cz www: tomgast.cz



IMESO spol.s r.o.

adress: Rosicka 372 66417 Tetcice Czech Republic phone: 420 546 410 354 email: katerina.matouskova@imeso-group.cz www: imeso-group.cz



Gastrosegment CZ s.r.o.

adress: Lidická 700/19 602 00 Brno – Veveří Czech Republic phone: 608 466 880 email: info@gastrosegment.cz

ProHotel s.r.o. adress: Jeremenkova 9.

742 42 Šenov u Nového Jičína Czech Republic phone: 420 734 267 488 email: burvskova@profi-hotel.cz



GASTRO Klimatech s.r.o.

adress: Chebská 270/85 360 06 Karlovy Varv Czech Republic phone: 420 353 567 257 email: gk@gastroklimatech.cz gastroklimatech.cz www:



Gastrotechno Group

adress: Majakovskeho 89/12 400 01 Usti nad Labem Czech Republic phone: 420 733 383 999 sklad@gastrotechnogroup.cz email: www gastrotechnogroup.cz



NS SERVIS

PROGAST S & N V.O.S.

nsservis.eu

Czech Republic

info@nsservis.cz

adress: P. Bezruce 200, Velka Hledsebe 353 01 Marianske Lazne Czech Republic phone: 420 354 628 060 progastml@seznam.cz email: www pro-gast.cz



BLAŽEK



sving.cz

Blazek Gastro. s.r.o.

adress: Jihlavska 524/66

phone: 420 241 440 021

adress: Hlavní 288

email:

www:

email:

MB - SVING s.r.o.

140 00 Praha 4

Czech Republic

blazekgastro.cz

277 45 Úžice

Czech Republic phone: 420 321 001 337

k.svehlova@sving.cz

f

ਤਿ

ကိ

urbanova@blazekgastro.cz

MARCCRAB GASTRO CB s.r.o. MARCCRAB

adress:	Sokolska 1605/66 120 00 Praha Czech Republic
phone:	
email:	office@marccrab.cz
WWW:	marccrab.cz

NS Servis s.r.o.

email:

www:

adress: Pratecká 10a 620.00 Brno

phone: 420 732 429 825







CZECH REPUBLIC



JUDr. Milan Balas - InterBA adress: K Přívozu 2604

276 01 Mělník Czech Republic phone: 420 603 167 991 email: info@interba.cz interba.cz www:



Gastro Novotny

adress: Selská 58 614 00 Brno Czech Republic phone: 420 542 211 802 email: eliska@gastronovotny.cz gastronovotny.cz www





Gastro Suurkoogid OU

adress: Silikaltsiidi 2 11216 Tallinn Harjumaa Estonia phone: 3 726 090 633 email: info@gastro.ee gastro.ee



Gemoss Eesti OÜ

adress: Tartu mnt 87/E 11412 Tallinn Estonia phone: 3 726 602 221 email: info@gemoss.ee aemoss.ee www:

Jadasson Oü

adress: Kesk-Sojamäe 1 11415 Tallinn Estonia phone: 3 726 211 781 email: sisustaja@jadasson.ee www: jadasson.ee

Tadasson

Külmakeskus OÜ

adress: Mustamäe tee 22 EE-10621 Tallinn Estonia phone: 3 725 172 225 email: info@kylmakeskus.ee kvlmakeskus.ee www:

SUURKÖÖGID 🖉 OÜ Alledem

adress: Kaevuri 1 30328 Kohtla-Järve Estonia phone: 372 5814 27 89 olga@alledem.ee email: www suurköögid.ee

ASITEK

Profiasitek OÜ

www:

adress: Näpi tee 1 44208 Aluvere Estonia phone: 37 255 670 822 email: info@asitek.ee www: asitek.ee

FARWELL

Farwelli Kaubanduse Osaühing

adress: Kanali tee 4 10112 Tallinn Estonia phone: 3 726 024 411 email: farwell@farwell.ee farwell ee www:



Kohv on kunst OÜ

adress: Harku tee 40, 76906 Tabasalu Rannamoisa küla Estonia phone: 3 726 412 373 info@seadmed.ee email: www: seadmed.ee





Sisustusekspert AS

adress: Lasnamäe tn 4

Estonia

www: miaviagastro.ee

phone: 3 725 094 389

11412 Tallinn

email: info@miaviagastro.ee

adress: Järve tee 4, Assaku 75301 Harjumaa Estonia phone: 3 726 066 140 email: mail@sisustusekspert.ee www: sisustusekspert.ee



Cider Mill OU

adress: Lao 8/26 80010 Parnu Estonia phone: 37 254 502 075 email: info@cidermill.eu www: cidermill.eu

BalticMaster OÜ

adress: Peterburi tee 46 11415 Tallinn Estonia phone: 372 600 1270, 372 5608 7272 email: info@e-gastro.ee tallinn@balticmaster.ee



miaviagastre Bramasole OÜ

LTD Dika

adress:	Alekseevka St. 0158
	Tbilisi
	Georgia
phone:	995 551 323 344
email:	dika.sales@gmail.com
WWW:	dika.ge



HRC LLP Ecober

adress:	Suyunbay Ave., 66 V
	Almaty city
	Kazakhstan
phone:	77 272 281 515
email:	showroom@ecober.com
WWW:	ecober.com

Ć

R

Ê







adress: Mukusalas str. 73 LV - 1004 Riga Latvia phone: 37 167 702 777 email: gemoss@gemoss.lv gemoss.lv WWW:



SIA Griffin GT

adress: Kr. Barona iela 130/2 1012 Riga Latvia phone: 37 126 076 621 email: griffinsg@gmail.com www: griffin.lv



La RONDE SIA

adress: Vagonu 23 LV-1009 Riga Latvia phone: 37 125 522 233 email: info@bhs.lv www: bhs.lv

GASTROSERVISS GastroServiss SIA

adress: Asteru iela 44 2130 Dreilini Stopinu nov. Latvia phone: 37 129 148 185 email: info@gastroserviss.lv www: gastroserviss.lv

SIA "Baltic Master"

adress: Tvaika iela 54 Riga, LV 1005 Latvia phone: 37167387270 email: riga@balticmaster.lv

PROF ROSTULS SIA Prof Rostuls

adress: Jurkalnes iela 2A LV-1046 Riga Latvia phone: 37 127 009 333 email: office@rostul.lv WWW: profrostuls.lv

Sanitex Sanitex SIA

astro

adress: Liepu aleja 4 Ramava Kekavas pag. Kekavas nov. LV-2111 Ramava, Latvia phone: 37 167 048 400 email: info@sanitex.eu www: sanitex ly

ASTRO SIA

adress: Katrinas iela 16A 42 LV-1045 Riga Latvia phone: 371 28 333 348 email: astro@astro.com.lv www: astro.com.lv

SIA APETITE36

adress:	Baznicas iela 2B
	LV-2015 Dubulti Jurmala
	Latvia
phone:	37 122 010 696
email:	reservation@36line.com
www:	36line.com



LITHUANIA

BALTIC MASTER BALTIC MASTER UAB

adress: Dariaus ir Gireno str. 175 LT-02189 Vilnius Lithuania phone: 37 052 306 520 email: vilnius@balticmaster.lt balticmaster.lt/vilnius www:



SANGAIDA

UAB SANGAIDA adress: Paneriu 20A

LT-03221 Vilniaus l ithuania phone: 37 052 161 223 info@sangaida.lt email: sangaida.lt www



UAB AUDORES

adress: J. Kazlausko g. 21 T-8314 Vilnius Lithuania phone: 37 052 053 035 email: info@audores.lt \A/\A/\ audores It

UAB ARKIETE isherv



UAB ARVITRA BALTIC arvitra

adress:	S. Zukausko 49 LT-09131 Vilnius
	Lithuania
phone:	37 061 644 999
email:	arvitra@arvitra.lt
WWW:	arvitra.lt



UAB "Baltic food technologies"

adress:	Veiveriu g. 150
	LT-46391 Kaunas
	Lithuania
phone:	37 068 265 500
email:	zilvinas@balticfoodtech.lt
WWW:	balticfoodtech.lt

DAYTON

UAB Dayton

adress: Kirtimu g. 59 LT-02244 Vilnius l ithuania phone: 37 052 661 000 info@daytongroup.lt email: www daytongroup.lt



UAB Horekos servisas

adress: J. Totoraičio g. 72 LT- 46412 Kaunas Lithuania phone: 37 063 099 009 uzsakymai@irangarestoranams.lt email: www: irangarestoranams.lt

CJSC "TANGUTAS" TANGUTAS

adress: Vytauto g. 178 LT-53273 Garliava Kauno r. Lithuania phone: 37 065 388 280 email: tangutas@tangutas.lt tangutas.lt www:

Sanitex SANITEX

adress: Raudondvario pl. 131 LT-47501 Kaunas Lithuania phone: 7 037 401 111 email: sanitex@sanitex.eu www: sanitex.eu

Scobie McIntosh

SCOBIE & McINTOSH UAB

adress: Metalo g. 7, LT-02190 Vilniaus m. Vilniaus m. sav. Lithuania phone: 37 069 882 313 email: egle@scobiemcintosh.lt scobiemcintosh.lt www:



UAB "SPECUS" SISTEMOS

adress: Šeimyniškiu g. 23-101 LT-09236 Vilniaus Lithuania phone: 37 052 740 387 email: info@specus.lt www specus.lt



f

ਸ਼ਿ

-m





B-Commerce s.r.o.

adress: Duklianska 16 08501 Bardeiov Slovakia phone: 54 202 89 50 info@gastrokuchvne.sk email: gastrokuchyne.sk www



GastroRex s.r.o.

adress: Mlynske Luhy 80 82105 Bratislava Slovakia phone: 421 911 312 036 email: buyer@gastrorex.sk gastrorex.sk www



RM Gastro - JAZ s.r.o.

adress: Rybarska 1 91501 Nove Mesto nad Vahom, Slovakia phone: 421 327 716 379 email: obchod@jaz.sk jaz.sk www:



Karol Sipos - SK GLASS

adress: Sv. Jána 737/2 930 25 Nekyje na Ostrove -Vrakun, Slovakia phone: 421 914 274 427 email: skglass@skglass.sk skglass.sk www:

Gastro Glass Tatry SK, s.r.o.

adress: Nabr. J. Janosika 5 031-01 Liptovsky Mikulas Slovakia phone: 421 905 647 714 gastro@ggt.sk email: www: eshop-gastro.eu



G.P.R. Ltd.

adress: Rybnicna 40/E 83107 Bratislava 3 Vainorv Slovakia phone: 421 905 747 039 email: odbyt@gpr.sk www: apr.sk



Cornico Company s.r.o.

adress: Dilanicna cesta 16/B 90301 Senec Slovakia phone: 421 2 4552 3886 obchod@cornico.sk email: www: cornico.sk



CORA GASTRO s.r.o

adress: Traktorova 1 058 01 Poprad Slovakia phone: 421 52 7724 340 kuka.lubomir@cora-gastro.sk email www: cora-gastro.sk

CUROGASTROP

EUROGASTROP, s.r.o.

adress: Cergovska 7002/10 080 01 Presov Slovakia phone: 421 908 980 093 email: pribula@eurogastrop.sk www: eurogastrop.sk

N Eko Servis

EKO Servis SK s.r.o.

adress: Exnárova 10 4001 Košice Slovakia phone: 421 910 619 908 email: seman.ekoservis@gmail.com www: eko-servis.sk



A-Z Gastro s.r.o.

adress: Tatranská 10 974 01 Banská Bystrica Slovakia phone: 421 918 035 795 email: ekonom@azgastro.sk www: azgastro.sk



Omes s.r.o.

adress: Divina - Lúky 27 013 31 Divina Slovakia phone: 421 41 5684 591 email: chef@omes.sk www omes.sk



ΦΗΕΝΟΙ



SLOVAKIA



gastroHeSt

GASTROLUX. s.r.o.

GastroHeSt s.r.o.

email:

www:

phone: 421 907 773 128

Marek Gal' GastroGal

adress: Puškinova 1716/9 06601 Humenne

Slovakia

phone: 421 948 001 174 email: gastrogalmg@gastrogalmg.sk

gastrohest.sk

adress: Bytcicka 2 010-01 Zilina Slovakia phone: 421 905 756 825 m.cervenec@gastrolux.sk email: www: gastrolux.sk

adress: Tatranská ulica 213/211

032 42 Vavrišovo Slovakia

obchod@gastrohest.sk



GLOMAX s.r.o.

adress: Vladina 830 027 44 Tvrdosin Slovakia phone: 421 910 848 888 email: info@glomax.sk www: glomax.sk

CORTEC s.r.o.

Tanierik

adress: Magnezitárska 2/A 040 13 Košice Slovakia phone: 421 905 254 623 email: cortecke@cortec.sk \A/\A/\A cortec sk



adress: Pieninska 29B, 97411 Banská Bystrica Slovakia phone: 0905 213 330

email: tanierik@tanierik.sk tanierik sk www:

JTF partnership s.r.o.

adress: Majerska 178 2061 Lednicke Rovne Slovakia phone: 421 908 599 137 email: reprezentant@jtf.sk www: itf.sk

unijas

pastr

UNI-JAS gastrotechnika s.r.o. adress: Kragujevska 8414 01001 Žilina Slovakia

phone: 421 905 60 61 85 email: office@unijas.sk uniias.sk www:

ALVEX ALVEX spol s.r.o.

adress: Stefanikova 35 90028 Ivanka pri Dunaji Slovakia phone: 421 245 944 211 szalai@alvex.sk email: www: alvex.sk



Alena Kasáková - GASTROALKA Slovakia

adress: Dlhá ulica 932/95B 010 09 Žilina Slovakia phone: 421 911 723 002 email: eshop@gastroalka.sk www: gastroalka.sk



GASTMA S.R.O.

adress: Denesova 10 4023 Kosice Slovakia phone: 421 903 904 187 email: fakturant@gastma.sk www: gastma.sk



B.I.B. EUROTECHNIKA s.r.o.

adress: Vinohrady 1/A 940 01 Nove Zamky Slovakia phone: 421 35 642 44 21-2 email: obchod@eurotechnika.sk www: bibgastro.sk



f

R

-m



Gastro Party s.r.o.

adress: Zvolenska 23 97401 Banska Bystrica, Slovakia phone: 421 907 491 450 email: gastroparty@gastroparty.sk www: gastroparty.sk

UNI-JAS, sro

adress: Visnove 743 013 23 Visnove, Slovakia phone: 421 905 521 829 email: uni-jas@uni-jas.sk www: uni-jas.sk



IBIS GASTROSHOP

adress: Uhoľná 3 010 01 Žilina, Slovakia phone: 41 5625 143 email: ibis@ibis.sk www: ibis.sk

UKRAINE



TOB AS TIM

adress: Vul.Klyuchnyy 7/214, 76491 Iwano-Frankiwsk c.Vovchynets, Ukraine phone: 380 663 925 102 email: office@astim.in.ua www: astim.in.ua



HENDI

www.hendi.com